PHARMACOPOEIA *BATEANA.*

Quâ Nongenta

Circiter Pharmaca, pleráq; omnia è Praxi GEORGII BATEI Regi CAROLO Secundo Medici Primarii excerpta, ordine alphabetico concisè exhibentur, cum Viribus & Dosibus annexis.

Quorum *Nonnulla* in Laboratorio Publico Pharmacopœano *Lond.* fideliter parantur *Venalia*: Atq; in usu sunt hodierno apud *Medicos Londinenses*:

Huic accesserunt

ARCANA GODDARDIANA

ITEM

Orthotonia Medicorum Observata:

ET

TABULA POSOLOGICA

Dosibus Pharmacorum accomodata.

CUM

INDICE Morborum, Curationum, &c.

Curâ *J. S.* Pharmacopœi *Lond.*

EDITIO TERTIA

CUM

APPENDICE

Ex Autographo Eximii Authoris nunc primum desumpta.

Londini apud *Sam. Smith* & *Benj. Walford* Reg. Soc. Typograph. ad Insignia Principis in Cœmeterio D. *Pauli*. M DCC.

ILLUSTRISSIMO

Medicorum Londinensium

COLLEGIO REGALI,

Et potissimum excerpta, ordine alphabetico concise exhibentes, cum Valoribus annexis.

IRO SPECTATISSIMO

ERUDITISSIMOQUE

Gualt. Charleton M. D.

Praesidi Longissimo

ARCANA GODDARDIANA

Nec non

CENSORIBUS INTEGERRIMIS

Caeterisque Omnibus,

TABULA POSOLOGICA

Splendidissima cujus Societatis,

Doctissimis Pharmacorum accomodata.

CUM

Pharmacopoeiam hanc Bateanam, &c.

Obsequii & Honoris ergo,

EDITIO TERTIA

Quam humillime D. D. D. G.

CUM

APPENDICE

Ex Autographo Eximii Authoris nunc primum desumpta.

Ja. Shipton.

Londini apud Sam. Smith & Benj. Walford Reg. Soc. Typographi ad Insignia Principis in Coemeterio D. Pauli. M DCC.

ILLUSTRISSIMO

Medicorum Londinensium

COLLEGIO REGALI,

Et potissimùm

VIRO SPECTATISSIMO

ERUDITISSIMOQUE

Gualt. Charleton M. D.

Præsidi Insignissimo:

Nec-non

CENSORIBUS INTEGERRIMIS,

Cæterisque Omnibus,

Splendidissimæ hujus Societatis,

COLLEGIS,

Pharmacopœiam hanc Bateanam, &c.

Obsequii & Honoris ergô,

Quàm humillimè D. D. D. Q.

Ja. Shipton.

Pharmacopœiam hanc Bateanam haud indignam Censemus quæ Typis Mandetur.

Gualt Charleton, Præs. Coll. Reg. Med. Lond.

Tho. Burwell,
J. Gordon, Eq. Aur.
Will. Dawes,
Tho. Gill,
} Censores.

Datum 5° die *Sept.* A. D. 1690.

In Comitiis Censoriis ex ædibus Collegii Nostri.

LECTORI.

EN tibi (*Lector Optime*) *Georgii Bateï* M. D. Collegii Regalis *Londinenſis* quondam Socii *Pharmacopœiam* damus: Cujus fuit dixiſſe ſatis: nemini enim qui *Medicinam* ad Limina ſalutavit, ignotum eſt Nomen. CAROLI Secundi *Magnæ Britanniæ* Clementiſſimi *Principis* fuit Archiatrus, & ob *Elenchi Motuum Nuperorum in Angliâ* Tractatum elegantiſſimum, apud exteros etiam Clarus.

Hic dum vixerit *Medicinam* ornare ſemper ſtudens, & ejuſdem Amœniora Prata peragrans, *Hanc* (inter Cætera) concinnavit *Opellam* Feliciſſimus *medicus*, quam tibi non Invidimus.

Vale Lector & Fruere.

J. S.

Characteres,

Qui in hoc

LIBELLO

Occurrunt.

Aceſtum	
Acet. deſtillatum	
Aër	
Æs	
Æs Viride	
Alembicus	
Alumen	
Amalgama	*aaa*
Antimonium	
Aqua	
Aqua fontis	Font.
Aqua fortis	
Aqua Regia	
Aqua Roſ.	
Arena	
Argentum	
Argent. vivum	
Arſenicum	
Aurip. Sal. Aum.	
Auripigmentum	
Aurum	
Balneum	B
Baln. Mariæ	MB
Bolus Armena	Æ
Calx viva	
Cancer	69

Caput

Caput mort.	☺	Oleum	⊚
Chalcanth. vitriol	⊕	Plumbum	♄
Chalybs	♂	Præcipitare	♃
Chalybis limatura	♂	Pulvis Pulverare	☿
Cineres	♃	Retorta	♋
Cinnabaris	⊕	Sal Armoniacum	✱
Crucibul.	✠	Sal Commune	⊖
Cuprum	♀	Sal Gemmæ	☿
Destillare	♑	Sal Petræ	⊕
Dies	☉	Sol	☉
Ferrum	♂	Spiritus	Sp.
Hermes Merc.	☿	Stannum	♃
Hora	♅	Stimmi. Antim.	♁
Hydrargyrum	☿	Strat. sup. Strat.	S.S.S.
Ignis	△	Sublimare	♎
Jupiter	♃	Sulphur	△
Luna	☽	Tartarum	⊔
Mars	♂	Terra	▽
Massa	⊕	Venus	♀
Mercurius	☿	Vinum	V.
Merc. præcipiatus	☿	Viride æris	⊕
Merc. sublimatus	☿	Vitriolum	⊕
Nitrum	⊕	Urina	⊔
Nox	♀		

☿	☽	♀	♄	♂	♃	☉
▽	⊡	⊚	♅	℞	V.	
⊖	⦶	☿	⊿	△	✠	
⊡	✠	⚳	∴			
♃	$\overline{aaa}$	∞	♆	▽	♁	
○-○	69	⊕	O			
♁	♂	℞				
♃	♁	♀	B.	✕✕	⧗	
♅	☺	♎	♌			
☿	✠	☿				
⦶	M♁	⊽	Sp.	✱		
S.S.S.	℞ ros.	⊕	△	⊽ ont.		

Notandum, *Medicamenta singula, quibus præponitur Asteriscus* ⁎, in usu fuisse frequentiori apud Autorem, cujus *Praxin ac Præscripta in re Medicâ* non potui non animadvertere, quippe qui sub *Illo ἐν τῷ φαρμακοποιεῖν* assiduè solebam versari viginti circiter annorum spatio.

E R R A T A.

PAg. 21. lin. 3. lege *catharticorum*. p. 67. l. ult. lege *cubeb* ʒiij. p. 166. l. 7. lege *enul*. p. 168. l. 25. lege *lenit*. p. 181. l. 16. lege *Chamæmel*. p. 215. l. 24. lege *dentium*. p. 248. l. 17. lege *Tolut*. p. 278. l. antepenult. lege *Majalis*. p. 279. l. 1. lege ℔j.

PHAR-

PHARMACOPOEIA BATEANA.

A.

* A*Cetarium Scorbuticum.* ℞ Fol. cochlear. mar. ſelectiſ. ℥iij. ſacchar. albiſ. ℥vj. ⊖ cochlear. ℥j. contuſis opt. adde ſucc. aurant. ℥vj. m. *In iſto intingatur omnis cibus Scorbuticorum.*

Acetum Lithargyrites. ℞ ♃ Litharg. ☉ ℥iv. ✠ opt. ℥viij. digere ♁ 3, ſæpe agitando, & filtra. *Pro faciei Rubore, puſtulis, &c. curandis.*

Acetum Mellis. ℞ Mel. ℔j. ✠ opt. ℔iij. ex ∴ ♃ a ac rectifica. *Præter alios uſus ſolvere, & lapides ſine ulla præcedente calcinatione, dicitur.*

Acet. Peſtilentiale. ℞ Rad. Angel. zed. ā ℥j. bacc. junip. ℥ij. rutæ miij ✠ opt. ℔iij. macer. ac cola. *Pro ſuffitu, & oris collutione, graſſante peſte.*

* *Æthiops Mineralis.* ℞ Fl. 🜍 p. ij. ☿ crud.

crud. p. 1. exactiſ. mixta incende, ut ſ. ☿ nigerrimus ſ. a. *Uſus in Lue* ☿, *Hydrope, &c. Ptyaliſmum non movet.*

* *Alkekengi Conditum.* ℞ Bac. Halicacab. rec. ʒvj. contuſ. affunde Aq. Lactis ℔ij. exprime ſuccum, & clarifica cum album. ovor. Adde bacc. rec. Halicac. integras, & leniter coq. cum n. m. ʒiij. Troch. Gord. ʒij. rad. Eryng. Candefact. ʒij. ad teneritudinem. Baccis coctis & exemptis, liquor cum ā Sacchari coq. in Syr. conſiſt. in quo Baccæ condiantur. *Nephriticum, diureticum ac lithontripticum.*

* *Allium Conditum.* ℞ Rad. allii mund. ℔j. coq. parùm in Aq. font. quæ abjiciatur. Tum coq. in Aq. Hyſſop. ad molliciem perfectam. Liquor cum ℔j. ſacch. opt. coq. in Syr. circa finem addendo Allium, cum Ambr. griſ. gr. 24, Moſch. gr. 4, in nodulo ligatis, Sp. Hormin. ʒij. *Uſus in Colica flatulenta, Tuſſi, Aſthmate, Calculo, Arthritide, &c.*

Alumen Dulce. Solve ☉ in ♈, & coagula. Repete opus ter, ut ☉ dulceſcat. Vocatur & *Sacchar. Aluminis. Commendatur in pectoris morbis, præſertim ex mineralium halitu contractis. Odontalgiam ſedat, gingivæ impoſitum. Doſ.* ℈ß.

Alumen Febrifugum. Solve ☉ ʒij. in ♈ cardui b. ſanguine draconis probè tinctæ ac filtratæ

filtratæ ℔iss, & exhala ad siccitatem s. a. *Dos. ℈j. ante paronysmum febrilem, sudorem movet, &c. v. Mynsicht.*

* *Aluminatum.* ℞ Succ. limon. ℔j. ☉ ℥ss. coq. ac despuma s. a. *Optimè valet in rubore faciei, pustulis, &c. interim bibendo Cerevisiam Catapsoras.*

Amuleta Pestilentialia. ℞ ☉=☉ ℥iss. rad. angel. ʒvj. mucil. tragac. q. s. ut f. Pasta: exinde f. Amuleta n° 12. globosa, serico obvolvenda, *Ad cordis regionem gestanda.*

Anima Hepatis, v. Vitriol. Martis.

Antifebrile Concharum. Testis concharum oblongarum (vulgò Muscles) affunde ✠, & macera ⚹ 24. Abrade mucorem extern. exicca ac ☽ a, instillato sæpe inter ☽ andum ▽ cardui coch. 1. quo ☽ volatilis retineatur. exicca ad usum. *Dos. ʒj. Febrifugum est nobile. Ciet sudorem sat largiter.*

* *Antihecticum Poterii.* fit ex Regul. ♁ ij. ♂ tiati & ♃is Anglic. ā, colliquatis, cum triplo ⦶ i detonatis, & ▽ â edulcatis, s. a. *Dos. gr. vj. ad xx. In Lue ♀, Hydrope, Scorbuto, Tabe, &c.*

* *Antimon. Diaphoret.* f. ex ♁ p. i, ⦶ p. iij. detonatis ac ▽ â edulcatis. s. a. *Dos. ℈j. bis in die per plures dies, augendo quant. gradatim quotidie usque ad ʒj pro dosi. usus est ad*

ſanguinem mundificandum, in Cachexia, Hydrope, Scorbuto, Lue ♀, &c.

Antim. Diaphor. fixum. ℞ ♁ & ☽ ā: Detona, ablue & exicca. Tum miſc. cum ā ☽i; detona, ablue, ſicca: dein miſce iterum cum ā ☽i ac detona. ☽ m hanc in ▽ coctam filtra, & ♒a cum ✠. Tum ablue & ſicca. *Vires eaſdem obtinet cum priori in eadem doſi.*

Antim. Medicamentoſum. ℞ ♁ p. v. ⊖ com. p. iiij. ⊖ ♀ p. i. funde in Regulum ac edulcora. *Parùm differt à priori in viribus.*

Antim. Reſuſcitatum. ♎a ♁ & ✳ ā cum tribus cohobiis: Digere ♎atum cum ✠, exhala & ablue ſ. a. *Diaphoreticum habetur; leniter vomitum ciet.*

Apozema potenter expectorans. ℞ Decoct. Pectoral. ℔j. Syr. Scabioſ. comp. & Oxym. ſquillit. ā ℥ij. Aq. Jugland. comp. ℥iſs. Infuſ. croc. metall. ℥j. m. *Dentur Cochlear. iij, ad vij, omni manè, ità ut provocentur tres circiter Vomitiones.*

* *Aqua Aluminoſa.* ☉ & ♁ alb. ā commixt. coq. in vaſe ▽ reo △ lento, donec indureſcant Lapidis inſtar. Injice ℥ ris hujus coch. i, in ▽æ bullientis ℔ij, donec ſolvitur, ac filtra. *Ad Ulcera, vulnera, fiſtulas, &c. lavanda.*

* *Aqua*

* *Aqua Animalis.* ℞ ♀ris equi non defatigati rec. globulos n° xij. miſc. cum Leucœn. ℔viij. Adde Sem. fœnic. d. petroſel. ā ʒij. Theriac. Januenſ. ℔j. polypod. qu. Ruſci, Fol. hepat. ā m. ij. zz. ʒiij. ♌a l. ♎ ſ. a. *Doſ. ad ʒiv, ſuper ſudando, in Pleuriſi, Doloribus, Rheumatiſmo, &c.*

* *Aq. Antiphthiſica.* ℞ Sang. vitul. rec. agitatione à fibris ſeparati, ℔iij. Terebinth. Ven. ʒx. glyc. rec. ℔j. uv. paſs. exacin. ʒxij. ficus ping. n° 100. Limac. hort. n° 70. Rad. irid. rec. ʒvj. Fol. Tabaci Hiſpan. inciſ. ʒij. micar. panis alb. ℔j. ♌a ſ. a. *Doſ. ʒij. cum debita olei quantitate ſupernatante, omni manè cum Syr. Pectoral. per dies* 15.

* *Aq. Antiſcorbutica.* ℞ Fol. fumar. naſturt. aq. cochl. utriuſque, becabung. ā m. xij. ling. cerv. cichor. pini, chamædr. praſs. agrimon. Centaur. min. ā mx. abſinth. Rom. Hepatic. ā m. iiij. Rad. bryon. ʒviij. filic. fæm. lapath. cort. dulcamar. fraxin. intern. ā ʒvj. Sem. fraxini ʒiſs. angel. ʒſs. contuſis omnibus rec. adde V. Rhen. ℔vj. in quibus ♂ ℔j. vigecies extincta fuerit, exprime prelo & ♌a in MB. (addendo Troch. de Cappar. ☿ator. ʒvj. luti ♂ ʒiſs.) ad mellaginem; quæ poſtea exhaletur ad conſiſt. *Extracti*; quod ſervetur pro *Extracto Antiſcorbutico. Bat.*

Aq. Antiſcorbutica. ℞ Fol. Ari. cochlear. hort. naſturt. aquat. abſinth. vulg. ā m. vj. cort. aurant. rec. ʒiiij. n. m. ʒij. infunde per noct. in Cereviſ. Brunſvicenſ. ℔viij. & ℞a ſ. a. *Micleth.*

Aq. Arthritica. v. *Aq. omnium Florum.*

Aq. Aſthmatica. v. *Aq. Pectoralis.*

Aq. Bechica. ℞ Fol. heder. ter. tuſſilag. botryos. ā ℔iij. hyſſop. roriſm. puleg. marrub. ā ℔iſs. Rad. enul. glyc. ā ℔iſs. irid. Fl. ʒxij. ficuum inciſ. ℔iij. croc. opt. ſem. aniſ. fœnic. d. ā ʒſs. Sp. V. ℔x. ℣ont. ℔48. macer. ac ℞a per veſicam ℔24. vel 30. *pro Syr. Tolutano magiſtrali conficiendo.*

* *Aq. Benedicta.* ℞ Ψ ſonantis ℔j. cui affunde Hydropeg. bullientis ℔viij. Poſt compler. ebullit. & debitam reſidentiam, filtra ad uſum. *Doſ.* ʒiij. *vel* iv. *ter in die, vel pro potu com. per menſem. Multùm facit in plurimis Caſibus epota; ſc. in Facici Rubore, Puſtulis, &c. In ſtrumis, Aſthmate, Phthiſi, Empyemate, Dyſenteria maligna, Tumoribus Scroti aquoſis, Proſtuvio albo, Arthritide vagâ, Ephelidibus, Herpete, Gangræna, OEdemate, Tumoribus genuum & tibiarum, ulceribus omnibus cum affluxu humorum, &c. In Diabete curandâ opt. Remed.*

* *Aq. Benedicta comp.* ℞ Glyc. rec. ʒj. cort. ſaſſafr.

saffafr. ʒfs. aur. pafs. exacin. ʒvj. n. m. ʒvj. Aq. Bened. ℔vj. infund. in frig. ☉ ij. & f. colat. *Idem præstat cum priori, efficacius autem in aliquot Casibus.*

* *Aq Camphorata.* ℞ ☉ Rom. Æ, ā ʒiv. Camphor. ʒj. m. f. ☾ : de quo projice ʒj. in ℣æ bullientis ℔iv. amove ab igne, & subsidant læces. *Istâ tepidâ fove quævis ulcera: fluxiones omnes tollit: mundificat, siccat, roborat, dentes firmat, putredinem arcet, Ignem sacrum, & manus scabiosas curat. In Ophthalmia, Epiphora, &c. mira præstat.*

* *Aq. Caryophyllorum.* ℞ Fl. Caryoph. hort. rec. ℔ij. dactyl. ℔j. anis. glyc. ā ʒj. macer. in fæcum Vini ℔24, & ☾a per ♈♈ ℔iv. quibus adde facch. cand. ʒiiij. & suspende in nodulo caryoph. aromat. ℔ 3, vel 4, cum Mosch. & Ambr. gris. ā gr. v.

* *Aq. Cephalica.* ℞ Rad. pæon. mar. ʒiv. angel. Valerian. ā ʒiis. caryophyllat. ʒj. Fol. salviæ roris. beton. majoran. melis. Fl. lavend. beton. pæon. calend. salv. roris. lil. conval. tiliæ ā, mi. stœch. ʒiis. ros. r. paralys. ā m. ij. Lign. rhod. sant. citr. ā ʒvj. n. m. ʒiis. galang. ʒfs. cardamom. cubeb. ā ʒiij. infund. in vin. alb. opt. ℔xiv. ☉ 10. deinde adde cinam. opt. ℔j. macer. per ☉ 2. & ☾a f. a. *In capitis Intemperie, Cephalalgia,*

lalgia, &c. Dos. coch. ij. Attrahe inter nares, fricentur optimè Tempora, loca pone aures, ore teneatur & auribus: Linteolum eâ intinctum nuchæ adhibeatur. Plurimis levamen conciliavit, aliis incassum exhibitis.

* *Aq. Cerasor. comp.* ℞ Cerasor. n. cum nucleis opt. contus. ℔x. lactis rec. vaccæ rubræ cong. ij. Fol. violar. rubi, prunell. caprifol. ā m. iv. ℥a s. a. *Dos. ℔ß. bis in die. In Tympanite curando Præstantiss. Remedium.*

* *Aq. Chalybeata.* ℞ ♂ mund. ʒiv. V. alb. ℔iv. Insolentur ac agitentur quotidie ad nigredinem Vini, & ♂ discolorationem: dein. adde fragor. recent. leniter expres. ℔iv. Sperm. ceti, rhab. mumiæ, ā ʒß. ℥a ad fæcum siccit. *Dos.* ʒiij. *vel* iv. *bis in die, ad fistulas, præsertim urin. partium, Apostemata, hæmorrhoid. dolorem, mictionem purulentam, Contusiones, sanguinem coagulatum, &c.*

* *Aq. Chamæmeli comp.* ℞ Fl. Chamæm. rec. dupl. flore m. xxx. incid. contund. & infund. in Aq. stil. è fol. chamæm. ℔x. vin. Hispan. ℔xvj. ⅄ 24. exprime & infund. 2da vice Flor. rec. m. xx. In 3tia expressione infund. Flor. rec. m. xij; addendo flaved. cort. aurant. rec. ʒij. Fol. abs. pont. centaur. puleg. orig. ā m. iiß. Sem. aneth. ʒij. anis. fæn. c. carui, cumin. cardui ben. card. Mariæ, ā ʒiß.

ā ʒiſs. Bac. laur. junip. ā ʒſs. n. m. ʒiij poſt macerationem debitam ℔a ſ. a. *In flatu, Colica, Calculo, Menſibus obſtructis, &c.*

* *Aq. Cinamomi Cardiaca.* ℞ Succ. borrag. reſidentiâ depurat. ℔24. Fl. caryoph. ſimp. flore (ſc. Pinkes) m. ix. croc. ℈ij. cinam. opt. ℔iſs. Fl. borrag. m. iv. ℔a ſ. a. in MB. *In Syncope, Animi deliquio, &c. Inſignis.*

* *Aq. Cinamomi Hordeata.* ℞ Aq. Hordei depurat. ℔viij. Cinam. opt. ʒxij macera ac ℔a ſ. a. in MB. *Cum ā Oxym. Scillit. cochleatim ſumpta mirificè prodeſſe ſolet in Aſthmate.*

Aq. Cordium comp. ℞ Corda vituli valdè recentia per ſtruſtra ſect. nº vj. micæ panis à lacte vaccino inebriatæ ℔j. ▽Roſ. Dam. ▽ fl. aurant. ā ℔j. mala citria inciſa nº 3. cinam. ʒiv. macis ʒj. Gelat. c. c. cum V. alb. fact. ℔iv. ſanguin. Agni, Vituli, à fibris purgat. ā ℔ij. V. Hiſpan. ℔iij. ℔a ſ. a. *In virium dejectione mira præſtat.*

Aq. Coſmetica. ℞ Pedes Vitulin. confractos nº vj. Leptopityri ʒvj. ☿ris myrrh. ʒivſs. œnogalact. ℔vj. ℔a ſ. a. *Cum iſta facies abluatur, perfricando aluminis fruſto lævigato.*

* *Aq. Crinalis.* ℞ Muſca. vivent. ℔iv. mel. ℔j. lactis ℔ij. ℔a l. a. *Præterquam*

quod in Alopecia mirè prodeſt, in ſurditate etiam valet auribus inſtillata.

* *Aq. Cucumerum comp.* ℞ Succ. cucumer. hort. ℔iv. vin. alb. ℔vj. Thecar. fabar. ℔iſs. Fol. cum radic. ononid. ℔j. Bac. jump. ℥vj. n. m. nd xxi. Sem. petroſel. ℥iv. Saxifrag. alb. ℥iſs. Fl. geniſt. m. viij. ſambuc. lamii. alb. ā m. vj. ℔a ſ. a. ad ſiccitatem. *Doſ.* ℥ij. *omni mane, præmiſſis pil. ex terebinth. Cypr. in calculo & arenulis expellendis.*

Aq. Cynosbati comp. ℞ Fruct. Cynorrh. cum ſem. contuſ. ℥vj. Sem. raphan. ℥ſs. petroſel. ℥j. ſaxifrag. ℥ij. Rad. ſaxifrag. alb. ℥j. glyc. ℥iij. alth. ℥vj. ſeri lactis ℔x. ℔a ſ. a. *Doſ.* ℥iv. *bis in die cum Syr. de Alth. & de portulac. præmiſſ. conſ. cynosbati.*

Aq. Digitalis. ℞ Fol. Digitalis rec. ℥xij. glyc. ℥iv. aniſ. ℥ij. cereviſ. fort. ℔xij. fermenta ♁ 19. ac ℔a ſ. a. *Antaſthmatica inſignis eſt: & optimè valet ad promovendam expectorationem. Doſ. Cochl. aliquot ſæpe.*

* *Aq. Embryonum.* ℞ Rad. eryng. rec. ℔j. dactyl. ℔ſs. amygd. dulc. non decort. ℥iv. contuſ. in pulp. adde n. m. ℥iij. mac. ℥ſs. Aq. cinam. hordeat. ℔iſs. vin. Hiſpan. Aq. Meliſ. ā ℔j. ℔a ſ. a. *Doſ.* ℥ij. *ter in die cum ſacch. perlat. præmiſ. elect. ex conſ. roſ. r. garyoph. n. m. condit. pul. chor. margarit. &c.*

* *Aq.*

* *Aq. Epidemica.* ℞ Fol. chelidon. roriſm. rutæ, ſalv. artemiſ. abſ. anagal. dracont. ſcabioſ. agrim. meliſ. ſcord. centaur. min. card. b. beton. roris ſol. ā m. ij. Rad. angel. torment. gentian. zed. glyc. ā ʒj. macer. in Vin. alb. ℔viij. ♌ 2 : dein ♒a ſ. a.

* *Aq. Febrifuga.* ℞ Summit. centaur. min. m. viij. abſ. vulg. parthen. pentaphyll. calend. tormentil. nicotian. virid. acetoſ. card. b. dracont. chamæm. chamædr. ā m. vj. taraxac. m. xij, contuſ. adde Leucœn. ℔iv, & ♒a, & ▽æ ♒atæ novis affuſis herbis macer. ac ♒a ad ſiccit. In ▽ ♒at. infund. Rad. fraxinel. tormentil. ā ʒiſs. Sem. citri, cardui ben. card. Mariæ, acetoſ. ā ʒij. Fol. ſcord. galeg. ā m. iv. ♒a ſ. a.

Aq. Formicarum. ℞ Formicar. major. (Majo vel Jun. collect.) ℔j. mellis ℔ij. hydropeg. ℔j. ♒a ſ. a. *Doſ. coch. i. vomitum ciet & curat febres Tertianas.*

Aq. Fortis Duplex. Fit ex ☉ & ♁ ā, per ♌ ♒atis ſ. a. *Solvit* ☽ & ♀.

Aq. Fortis Aluminata. ℞ ♌ calcin. ☉, ā ℔j, ♁ ℔ſs. ♒a ſ. a.

Aq. Herpetica. ℞ ♌ ʒj. ♁ alb. ʒij. ✝ opt. ℔j. Rad. Enul. rec. ʒij. Fol. virid. Nicotian. m. i. coq. ad conſ. ʒtiæ part. colat. adde ♁ uſt. ʒſs. *Cum iſtius q. ſ. pannis madefactis*

madefactis herpetem permitte ficcescere, quater sc. dum Eschara adnata nova cuticula adnascitur.

* *Aq. Hirundinum.* ℞ Hirundin. vivent. n° 40. *Castor.* ʒj. Vin. alb. ℔iij. ♌a. *Ad Epilepsiam curandam optimè valet.*

* *Aq. Hormini comp.* ℞ Fol. Hormin. rec. contul. m. xij. Sp. V. ℔ j. ♌a ad siccitat. ▽æ ♌atæ affund. rec. fol. horm. m. x. El. Lamii m. vj, & ♌a 2da vice, repet. affusio & ♌atio 3tia vice cum rec. flor. & herbis, addendo n. m. ʒj. Liquor ♌ans ultimâ vice excipiatur supra sacch. albis. ʒvj. ambr. gris. in petia suspens. gr. iij. intra phialam. *In abortu præcavendo (apud Mulierculas) multùm facit. Profluvio albo subvenit.*

* *Aq. Hungarica.* ℞ Fl. roris m. rec. ℔ij. Alcoh. V. ℔viij. macer. ac. ♌a s. a. *Confert. ad Arthritidem vagam, & Ischiadem. Detur Coch. j. bis in septimana. Facies & pars affecta quotidie lavetur. Attrahe in nares, &c. v. usus Aquæ Cephalicæ.*

* *Aq. Lactis Alexiteria.* ℞ Fol. ulmar. card. b. galeg. ā m. vj. menth. abs. com. ā m. v. rutæ m. iij. angel. m. ij. contus. adde lact. rec. cong. iij. ♌a com. organis.

* *Aq.*

* *Aq. Lactis Cardiaca.* ℞ Pomor. redolent. cum cort. & ſem. ℔xij. Fol. meliſ. Scord. ā m. x. Rad. zed. Tormentil. ā ʒviij. *lactis* rec. ℔x. ℳa ſ. a.

* *Aq. Lactis Nephritica.* ℞ Fol. alth. parietar. aparin. ā m. 4. Rad alth. ʒxij. glyc. ʒiij. Saxifrag. alb. ʒiv. lact. rec. ℔xij. ℳa ſ. a. Aliter. ℞ Albumina ovorum cum teſtis ſuis (demptis virellis) nº 24. contuſis optimè & agitatis adde lact. rec. ℔viij. ℳa lentiſ. igne ſ. a. *Doſ.* ℔ß. *omni manè per dies 15 vel 20: & præterea ſemel vel bis in menſe per ☌ 2 vel 3 continuos circa plenilunium & novilunium.*

* *Aq. Lactis Pectoralis.* ℞ Limac. hort. contul. ℔j. ſang. porcin. ℔ij. cap. ♀, heder. terr. ā m. iij. ling. cervin. m. ij. glyc. aniſ. ā ʒiij. jujub. uv. paſs. ā ʒiv. lact. rec. ℔xij. ℳa ſ. a. *Pulmonica, Phthiſica, ad Tabem, &c.*

* *Aq. Lactis Scorbutica.* ℞ cochlear. mar. ſedi major. ā m. xij. becabung. gramin. naſturt. aquat. ā m. vj. chærefol. m. 4. lact. rec. ℔xij. ℳa ſ. a.

* *Aq. Lamii comp.* ℞ Fl. Lamii alb. m. x. conſolid. maj. m. viij. hormin. m. 4. dactyl. nº 24. n. m. ʒiij. caſ. lig. ʒj. œnogalect. ℔xij. ℳa ad ſiccit. *Uſus in Profluvio albo, &c. Doſ.* ʒiv. *pro vice.*

* *Aq.*

* *Aq. Melluminata.* ℞ Fol. querc. lanceol. rubi, fragar. pentaphyll. bugul. millefol. periclymen. salv. rorism. ros. r. ā m. ii. Scob. guajac. ℥iv. Rhodii ℥ij. Radic. bistort. ℥i. 🜍 viv. ℥iss. ⊕ ℥i. ⊙ ℥iv. mell. ℔ss. coq. in ▽ fluent. ℔viij. ad consump. dimid. f. colat. fæce depositâ servabitur per annum totum. *Cum Ol. 🜍ris, ad ulcera oris, & gingivarum: Cum Flor. ⊕i, ad Pustulas, optimum Remedium.*

Aq. Mercurialis. ℞ Rad. lilior. alb. ʒii. coq. in Hydropeg. q. s. ad ℔i. colat. adde amygd. amar. excort. ʒij. f. emulsio. In ista solve in Mortar. vitreo ☿ ʒij. f. Aqua Albissima s. a. *Ad faciei ruborem, pustulas, &c. Curand. certissima Aqua. Tange loca sæpe cum gutta minutissima, statim exiccando cum linteolo.*

Aq. Odorifera. ℞ Poma limon. & aurant. rec. ā n° vi. Rad. irid. Florent. santal. alb. cinnam. ā ℥ij. macis, Caryoph. ā ʒvi. Fl. lavendul. m. iv. Chamæmel. Rom. anthûs, ā mij. Fol. Majoran. mii. Ocim. miii. Styrac. calam. ʒiij. benzoin. ʒv. Fl. Ros. Dam. mxv. Cyperi. rot. ℥ss. ⊽ont. ℔xxx. ♃a in ✕✕ s. a. Reserventur aquæ primò ♃atæ ℔xv. cujus singulis libris adde (in nodulo ligat.) Mosch. opt. gr. ij.

* *Aq.*

* *Aq. Omnium Florum*, fit ex ſtercore Vaccino Maio collect. cum Leucœni ʒtia parte ℞ato. vel, ex ſtere. vaccin. rec. & hmac. cum teſtis contuſis, ā. com. organis ℞atis. *Dicitur hæc Aqua Athritica. Arthritidi vagæ, Rheumatiſmo, Calculo, urinæ ſuppreſſæ*, &c. *maximè proficua. Doſ.* ʒiv. *pro vice.*

Aq. Opthalmica, fit ex Aq. è gum. Guajaci (quæ fit per ☌ △ e moderato ♇ erum cum ☿ere laterum, ſeparando ☉m & rectificando ▽m:) cum ℞oſ. alb. mixtâ ſ. a. *In morbis oculorum optimum Remedium.*

* *Aq. Opthalm. Sapphirina*, fit ex ▽ ♆ ibi; ✳ ʒiii, ſolutis invicem, in pelvi ænea maceratis, donec colorem ſapphirinum acquirant. filtra ad uſum. *Morbis oculorum variis ſubvenit; guttis 3 vel 4 pro vice in oculos inſtillatis, Omnibus ulceribus, fluxionibus, puſtulis, ſuffuſionibus*, &c. *Medetur.*

* *Aq. Pectoralis.* ℞ Rad. Helen. ariſtol. rot. ā ʒiii. irid. nr. ʒiſs. irid. Florent. Petroſelin. ſœnic. glyc. ā ʒi. Fol. Nicotian. virid. m. iv. ſcabioſ. Veron. tuſſilag. Hyſſop. marrub. cap. ♀, card. ben. ā m. i. jujub. ſebeſt. ā nº 30. catic. dactyl. ā nº. 16. Sem. nicotian. ʒiij. nigell. ʒi. lini. urtic. naſturt. ſinap. ā ʒij. bacc. lauri, ʒvi. guajac. pul. ʒviii. Tereb. ven. (in Vitellis ovor. ſolut.)

ʒiiſs.

℥iiſs. Leucœn. ℔xvj. macer. ♁ 3, & ℞a ſ. a. inter ℞andum milleped. contuſ. nº 60. in petia ligat. ſuſpendendo in Receptaculo. *Egregii eſt uſus in Aſthmate, Dyſpnœa, Tuſſi, in tartaro pulmonum & renum, &c. Doſ.* ℥ij. *bis vel ter in die extra paroxyſmum.*

* *Aq. Perſicariæ comp.* ℞ Perſicar. maculoſ. rec. ℔ij. pariet. portulac. thecar. fabar. ā ℔j. contuſ. adde lact. rec. ℔viij. ℞a ſ. a. *Arcanum magnum habetur in calculo renum ac veſicæ. Doſ.* ℥iv. *bis in dies cum melle per* ♁ 20 *continuos.*

* *Aq. Picarum comp.* ℞ Pullos picar. nº vj. Sterc. albiſ. de Pavon. mar. ℔ſs. Viſci querc. veri, Rad. pæon. mar. ā ℥iv. Flor. primulæ veris rec. ℔j. Vin. alb. & Hiſpan. ā ℔v. Infund. ac ℞a ſ. a. *Doſ.* ℥iv. *manè & veſperi ultimis diebus ante plenilunium & novilunium. Inſigne Remedium in Epilepſia.*

* *Aq. Pneumonica.* ℞ Fol. Petri opt. nonconvolut. cort. extern. aurant. ā ℥iv. cort. Winter. ℥vj. aniſ. ℥iſs. V. Hiſpan. ℔vj. Sp. V. ℔j. macera, ac ℞a organis vitreis. *In dolore Colico, Stomachi cruciatibus, inappetentia, &c. Medela probatiſſima. Doſ. coch.* i. *ante cibum.*

Aq. Prolifica. ℞ Sem. Angelic. decort. ℔iſs. fœnic. d. glyc. ā ℥iv. uvar. paſs. exacinat. ℔j.

℔j. Fol. artemiſ. meliſs. ā m. iv. cardui, puleg. ā m. ij. Sem. amomi ℥iv. œnogalact. ℔xii. ℞a ſ. a. *Doſ.* ℥iv. (*præmiſſis præmittendis*) *cum Tinctur. Juniper* ʒj. *& Syr. è ſucco Salv. Coch.* 2. *manè & hora ſomni, præmiſſis Sem. ſeſel. pulv.* ℈ij. *cum Rhodoſaccharo.*

Aq. Regia, fit ex ⦶ & ✳, ā, ex ♁ vitrea ſatis ampla in ∴. poſita, per 2dum △is gradum ℞atis ſ. a. *Soluit* ⊙.

Aq. Salivalis. ℞ ☿, Theriac. Androm. zed. Cinnam. ā ʒij. croc. ʒſs. ⚹ont. ℔iſs. Infund. per aliquot dies.

Aq. Sarſæ comp. ℞ Sarſapar. chinæ nodoſ. ā ℥xij. lign. guajac. ℔ij. cort. ejuſdem, Saſſafr. ā ℥iv. ſantal. alb. ſem. coriandr. ā ℥iſs. glyc. ℥vi. V. alb. ℔24. Aq. Hord. ℔xvi. ℞a poſt macerat. debit. per veſicam ℔xxiv. ſervando ▽am f. colat. quæ exhaletur in MB ad conſiſt. *Extracti* ſ. a.

* *Aq. Senelorum comp.* ℞ Senelor. matur. à ſtipit. liberat. cong. ij. contuſis opt. adde Rad. alth. glyc. ā ℥viij. ononid. ℥iij. Fol. parietar. Bacc. halicacab. ā ℥xij. menth m. ij. Sem. dauci com. ℥iv. coriand. ℥ij. Neogalact. ℔xij. ℞a ſ. a. *Doſ.* ℥iv. *cum Syr. de Alth.* &c. *In calculo multis auxilio fuit.*

Aq. Siphylica. ℞ Scob. guajac. ℔iſs. cereviſ. meracæ rec. ℔ij. macer. ad E ♁ 3, & ℞a

ad

ad siccitatem. *Dos.* ℥i. *in liquor. conven. ad Luem* ♀.

Aq. Stimmios Sulphurata, fit ex ♁, ⦶, 🜍, ā ♒atis in liquorem, filtrandum & rectificandum s. a. *Dos. q. s. ut liquor conveniens acidus reddatur. obstructiones reserat. Diureticum, & Diaphoreticum habetur nobile.*

Aq. Styptica. ℞ Colcothar. ☉is ust. sacch. Cand. alb. ā ʒi ⊡æ juvenis, ℞ros. rub. ā ℥i. ▽ Plantag. ℥4. Digere ac filtra ad usum.

* *Aq. Tussilaginis comp.* ℞ Herb. Gerrard. hyssop. ā ℥viii. Fl. tussilag. ʒxxiv. glyc. ʒiv. anis. ʒiii. uv. passar. ℔i. cerevis. fortis. ℔xii. ♒a s. a. *In Pleuritide, Empyemate,* &c. *Valet.*

* *Aq. Venustatis.* ℞ ▽ menth. ℔i. ⊖ puriss. ʒiss. coq. & despuma. *Pro facie abluenda post variolas tollit furfuracea & pruritum.*

Aq. Vermifuga. ℞ ☿ crud. rectè purgat. ʒi. ▽ gramin. portulac. ā ʒiv. macer. ⧖ 2, sæpe ac fortiter agitando: postea decanta ▽am & cola, relicto in vase ☿io. *Dentur coch.* iii. *ter in die.*

Aq. Vulneraria. ℞ ⊕ opt. ʒss. ⦶ puris. ʒii. Impone ℣ont. cong. vi. per se maneant hor. 48. Syphone sine subsidentis materiæ agita-

agitatione extrahe. *Dos.* ℔ss, *vel* ℔i, *bis vel ter in die. Citissimam efficit curam vulnerum aut Ulcerum. K. Digby Eq. Aurat.*

Arcanum Aluminis, fit ex ☉ dulr. ʒi, ♎ fusi, ʒvi. mixtis, reverberatis, & ▽ â abluris, s. a. *Vires easdem habet cum, Alum. Dulc.*

* *Arcan. Corallinum*, s. ex ☿ crud. ℔i. Sp. ☾ ℔iii, ♌atis cum ʒ cohobiis, Arcanum in fundo manens edulcando per calcinationem, vel ablutionem, s. a. *Dos. gr.* iv. *ad* vj. *vel ultra. purgat præcipuè per inferiora. Secretum est magnum in Lue* ♀, *Hydrope, Podagra, Ulceribus, Scabie, Cancro*, &c.

Arcan. Corallin. Paracelsi. ℞ ☿ crud. ♑ calcin. ☾, ā ℔ii. m. & ♎a. ♎atum misc. cum ☾, & ♑is patùm calcin. ā ℔i. ✝ q. s. ut s. pasta, quæ rursus ♎etur, separando rubrum a flavo, & abluendo utrumq; seorsim, & Sptu V. accendendo s. a. *Dos. gr.* 4, *ad* 8, *Vires æmulatur* ☿ *dul. Secretum est in Lue* ♀, *Hydrope, Scabie*, &c.

Arcan. Cosmeticum. ℞ Talchi Ven. subt. pulv. s. a. p. i. ⊙ camph. p. ij. Digere in Mb ad summam albedinem. s. a.

Arcan. Duplex. elicitur ex ☉o ▽ duplicis in ▽ calidâ soluto filtr. & exhalato, s. a. *Egregii usus in Melancholicis affectibus, febribus omnibus, Calculo, Scorbuto*, &c. *Dos.* ℈i, *ad* ℈ij.

Arcan.

Arcan. Joviale, fit ex $\overline{aaa}$ (ex p. æ. ☿ mundat. & ♃ Anglic.) ☿ato, in Sp. ⦶i rectif. digesto, & per ☊ ad siccit. ♑ato, ⦶am infundo tritam edulcando accensione crebrâ Sp. V. s. a. *Dos.* ā *gr.* iij. *ad* viij. *Sudorificum magnum.*

Arcan. Scriptorium, fit ex ⊖ ♄ni ʒj, in ▽æ ℥i. soluta, pro liquore Scriptorio, ex ☿ ⚭, ♆, ā ℥ss. in ▽æ ℥iv. digest. pro liquore oblineatorio.

Aurum Fulminans, f. ex ☉ in ♈ solut. & cum ⊚ ♀ri ♑ato, edulcando siccandoq; s. a. *Sunt qui gr.* iij, *vel* iv. *ad sudores ciendos exhibent.*

Aurum Mosaïcum, f. ex ♃, ☿, ✳, & ♎, mixtis ac ♎atis s. a. *Sudorificum est nobile. Dos. ad gr.* x, *vel* xij.

Aurum Potabile. Purgetur ☉ bis per ♁, quod calcina, primò cum ☿ & ♎; 2dâ vice cum ⊖ marino fuso, ac 3tiâ cum ⊖ ♀ri. dein extrahe cum ♎re ♄ni s. a. *Remedium censetur universale adversus omnes quoscunq; morbos. Sudorificum est & alexipharmacum insignissimum. Dos. gt.* vij, *vel* viij, *in Vino generoso.*

Aurum Vitæ, fit ex ☉ ʒij, ☿ purific. ℥ij, seorsim propriis menstruis solutis, mixtis, & in ☊ ♑atis ad siccitatem, calcem residuam calcinando,

calcinando, & edulcando ablutione cum ▽â, & accensione Spts. V. ſ. a. *Omnibus aliis Cathartícorum ſpeciebus antecellere dicitur: Eſtq; domitor Vermium, Luis* ♀, *Petechiarum, Peſtis, Quartanæ, &c. Doſis* ā *gr.* 3, *ad* 6, *vel* 8, *cum Sacch. Roſato, & in ovo, vel brodio, vel in pilulis, imprimis ſi conjungatur cum Scammonio, & humectetur* ▽ *vitæ, quæ deſuper comburatur.*

B.

Balſamum Anodynum. ℞ Sapon. Caſtil. ℥i. opii ℥ſs. Camphor. ʒvi. croc. ʒi. Pyrœni ℥xviij. Digere in ∴ (☌ ♀ 10) & f. colat. *Linteola in iſto intincta dolentibus locis adhibeantur, renovando* 4*ta quaq; hora donec ceſſent omnes cruciatus: Arthriticos enim dolores mirificè ſopit. Dentur internè gt.* 30, 40, 50, *in* Vino.

* *Balſ. Apoplecticum.* ℞ ⊙ ſtil. cinnam. caryoph. lavend. limon. majoran. menth. rutæ, roriſm. ſalv. rhod. abſinth. ā gt. xij. ſuccin. gt. vi. Bitum. Judaïc. ☿at. ʒij. ⊙ nuc. m. expreſ. ℥i. Balſ. Peruan. q. ſ. m. *Confortat caput, frigidoſq; humores diſcutit, adeoq; in Apoplexia, Syncope, Paralyſi, convenit, naribus inditum, vel quoquo modo applicatum. Interne*

tornè etiam exhiberi potest à gr. iij, *ad* vi, *&c. cum Electuar. aliquo cephalico.*

Balsam. Embryonum. v. *Sp. Embryonum.*

Balsam. Fœminarum. ℞ Flor. minimorum Geranii moschati ℥iv. ⊙ Amygd. dulc. recentis. ℔iss. insolentur ♁ 40: f. expres. adde Fl. nenuphar. lilior. alb. rec. ā ℥iv. Insol. ♁ 20, & f. expres. cui adde ⊙ Jasmin. ℥iv. zibet ʒi. m. s. a. ut. f. Bals. *pro perinæo, inguinibus, & lumbis,* ἐν τῇ δυςοχίᾳ *inungendis.*

* *Balsam. Lucatelli.* ℞ ⊙ olivar. opt. ℔iij. V. Hispan. ℔i. Tereb. Venet. in ℞ os. lotæ, ℥viij. ceræ ℔i. coq. s. a. addendo santal. rub. ♃ at. ℥ij. Bals. Peruan. ℥i. m. *Exclinsecus valet ad ambusta, Inflammationes, ulcera, vulnera, &c. Intrinsecus, detur ad* ʒi, *vel* ʒij *in vino, ad Contusiones internas, ulcera renum, calculos renum ac vesicæ cum difficultate urinæ.*

* *Balsam. Magistrale.* ℞ Tereb. Ven. ℥viij. Styrac. liquid. ℥iv. ⊙ olivar. opt. ℔iss ⊙ Hyperic. ℥iss. Laurin. spicæ, Petræ, ā ℥i. carann. ♃ sant. rub. ā ℥i. Benz. sang. dracon. ā ℥ss. ceræ ℥ivss. Bulliant per horam, dein addendo ⊙ stil. Bacc. jump. ℥i. ⊙ cinnam. ʒss. caryoph. ʒi. m. s. a. *Ad vulnera interna & externa recentia sananda efficacissimum; nec non ad omnes combustiones & contusiones. Dolores in ossibus nervisq; mitigat. Naribus & Temporibus illitum*

succurrit

succurrit cephalalgiæ. Calidis cum pannis lateri adhibitum confert ad fluxus ejusdem & dolores. Colicis, & calculo laborantibus auxiliatur in vino tepido sumptum ad ʒij. Tubercula tollit pedum callosa, resecata prius ad vivum ferè, calidè inunctum. Narium fistit Hæmorrhagiam, & aliarum partium. Colicum juvat ventriculo inunctum horâ decubitûs. Vermes necat interne aut externè adhibitum.

Balsam Martiale. ℞ ♂ mundat. ʒiv. affund. ☉ terebinth. ʒv. post guttatim immitte Sp. ☿ i. ʒij. Digere leni calore ♁ aliqt. deinde decanta purum f. a. *Summum est vulnerarium.*

Balsam. Momordicæ, f. ex fructu ejus ☉ ō insolato per long. tempus. *Valet optimè in vulneribus, ulceribus, maximè hæmorrhoidibus, matricis ulceribus, ruptura, &c.*

Balsam. Nucistæ. ℞ Nuc. m. contus. ℔i. V. Hispan. ℔ss. Butyr. opt. insulf. ℔ij. Insolentur (Vase opt. clauso) ad ☉ 5. Tum coq. leniter ad Vini consumpt. & f. colat. *Usus est tam interne quàm externè. Expellit fœtum mortuum, secundinas, &c. Exhibitum in vino ad ʒs confert etiam ad dolorem splenis, capitis, &c. Inunctum valet ad omnes dolores frigidos.*

Balsam. Paralyticum. ℞ Tereb. Ven. ℔iv. olib. aloes, castor. myrrh. xyloal. Fl. hyperic. ā ℥i. gum. elem. labdan. ā ʒiij. styrac. liq. ʒij. Balsam. Peruvian.

Peruvian.℥iv. calam.arom. caryoph. galang. ā ʒvi.cinam.℥iss.Fl.rorism.salv. ā ʒx. omnia ritè præp.misc.cum terebinthina, addendo Sp. V. ℔iv. Digere tepidè per ☉ vi.dein. ☿a per ♋ capacem: primò lentis. △e Ɛrum per hor. 48,ut saltem tepescat ♋: deinde fortiori aliquantum,tandem fortissimo.excipiatur prima Aqua per se quamdiu effluit instar ▽æ: 2da per se instar olei flaviusculi tenuis substantiæ: 3tia est crassa. Vocetur 1, *Mater Balsami*: 2, *Balsam. Paralyticum*: 3, *Oleum Balsami. Confortat mirabiliter nervos: Paralysin & contracturam sanat, extrinsecus illitum, & intrinsecus exhibitum.*

Balsam. Podagricum, v. *Bals. Anodynum.*

Balsam.Saturninum,f.ex ⊖ ♄ni ℥iv,Sp.Tereb.℥xij,digestis s.a. *Egregii usus in Chirurgia: Convenit ulceribus inveteratis,nec non tumoribus. Curat vulnera, eademq; ab accidenti præservat. præcipue si addatur camphora: Succurrit etiam Fistulis, Cancro, Morphæis*, &c.

Balsam.Sclopetarium ℞ ⊙ lini, terebinth. ā ℔i.⊕℥ss. coq.parùm.s.a. *Pro ulceribus veteribus & vulneribus sclopetariis nulli secundum.*

Balsam. Spinale. ℞ Axung.human.℥iv.Ax. anser.Taxi,ā ℥iij.⊙ laurin.℥ij. Fol.salv. majoran.ebul.sambuc. calaminth. origan. lavend. ā mi.coq.ad succor.consumpt.f.expres. adde Balsam.

ſam. Succini ʒi. Butyr. Macis, ʒſs. Petrol. ⊙ ſpicæ, ā ʒij. m. ſ. a. *pro Spina dorſi inungenda, in Rachitide. Utatur manè, & paulò ante ingreſſum lecti, ſuppoſita lana ſuccida linteo duplici aſſuta.*

* *Balſam. Succini.* ℞ Succin. alb. ſubt. ♃at. ʒij. ⊙ tereb. ʒvi. Tamdiu inſolentur, donec perfectè ſolvatur Succinum. *Cerebrum & ſenſus roborat. Omnibus nervorum affectibus convulſibus, Epilepſiæ, paſſioni hyſtericæ,* &c. *auxiliatur. Diureticum eſt inſigne.*

Balſam. Spleneticum. ℞ Fol. Rutæ, hederæ, Chamæmel. thymi, ā mi. contuſ. adde Fel bovinum, & Ol. ex pedibus bovinis ℔i. ▽ vitæ ʒi. coq. per horam. f. colat. *Mira præſtat in Splenis doloribus, omnibuſq; frigidis doloribus.*

Balſm. Sulph. Antimonii. ℞ ♁ris ♂ij. combuſtibilis, Salis ♀ri ā ʒi. Sp. tereb. ʒiv. Digere ſimul ſ. a. *Ad ulcera ſordida, fiſtulas,* &c. *Doſ. ad gut.* x.

* *Balſ. Sulph. Aniſatum.* ℞ Fl. ♁ p. i. ⊙ Aniſi p. 4. Digere donec ſolvatur ♁, ut f. Balſam. rubicundum. *In Catarrhis pectoralibus, Tuſſi, Aſthmate, Phthiſi, Pleuritide, Colica, Peſte, Epilepſia, Apoſtematibus omnibus, putrefactionibus corporis,* &c. *valde proficuum. Doſ. ad* ℈i.

* *Balſ. Sulph. Bateanum.* ℞ Fl. ♁ ʒi. ⊙ oli var. opt. ʒv. coq. l. △ (continuò agitando) ad

consist. Balsami *Ad ulcera omnia tum interna, tum externa, efficacissimum. Dos. ad gut. 20, & ultra.*

Bals. Sulph Benzoïnatum, f. ex Fl. ♃,& ☉ Benz. ut *Anisatum. Pulmonicum, ac Asthmaticum insigne est: & ad Catarrhos exiccandos maximè valet.*

Bals. Sulph. Knæpbelii, f. ex Hepat. ♃ ℥at. p. 4: ☉ lini rec. p 3. ad crassitiem coctis, & cautè ex ☌ ☿atis; miscendo oleum (ab ▽ prius separatum) cum dimid. quantit. colcothar. ⊕ li supra △em,& post refrigerationem ☿ando ex ☌ vitrea. Oleum quod extillat misce cum quant. dimid. ☉ Anisi,& Digere s.a. ut f. Balsam. *Balsamum est pulmonum præstantissimum consumens & exiccans. Catarrhis, Asthmati, Tussi, Phthisi, Colicæ,&c. subvenit. Promovet expectorationem, intercipit defluxiones ad articulos, ventositates præcavet ac discutit. Dos. à gt. 4, ad 12.*

* *Bals. Sulph. Minerale* ℞ ☉ Lini ℥x. ♃ ℥at. ℥ij. coq. leniter, continuò agitando, donec in mellis consist. devenerint. *Applicetur locis dolentibus & debilibus Podagræ super alutam vel linteum, renovando tertio vel quarto quoq; die.*

Bals. Sulph. Rulandi. ℞ Fl. ♃ ℥i. ☉ nucum vel rapar. ℥vi. V. generos. ℥ij. macer. ♁ 8, aliquoties agitando,& coq. leniter ad Vini consumpt.

Anodynum

Anodynum est insigne, maturativum ac digestivum in vulneribus partium nervosarum. Auribus inditum dolores earundem tollit.

* *Balsf. Sulph. Succinatum*, f. ex Fl. ♃ cum ☉ Succini, ut *Anisatum. Valet in Colica*, &c.

* *Balsf Sulph. Terebinthinatum*, f. ut suprà, cum ☉ Tereb. v. *Vires Balsf.* ♃ *Anisati.*

Balsf. Tartari. ℞ ☉ ☿ p. d. ʒix. crem. ☿ ♄at. ʒviij. Digere ac evapora ad siccit. affunde Sp. V. vel ☩, axtrahe inde Tincturam, filtra, & ad mellis consist. abstrahe s. a. *Præstantissimum est adversus Arthritidem & Calculum, laxatq; alvum. Dos. ad* ʒs. *externè inungantur partes dolentes. Confert. præterea in omnibus morbis chronicis ac obstinatis.*

Balsf. Veneris, f. ex Lamin. ♀ cum Sp. Tereb. digestis s. a. ut f. Balsam. Viride. *Ad ulcera, vulnera, fistulas*, &c. *mundificanda apprimè conducit mixtum cum convenientibus.*

Balsf. Verum, f. ex Limacibus cum testis diu multúmque contusis cum ā sacchari candi, ut f. Balsam. *Ad foveas Variolarum.*

Balsf. Virilitatis. v. *Ung. Virilitatis.*

Bezoar Animale. ℞ C. C. ad summam albed. calcinat. & ♄at. ʒiv. lævigа in pollinem supra marmor, affundendo guttatim Sp. ⊕-li q. s. usque pasta fiat. exinde fiant Globuli, qui statim exiccentur. *Alexipharmacum, Sudorifi-*

cum, & Vermifugum est. Fluxus alvi sedat, Sitim extinguit. &c. *Medicina est pro infantulis nulli secunda.*

* *Bezoarticum Joviale.* ℞ Reguli ♁ in ✠bulo fusi ℥iij. quibus adde ♃ Anglican. similiter fusi ℥ij, ut f. de novo Regulus: postea læviga & admisce ☿ ti ℥vi. ℞a ex ♋: Butyrúmque inde ℞atum cum Sp. ⦶i ternis ℞ationibus fige: postea calcina, & ignitum in Sp. V. extingue, & exicca: fit ☽ griseus. *Diaphoreticum est stupendum. Valet in omnibus matricis ægritudinibus, aliisq; mulierum morbis quàm plurimis. In Febribus, Peste, Scorbuto,* &c. *Dos. ā gr. iij, ad vi,* &c.

Bezoart. Lunare, f. ex ☽ in Sp. ⦶i solut. & Butyr. ♁ij. procedendo ut suprà cum Bez. Jovial. *Specificum est in Epilepsia, Convulsibus, Hemicrania, Apoplexia,* &c. *Anodynum est & sudorificum, optimè valet in curando Erysipelate. Dos. ā gr. vi, ad xij.*

Bezoart. Martiale, f. ex croco ♂ cum Butyro ♁ij. soluto: deinde figendo ut suprà, vel fit, solvendo ♂ ℥i. in ℞ q.s. affundendo paulatim Butyr. ♁ ℥viij, & procedendo cum Sp. ⦶i. *Fluxus hepaticos, & alios potenter sistit, viscera roborat,* &c. *Dos. ad* ℈ss.

* *Bezoart. Minerale,* f. ex Butyr. ♁ ℔i. & Sp. ⦶ ℔iij, vel q. s. mixtis & ternis cohobiis

℞atis,

Qatis, ut in Bez. Jovial. vel, fieri pr ex ☉o Spts ☿i Bezoartici. *Magnum est Alexiterium saluberrimumq; Remedium, quod sudores promovendo magnos effectus monstrat in omnibus pestilentialibus & venenatis affectionibus. Dos. ā gr. vi. ad xij. & ultra.*

Bezoart. Mercuriale, f. eliciendo Tincturam ex Vitro ☿ij. vitæ cum Butyro ♃ij, & figendo cum Sp. ☿i f.a. *Insignis usus in Lue* ♀.

Bezoart. Saturni, f. Tincturam extrahendo ex vitro ♄ni (quod fieri pt ex minio & silicibus) cum Butyro ♃ij. non rectific. & cum Sp. ☿i figendo f.a. *Hystericum est. Conducit lienis affectibus. Dos. ad gr. vi.*

Bezoart. Solare, f. ex Laminis ☉ in Sp. ☿i Bezoartico solutis, paulatim affundendo hanc solutionem Butyro ♃ij, & procedendo ut supra. *Sudorificum est egregium. Usus est in Lue* ♀, *Peste, Podagra, Hydrope, Febribus, obstructionibus lienis* &c. *Dos. ā gr. iij. ad viij.*

Bezoart. Veneris, f. Tincturam eliciendo ex squammis ♀ is cum Butyro ♃ij. rectificato, & figendo per Sp. ☿i f.a. *Exhibetur ab aliquibus in Lepra, morbisq; capitis & cerebri. Dos. ad gr. vi. Externe valet ad ulcera antiqua, fistulas, impetigines*, &c. *mixtum cum Unguento appropriato.*

* *Bolus Alexiteria*, seu *Cardiaca*. ℞ Fol.

angelic.meliſ.ſcord.pimpinel.ſcabioſ.ā mij.dracont.mi.Fl.calend.caryoph.hort. ā miij. xyloal. ʒſs.Bac.Kerm.ʒiſs.coccinel.ʒij. V. alb. ℔ij, vel q.s. macer.tepidè ♍ 24. f.expreſs. m. cum ℞ opt. ♎at.ʒviij.ut fiat inſtar pulmenti, ☉e exiccand.Repet.opus 5 vicibus cum inſuſ.dictâ: ultimò f.Troch.ſ.a. *Doſ.ā* ℈i, *ad* ʒi *in morbis malignis.*

Butyrum Amygdalinum. ℞ Amygd. dulc. largiſ. in ▽ frig. macerat. & decorticat. ℔i. contund. opt. in mortar. marmor. irrigando inter contundendum cum ▼ont. pauxillo. Tum adde ▼ont. q.s. ut craſſeſcat inſtar cremoris, coletur ſtrenuè, & l. △i imponatur ſæpe agitando, donec bullire incipiat. Tum adde (coagulandi gratiâ) ſucc.limon. ʒi,& ſuſpende in panno ſatis ſpiſſo, ut ſeparetur Butyrum in panno relictum ab omni parte ſerosâ; quod condiatur cum ſaccharo & ℞oſ. ad gratum guſtum. *Anodynum eſt. Elegans. lenit, & maturat. ad tormina ventris infantulorum valde commendatur.*

Butyrum Ceræ, fit ex cerâ citr. in Sp. V. ſolutâ,& filtratâ, ut remaneat in charta inſtar Butyri. *Edulcatum atq; ad* ʒi *propinatum eximiè valet in Dyſenteria curanda.*

Butyrum Succini. v. *Balſ. Succini.*

C.

Calx Auri. (i.e.) *Aurum Fulminans.*

Calx Jovis, f. ex ♃ liquefacto,& rudiculâ ferreâ agitato, donec planè in Calcem abierit. Vel fieri pt ex ♃ in 🜍 soluto, ⚶ato,& edulcato s.a. *In utero strangulato specifica. Dos. ad* ℈ß.

Calx Lunæ, f. solvendo ☽ in 🜍,& ⚶ando per ▽ salsam. Vel f. $\overline{aaa}$ mando cum ā ☿ij, adjectâ ⊖is 4tâ parte. Vel, cementando per ♀ ⊕atum, per ♉, per 🜍, &c. Vel reverberando per ♁ 8 cum ⊖, 🜍, ✳, &c. s.a. *Hysterica, Epileptica, Apoplectica*, &c. *habetur. Dos. ad* ℈ß.

Calx Saturni. (i.e.) *Plumbum ustum.*

* *Cardiacum Cœleste.* ℞ Sacch. albis. ℥xvi. ▽ Borrag. ℥iv. coq. penè ad consist. dein bullientibus injice Fl. Borrag. recentis. ā nigris puncturis liberat. ℥vi, coquendo perge usque Flores torrescant. ab △e remotis ad misc. Fol. Auri n° xvi, Amb. gris. gr. 24. *Cardiacum est Elegantissimum, Spiritus Vitales ac animales recreans, omnibus affectibus ex atra bile ortis eximiè conducit. In Melancholia hypochondriaca nulli secundum.*

Cardiacum Magnum. v. *Flos Cordialium.*

* *Caryophylli Odorati.* ℞ Styrac. Calam. labdan. ā ℥ij. Benz. ℥i. caryoyhyl. aromat. ℥ss. ἀνθρακίων, ℥iij. f. ☾ subt. adde ▽ gummosæ q. s. ut f. ⌀, ex qua fiant Caryophylli s. a. *Ad cubiculum ægrotorum fumigandum.* * *Ca-*

* *Caſhew*, ſeu *Catechu*. ℞ ∇æ Japponic. ℥at. ʒiv. ſacch. cand. alb. ʒſs. Stypter. glacialis gr. i. ambræ griſ. gr. iv. mucilag. gum. tragac. in ∇roſ. extract. q. s. ut f. paſta: ex qua formentur Pilulæ oblongæ minutæ inſtar Muſcerdæ. *Ad exiccandos catarrhos, & caput roborandum inſigniter conducit, in ore ſæpe retentum.*

* *Cataplaſma Apoplecticum.* ℞ Rad. bryon. rec. ʒiij. Sem. ſinap. ſapon. nigr. ā ʒi. cantharid. ʒvi. contuſ. opt. adde ✠ opt. q. s. f. catapl. pro capite raſo.

Catapl. Cephalicum. ℞ ℥ris caryoph. nuc. m. ā ʒij. Piper. Indic. ʒſs. Diaſinap. ʒvi. Ferment. acris ℥iij. Spts Lavend. comp. ʒiſs, vel q. s. ut f. catapl. pro capite raſo.

* *Catapl. Cynanthicum.* ℞ ℥ albi canis ʒi. pulp. conf. roſ. r. ʒij. Syr. de Mecon, q. s. m. f. Catapl. *Sub mento adhibendum ab aure ad aurem, poſt Phlebot.*

Catapl. ad Paronychiam. ℞ Vitell. ovi unius rec. adde reſin. com. tenuiſſimè ℥rat. q. s. Balſ. Peruv. gt. vi, vel viij. optimè miſc. donec reducantur ad formam cataplaſmatis, *applica loco affecto. Egregium eſt Medicamentum.*

* *Catapl. Peſtilentiale.* ℞ Stercor. columb. ℥at. ʒiv. croc. ʒſs. Mithridat. Theriac. Lond. Sem. ſinap. ā ʒi. Tereb. q. s. ut f. catapl.

Pro

Pro Bubonibus rumpendis. Post ruptos Bubones Empl. adhibe ex Empl. de Mucilag. Diach. cum gum. & Stictic. ā ʒiſs. galb. ʒſs.

* *Catapl. Podagricum.* ℞ Melanoſmegmat. ʒiv, Vitell. ovor. nº 2. croc. ʒi. ⊙ ſpicæ ʒi. m. ſ. Catapl. ſ. a.

* *Catapl. Soleare.* ℞ Fol. Rutæ rec. ʒij. Rad. bryon. rec. ʒiv, ferment acerr. Salis nigr. ſapon. n. ā ʒiſs. Muſtardæ ʒiij. contuſ. adde ✠ q. s.

Pro plantis pedum, in febribus.

Catharticum Cæſareum. ℞ Pulp. zz. condit. ʒij. Reſin. Scammon. ʒi. confect. Alkerm. ʒſs. roſ. r. ♃ at. crem. ☐ ri, ā ʒij. ⊙ ſt. cinnam. gt. xx. Sp. ☿ li. gt. xvi. Syr. de zz. condit. q. s. f. Electuar. *In omnibus affectibus frigidis utile eſt & jucundum Catharticum. Corpus ſine moleſtia purgat. animum recreat. appetitum excitat. fœtorem oris & naſi emendat. Sanguinem rectificat. flatus diſſipat, & cruciatibus colicis mire confert. Doſ.* ā ʒi. *ad* ʒij.

* *Caudela Amygdalina.* ℞ Cereviſ. opt. illupulat. ℔ij. Aq. font. ℔i. cinnam. acut. ʒi. coq. ad conſumpt. ʒtiæ partis. ſ. colat. cui adde Amygd. d. largiſ. mundat. ſed non decort. contuſ. nº 60. coq. parùm, & cola per cribrum exprimendo, adde ſacch. albiſ. duri ʒij. f. Caudela.

Pro puerperis Diarrhœâ laborantibus.

* *Caudela Nenupharina.* ℞ Rad nymph. ℥i. ichthyocol. c. c. ras. ebor. sant. alb. ā ʒij. Rad. bistort. ʒss. dactyl. nº 4. grizæ coch. 2. coq. in cervis. illupul. ℔ss. Aq. font. ℔i. ad consumpt. ʒtiæ part. f. colat. adde Vitellum cum album. ovi unius & sacch. q. s. *Pro duabus dosibus. In abortu præcavendo, dorsi infirmitatibus, Gonorrhea, Profluvio albo,* &c. *Eximii est usus. Detur bis in die.*

Cauterium Lunare. Solve ☽ p. i. in ☿ p. iij. & evapora ad siccitatem. auge postea △em ad calorem fusorium, donec cessant fumi, & statim materiam funde in vascula ænea aut ferrea magnitud. convenientis. *Causticum est perpetuum, si ab aëre servetur. Tollit verrucas tangendo eas.*

* *Ceratum Album.* ℞ Ceræ albis. ℥iv. ⊙ amygd. amar. ℥v. Sperm. ceti puris. ℥i. ceruss. in ☿ros. lot. ℥iss. camph. ℥ss. m. f. a. *Lenit, resolvit, anodynum est. Cicatrices Exanthematum illitum, eas replet. Cosmeticum etiam est Elegans.*

Cerevisia Butleri. ℞ Beton. salv. agrimon. cochl. hort. absinth. Rom. ā miij. Rad. enul. raphan. rustic. ā ℥iv. m. f. Sacculus in cerevis. non lupulat. cong. iv. suspendendus, cum lapide in fundo sacculi. *Cephalica, Stomachica, Hepatica, Splenetica, Pulmonica, Diuretica,* &c. *Sanguinem*

guinem rectificat, fixos ac crudos humores reddit volatiles. Tartarum pulmonum renumq; attenuat ac educit, Cachexiæ, Hydropi, Scorbuto, Melanch. Hypochondriacæ, Scabiei, &c. subvenit. Sit pro potu communi, aut saltem ter in die bibatur.

* *Cerevisia Catapsoras.* ℞ Fol. Senæ, ʒvi. mechoac. ʒiij. glyc. ʒiſs. sem. carui ʒi. Rad. oxylapath. ℔ſs. polypod. rubiæ tinctor. ā ℔ſs. Fol. Scabios. agrimon. ā miij. ♃ crud. craſſ. pul. ℔i. m. f. Sacculus pro cong. 5 vel 6 cereviſ. *Sanguinem purgat. Optimè valet in Pruritu, Scabie, aliisq; cutis fœditatibus curandis. Detur* ℔i. *(plùs minùs) bis in die per dies aliquot.*

* *Cerevisia Embryonum.* ℞ Raſ. ligni cotonei ℔i. ſant. alb. ebor. ā ʒiv. muſci roboris ʒij. Rad. tormentil. ʒiſs. biſtort. ʒi. nuc. m. Sem. coriand. ā ʒvi. uvar. paſſar. ℔iſs. m. & ſuſpende in ſacculo in cereviſ. rec. cong. vi. *pro potu ordinario. Abortum præcavet, infirmum fœtum roborat, uteri ligamenta firmat.*

* *Cerevisia Hydropica.* ℞ Fol. praſſii. ling. cervin. Hepatic. abſinth. vulg. acetoſ. ā mi plenum. Incide, & poſtea in farina hordeacea obvolvantur: dein coq. in clibano. Tum paſtæ cum herbis in fruſtra fractæ adde ♁ abſ. ʒij. ſuſpend. in ſacculo in cereviſ. rec. cong. iv. *pro potu commi. Multos curavit hydropicos.* * *Ce-*

* *Cerevisia Jovialis.* ℞ Limat. ℣ ℔i. sant. alb. ras. ebor. ā ʒiij. uv. pass. ℔i. Fol. abs. Rom. ling. cervin. veron. agrim. ā mij. corr. aurant. ʒij. m. f. Sacculus pro cong. iv. cerevis. rec. *pro potu ordinar. Uteri morbis peculiariter curandis inservit. Hepatica etiam est, & splenetica.*

Cerevisia Oxydorcica. ℞ Fol. rutæ, salv. verben. Euphrag. ā mi. millepedes vivas nº 400. Sem. fœnic. d. ʒi. uv. pass. exacinat. ℔ss. Infantur sacculo pro cong. iv. cerevis. rec. *pro potu ordinario. ad visus habitudinem. Tern.*

* *Cerevisia Scorbutica.* ℞ Fol. cochl. marin. parùm siccat. ℔i. salsapar. ʒiv. sassafr. ʒi. nasturt. aquat. becabung. ā mij. salv. rubr. mij. caryoph. ʒij. nuc. m. ʒvi. contund. & impone cong. v. cerevis. rec. cum crustulis ♂is ʒvi. in fundo sacculi. *pro potu communi.*

* *Cerevisia Scrophularia.* ℞ Sarsapar. ʒvi. lign. sanct. ʒviij. cort. arbor. jugland. Rad. Scrophular. sassafr. ā ʒij. Herb. Roberti mij. uv. pass. exacin. milleped. vivent. ā ℔i. m. f. Sacculus pro cong. iv. cerevis. rec. *Usus præcipuus in Strumis Scrophulosis, ficis & marisciis ani, cancrosis ac similibus serpentibus ulceribus, maligna scabie, &c. bibendo hanc cerevisiam pro potu communi, & purgando semel in septimana cum appropriatis.*

* *Cerevisia Vernalis.* ℞ Fol. Senæ ʒv. Rad. polypod.

polypod. qu. ʒvi. Rhab. Monach. oxylapath. ā ʒx. uv. corinth. ℔j. glyc. Sem. fœnic. d. ā ʒiſs. raſ. ſaſſafr. ʒij. Fol. ſalv. tub. agrimon. aſtart. aquat. cochl. marin. ā nij. m. f. Sacculus pro cereviſ. cong. v. *Eaſdem vires obtinet, quas Cerevisia Catapſoras.*

* *Ceruſſa Antimonii*, fit ex Regulo vice ☉ij. crud. comburendo, &c. ſ. a. v. *Vires Antimon. Diaphoret.*

Ceruſſa Martis, f. ex Regulo ♂is, omnino ut Ceruſſa ☉ij. Paratur etiam cum nonuplo ☉. *Diaphoreticum eſt inſtar Ceruſ. Antim.*

Chalcanthum Rubefactum, ſ. calcinando ♁ ad rubed. *Maximè adſtringit, & deſiccat. Valet in Dyſenteriis, Hæmorrhagiis, &c. In evulſione dentis (ſi fluxus ſanguinis accidit) utiliter applicari pt cum aceto & lintea.*

* *Chalybs ſine Acido*, paratur humectando ♂ decies ♎e abſinthii in ▽ cichor. ſoluto, & ſiccando in aëre ſicco ac tepido. Poſtea ſ. ☿ ſubt. *Potenter aperit obſtructiones. Doſ.* ℈i, *ad* ʒß.

* *Chalybs Tartariſatus.* ℞ ♂ mund. ☐ alb. ☿ at. ā ʒvi. ▽ fumar. q. s. f. ⌀ inſtar electuar. coq. in vaſe fictili in clibano (calore lento) ad ſiccit. f. ☿ ſubt. cui adde ▽ fumar. q. s. & coq. iterum ad ſiccit. Repet. opus ter. dein f. ☿ ſubt. ſ. a. *ex hoc fit Mars Potabilis.*

* *Cicera*

* *Cicera Tartari.* ℞ Tereb. Chienſ. opt. ʒij. Acidi ☐ri ʒi. Spec. Diaireos ſimp. ☉ præp. ā ʒij. m. f. ☉ Pilularis. *Ad Podagræ præcautionem detur* ʒſs. *bis in die per menſes aliquot. v. Mynſicht.*

Cinnabaris Antimonii, fit ♎ando ☹ poſt ☿ationem Butyri ♁ij. relictum, & rectificando ſ. a. *Sudores movet copioſos. Valet in Podagra, Lue* ♀, *Epilepſia, Paralyſi*, &c. *Doſ.* ℈ſs. *ad* ℈i.

* *Cliſſus Portulacæ.* ℞ Succ. portulac. depurat. ℔viij. ſacch. alb. ℔i. clarifica, & coq. ad mellis conſiſtentiam. Eodem modo fieri pt. *Cliſſus Argentinæ, Beton. Farfaræ, Heder. ter. Prunell. Agrimoniæ*, &c.

Cliſſus Vitrioli. ℞ ♁li ♂is viridis ternâ ſolutione & cryſtalliſatione purificati, & ad flaved. calcinati q. v. Solve in ☩, filtra & cryſtalliſa, repetendo opus ad ʒtiam vicem. calcina iterum ad flaved. & ☿a ex ☌ cum cohobatione ad ſiccit. Tum ☿a △e aperto donec Spts omnes extillantur, ex ☹ in aëre expoſito eliciatur Sal, quod crebrò ſolvendo, filtrando & cryſtalliſando depuretur. ℞ ⊖is hujus p. i. Sp. predict. part. 4. extrahe Tincturam digerendo per menſem. Deinde filtra ad uſum. *Noxios humores expellit per inſenſibilem tranſpirationem, Venerem ſtimulat, uterum*

uterum roborat, ejus motus inordinatos sistit, & in utroq; sexu vim seminis ad generationem operatur. Dos. gr. 2, ad 4.

Colcothar Vitrioli. Nihil aliud est quàm ♁ ad rubedinem calcinatum. Vel, ☉m post ℞ationem ☉i ♁li relictum. v. *Chalcanth, rubefactum.*

* *Conf. Aurantiorum.* ℞ Flaved. cortic. Aurant. recentiſ. minuti ℥i. incit. ℔ſs. contund. opt. cum ſacch. alb. ℔i. in mortar. marmor. ut f. Conſ. ſ. a. *Uſus in Colica, torminibus ventris,* &c.

* *Conf. Hepatica Corallitana.* ℞ Fruct. cynosbati matur. à ſem. & capillamentis exactè liberat. q. v. cuſtodiantur ſimul in loco clauſo per ☿ vi: deinde adjectâ V. Rubelli q. s. coq. ad mollitiem, & per ſetac. trajic. Pulpæ adde ſacch. opt. ā, & ad unamquamque libram ℞oſ. rub. ℥iſs. coq. in MB. ad mivæ conſiſt. *Confert ad urinam cruentam, calculum,* &c. *Diuretica habetur. Potenter hepar refrigerat, & ſcorbutica eſt.*

Conf. Nicotianæ. ℞ Fol. Nicot. rec. ℔ij. ſtyrac. cal. ℥ij. cinam. ℥i. ſacch. ℥vi. mann. opt. ℔iſs. contund. & inſolentur ☿ 48. *Mira præſtat in Aſthmate & Catarrho ſuffocativo. Dos. ℥ß. quarta quoq; hora.*

Corpus ſine Anima. ℞ Rad. irid. Florent. ℥iſs. moſch. gr. iij. ſacch. ℥vi. m. f. ♃. *Uſus*

in

in tartaro pulmonum, Tussi, Asthmate, &c. oris fœtorem tollit.

Corvus Epilepticus. ℞ Corvum majorem deplumatum & evisceratum, abjectis pedibus & rostro, immitte in ventrem cor, jecur, pulmones, vesicam sellis, cum galang. & Sem. anis. ā ℥iv. coq. in vase terreo novo benè occluso & lutato cum pane domestico in clibano, post frigefactionem à lateribus separetur, & 2da vel 3tia vice fiat, cavendo tamen nè aduratur: dein f. ☿ s. a. *Dos.* ʒi. *quotidie in morbo comitali. Insigne Remedium.*

* *Cremor Hordei.* ℞ Hord. perlat. mundat. ℥iv. coq. (primâ ▽ â abjectâ) in ♈ont. q. s. ad mollitiem. contunde opt. Hord. cum amygd. d. decort. n° 20, addendo ▽ hord. ℔iiss. f. express. fort. s. a. adde sacch. opt. ℥ij. ♈ ros. Dam. ℥iss. ut f. cremor. *Diureticum est & Nutritivum, sitim in febribus extinguit.*

Crocus Jovis. Fiat ā ā ā ex ♃ ℥ss. & ☿ij. ℥iss: à quo (evaporato ☿io) relinquitur crocus Jovis. *Sudorificum est magnum. Dos. à gr. iv, ad x: In Lue ♀, Podagra, Peste, Utero strangulato, &c. mirè valet. Usus externus ad ulcera inveterata, cancros, fistulas, &c.*

Crocus Veneris, fit reverberando ⊕lum ♀ is s. a. *Diureticus est, colicus, uterinus, Febrifugus. Dos.* ℈ss.

Cry-

Cryſtallum Lunæ. v. *Vitriol Lunæ.*

* *Cryſtallum Minerale.* Solve ⊖ prunellæ in ▽ filtra & cryſtalliſa ſ. a. Si addas Sacchari ā, ante cryſtalliſandum, vocatur *Saccharatum. Putredini reſiſtit, ſitim ac æſtum in febribus compeſcit, tartaream ſaburram incidit, coagulatum ſanguinem reſolvit, dolores mitigat,* &c.

D.

* *Decoctum Album.* c. c. c. ℞ at. ℥ij. ℣ont. ℔4. coq. ad dimid. f. colat. citò per lineum rarum cum levi expreſſione. Liquori lacteſcenti adde Syr. de ſucco Aurant. ℥iij. vel q. s. m. *Ad ſitim extinguendam in febribus,* &c. *uſus eſt egregii.*

* *Decoct. Amarum.* ℞ Summit. Centaur. min. Fl. chamæm. Fol. agrimon. ā mſs. Sem. cardui ben. citri, ā ʒiſs. Fl. calend. p. ij Rad. gentian. ʒij. Fol. Senæ, ʒvi. Rhab. ʒi. V. alb. ℣ont. ā ℔i. coq. ad dimid. f. colat. *pro 3 vel 4 doſibus.*

* *Decoct. Amarum alterans,* fit omittendo purgantia.

* *Decoct. Ambroſianum.* ℞ Sem. milii panici contuſ. ℥viij. ℣ont. ℔vi. coq. ad ʒtiæ part. conſumpt. addendo ſub finem V. alb. ℥xij. poſt refrigerationem, f. colat. trajiciendo ſæpe

per

per manic. Hipp. ad limpitudinem. Dicitur & *Syr. Ambrosianus. Detur inter sudandum sæpe* ℔ss. *pro vice tepidè. Diaphoreticum est nobile, utatur in Hydrope, Arthritide vaga, Podagra, Febre maligna,* &c.

Decoct. Analepticum. ℞ Cancros fluviat. contus. n° vij. coq. in Vin. alb. & aq. f. ā ℥xij. ad med. colat. adde sacch. cand. q. s. *Dentur coch. 3 sæpius in die, in febribus hecticis.*

Decoct. Antimoniale. ℞ Lign. lentiscin. Visc. quercin. ā ʒvi. Fol. beton. mi. ras. sassafr. ℥i. ♁ crud. crass. ♃at. in petia ligat. ℥ij. coq in ♈ont. q. s. ad ℔ij. f. colat. *Dos.* ℥vi. *manè calidè ad sanguinem mundificandum,* &c. *Ad Catarrhos, Scabiem, omnesq; impuritates confert. Liberat corpus ab omnibus humoribus noxiis.*

Decoct. Antiphthisicum. ℞ Cancros fluviat. n° xij. Rad. Enul. ℥ij. ireos Florent. consolid. major. ā ℥i. glyc. ℥ss. Fol. alchimil. heder. ter. millefol, plantag. min. veronic. pulmonar. macul. semperviv. maj. a mij. cons. ros. r. ℥vi. coq. in ♈ont. q. s. ad ℔vi. colat. clarif. cum album. ovor. adde Sp. 🜍 q. s.

* *Decoct. Astacorum.* ℞ Astac. fluv. n° 20. Rad. aristoloch. rot. ℥ss. symphyt. maj. ℥i. Fol. sanicul. alchimil. bugul. agrim. heder. ter. beton. ā mi. coq. in ♈ont. ℔vi. V. alb. ℔ij. ad consumpt. ʒtiæ part. adde Syr. Limon. & Sp. 🜍

q. s. m.

q.s.m. *Pro Vulneribus pectoris,&c. Dos.* ʒvi. *bis in die 4 horis ante pastum: & plagulis isto instinctis tege bis in die. Mirum in deploratis.*

* *Decoctum Digitalis.* ℞ Fol. rec. Digitalis ʒ4. vel mij. uv. corinth. mundat. ʒij. contus. adde cervis. non-lupulat. ℔ij. coq. ad dimid. f. express. fortis. *Pro vomitorio in Epilepsia,* &c.

Decoct. Diureticum Augenii. ℞ Rad. apii, petroselin. ā mi. rubiæ tinctor. ʒss. spicæ, adianth. cuscut. agrim. cicer. rub. ā mss. Rad. Asari ʒi. calam. arom. ʒss. sem. anis. apii, petroselin. fœnugræc. dauci, carui, ā ʒij. melon. cucumer. ā ʒiij. coq. in ℣ font. ℔vi. ad consumpt. ℔ij. f. colat. adde sacch. q.s. *datur in urinæ difficultate, Dos.* ʒvi. *pro vice.*

Decoct. Dysentericum. ℞ Trium panum corticem inferiorem. coq. in aq font. ℔vi. ad ℔i. in qua infunde per duas horas caryoph. contus. ʒij. colat. adde vin. claret. ℔i. sacch. albis. q. s.

* *Decoct. Ictericum.* ℞ sterc. anser. ras. ebor. ā ʒi. chelidon. cum toto, ling. cervin. Fl. hyperic. ā mij. croc. ʒss. V. alb. ℣ font. a ℔ij. coq. ad dimid. f. colat. adde sacch. alb. q.s. & clarifica cum album. ovor. D. ʒv. *bis in die, præmissis præmittendis.*

* *Decoct. Limacum.* ℞ Limac. hort. è testis suis exempt. mundat. n° xij. Neogalact. vaccæ rubræ ℔ij. coq. ad dimid. colat. adde ℣ Ros. ʒii.

℥i. sacch.cand.℥ss. m. f. haustus, *omni manè sumendus per totum mensem Maii.*

* *Decoct. ad Morsum Canis rabidi.* ℞ Fol. rutæ ℥vi. Rad.allii, Theriac.Lond.ā ℥4.Limat. ♃ ℥4.cerevis.illupulat. veter.℔iv. coq.ad consumpt.dimid. & macera. *Sumat Æger morsus de colatura coch.vi. bis in die per* ♂ ix. *contin. & applic. magma loco affecto.*

* *Decoct. Pacificum.* ℞ ⊖ ♀ri cum ⊕ fact. ℥viij. Fl. pap. rhœd. rec. Bacc. Junip. Rad. Helleb. nig. ā ℥viij. ▽æ Bened. simp. ℔viij. coq. l. △. (vasc. opt. clauso.) per ♉24. post refrigerationem f. colat. per manic. Hipp. *Dentur coch. 3 hora somni, & coch. 5 manè quotidie cum Leucæno saccharato.*

* *Decoctio Polychresta.* ℞ Rad. polypod. qu. ℥iij. cichor. ℥ij. rhab. Monach. ℥vi. Fol. senæ ℥ij. sem. fænic. d. glyc. ā ℥i. uv. pass. exacin. ℥4. coq. & infund. s. a. in ♈ ont. per hor.4. colat.℔iiss, adde succ. cochlear. marin. depurat.℥viij. Sacch.rub. mann. ā ℥iij. clarif. cum album.ovor. *D.* ℥4. *ad 8 sing. auroris, ad sanguinem purgandum,* &c.

Decoct. Præservatorium. ℞ V. Malvat.℔iij. rutæ mi. zz. macropiper.incis.ā ʒij. nuc.m.ʒi. coq. ad consumpt.3tiæ part.f.colat.adde Theriac. Androm.ʒij. Mithridat. ʒi. ▽æ Angelic. fort. ℥4. m. *Dos. coch. 1. ad præserv. à Peste, & coch. 3 pro vice in cura.*

Decoct.

Decoct. ad Rachitidem. ℞ Rad. polypod. qu. apii, fœnic. ā ʒi, glyc. anis. ā ʒss. Fol. linguæ cerv. capil. ven. cuscut. beton. chelidon. tamariſc. ā mi. uvar. corinthiac. cærul. ʒiv. coq. in Hydrocrith. ℔iv, ad dimid. f. colat. *Dentur cochl. 2, 3, vel 4. pro vice, bis vel ter in die: interim purgando ſemel in ſeptimana cum Syr. de Cichor. cum Rhab.*

Decoct. Rubiæ Tinctorum. ℞ Rad. Rubiæ tinctor. ʒij. anis. glyc. ā ʒss. coq. in hydropeg. ℔iv. ad dimid. f. colat. Doſ. ʒiv. bis in die per ♁ 20. *In facieī Rubore, Puſtulis, &c. curandis præſantiſ. remedium.*

Decoct. Rubicundum. ℞ C. c. c. ʒi. coccinell. integr. ʒss. coq. in ℣ont. q. s. ad ℔iss. colat. adde Aq. cinnam. hord. ʒiss. ſacch. albiſ. q. s. *Detur hauſtus frequenter in Variolis, Morbillis, &c.*

* *Decoct. Reguli,* fit coquendo Regul. vel Pocul. ♁ij. ℔ss. (plus minùs) in Vi. alb. ℔iss. ad conſumpt. 3tiæ partis. *Pro vomitorio.*

* *Decoct. Rhabarbari.* ℞ Rhab. ʒii. uv. corinth. contuſ. ʒi. Rad. acetoſ. ʒiij. Sem. fœnic. d. ʒi. coq. in ℣ont. ℔iij. ad ℔ij. colat. adde ſacch. alb. ʒi. clarif. f. a. *Doſ.* ʒi. *ter in die in Rheumatiſmo, &c.*

* *Decoct. Scorbuticum.* ℞ conos abietis n°4. incide unumquemque in part. 4. adde Fol. tritici

tici vireſcent, ʒij. liquor poſſet. cum vino albo fact. ℔ij. coq. ad ℔j. colat. frigidæ adde Sp. cochlear. ʒſs. Syr. de aurant. de pomis alter. ā ʒiſs. m. *D.* ʒ4. *bis vel ter indies.*

* *Decoct. ad Sitim.* ℞ Fol. acetoſ. mij coq. in ▽ font. q.ſ. ad ℔ss. colat. adde ſuccum 12 limonum, V. Rhen. ℔ij. ſacch. alb. ʒiv, vel q.s. ut f. gratiſſimum. *Bibatur ad libitum. Empiricus quidam hujus gratiâ mirè celebris evaſit.*

Decoct. ad Strumas. ℞ Geran. Robertiani, becabung. ā miij. urticæ mort. mvi. glyc. aniſ. ā ʒi. uv. paſſ. ʒiv. ſenæ ʒiij. cartham. ʒij. agaric. ʒvi. Hydropeg ℔viij. infund. & coq. ad ℔iv. *D.* ʒiij. vel 4 *ter in die, & præterea bibat (omiſſis purgantibus) pro potu com. interim adhibendo locis affectis unguent. Digitalis.*

Decoct. Traumaticum. ℞ Summit. hyperic. veronic. utriuſq; vincæ pervincæ, agrimon. ā mlj. Rad. chinæ, ſymphyt. ſantal. alb. lign. nephritic. ā ʒi. dactyl. inciſ. n° xxx. glyc. ʒiſs. Infund. per hor. xij. in Aq. Calcis q.ſ. colat. ℔iv. adde Syr. de Piloſell. è ſucco Elatin. ā ʒij. ſervetur loco frigido. *Doſ.* ʒiv. *horis medicis.*

* *Decoct. ad Tuſſim.* ℞ Fol. cynogloſ. m4. hyſſop. cap. ven. tuſſilag. ā mi. aniſ. glyc. ā ʒvi. coq. in ▽ hord. ℔vi. ad ℔4. colat. adde ſacch. cand. q.s. *Doſ.* ʒ4. *ter vel 4ter in die.*

* *Decoct.*

* *Decoct. Ulmi.* ℞ cort. interior. ulmi rec. ʒ4. coq. in ♆ont. ℔iij, ad dimid. colaturæ rubicundæ (inſtar V. Rubelli) adde Syr. de Rubo Idæo, & de moris ā ʒiſs. m. f. gargariſ. Elegantiſſ. *Optimè valet in linguæ aſperitate, aphthis, omnibus oris calidis affectibus & ulceribus cujuſcunq; generis. Pro potu communi cum pauco leucœni liberavit ab Elephantiaſi, & Lepra Græcorum. Graveolentiſſimos movet ſudores.*

* *Dentifricium Dominarum.* ℞ cryſtall. præp. ʒiſs. ♉ris laterum, Lap. pumic. ā ʒſs. oſs. ſepiæ, corall. utriuſque ā ʒij. margarit. caryophyll. ā ʒi. moſch. gr. 4. m. f. ♉ ſubt. cui adde Rhodomel. q. s. ut f. paſta mollis. *Aliter.* ℞ ♉ris laterum ʒi. Sp. ♃ris q. ſ. ut fiat paſta: cui exiccatæ adde ♉ris ♀ri ʒvi. panis cremat. ʒſs. m. *Pro dentibus fricandis, colluendo os cum vino.*

* *Dentrificium Infantum.* ℞ Butyr. rec. ʒi. Anaphromelit. ʒvi. corall. rub. præp. ʒſs. f. mixtura ſ. a. *Quâ fricentur gingivæ bis vel ter in die, ad Dentitionem facilitandam.*

* *Dentifricium Scorbuticum.* ℞ ♁is cochlear. macis, ā ʒi. Salv. ℈iv. ☉nis uſt. ʒij. ♁ decrep. ℈ij. f. ♉ ſubt. cui adde Rhodomel. q. s. f. mixtura: *Pro dentibus fricandis ante uſum Lotionis ſeq.*

* *Denti-*

* *Dentilavium Scorbuticum.* ℞ Rad. bistort. Sem. cochlear. ā ʒij. ♌ ʒi. mastich ʒiij. coq. in ♆ont. q. s. ad ℔i. colat. adde Rhodomel. ʒij. m. f. lotio.

* *Diachylon Odoratum.* ℞ Emp. Diachyl. simp. ℔iij. ♐ris Rad. irid. Florent. ʒiij. ☉ stil. Rhod. ʒs. mosch. gr. iij. m. f. a.

Diacreta. ℞ Cretæ albis. ♈ Viol quater lotæ, ʒi. glyc. Sem cydon. oeul. 69. ā ʒs. nuc. m. Lap. carpion. ā ʒij. margarit. coral. r. à ʒs. croci, macis parùm torrif. ā ℈s. m. f. ♐ subtilis. *In Ardore stomachi mirè valet. dolorem sistit, & causam hujus mali tollit. Dos.* ʒi.

* *Diapalma Odorata.* ℞ Emp. Diapalm. (cum Ung. Oleoq; Rosato, loco Axungiæ & ol. olivar. fact.) liquat. ℔iij. ☉ stil. Rhodi ʒij. m. f. a.

Diatartarum. ℞ Res. Scammon. ♀ ♁ lat. ā ʒi. turpet. hermodact. ā ʒs. ☉ cinnam. & cryoph. ā gt. xij. m. f. ♐. *Dos.* ℈i, *ad* ℈iv.

* *Diateſſaron Potabile.* ℞ Sp. V. Gallic. ℥iv. Succ. limon. ʒij. Syr. Viol. ʒv. Hydrop. eg. ʒxij. m. f. Julap. gratum, *ante paroxysmos febriles bibendum.*

* *Diatrachia.* ℞ Arter. asper. (Wilm. Pipes) ovium mundat. & in clibano ficcat. ℥iv. Arter. asper. Capon. similiter præp. ℥ij. ras. ebor. priap. Tauri, cervi. & Hippopotami ℥ij.

℥ij. Dent. Hippopot. ℥iſs. m. f. ♃ ſubt. adde Rhodoſacch. ℥viij. m. *D.* ℥i *ter in die cum Syr. de Symphyto. Ad urinæ incontinentiam maximè valet.*

E.

* *Elæoſaccharum Cardiacum.* ℞ ⊙ chym. nuc. m. ℥iij. ⊙ cinnam. ℥i. ſacch. opt. ℥xviij. m. fiat. ♃ ſ.a. *Ad edulcoranda Julapia,* &c.

* *Elæoſacch. Carminativum,* ſ. ex ⊙ chym. chamæm. gt. xxiv, ſacch. albiſ. ℥xij. m.

* *Elæoſacch. Fæniculi,* ſ. ex ⊙ ſtil. Sem. fœnic. d. gt. 40. Sacch. albiſ. ℥xij. m.

* *Elæoſacch. Nuciſtæ,* ſ. ex ⊙ ſt. nuc. m. ℥i, ſacch. albiſ. ℥xij. m. *Detur* ℥i *ſæpe urgente ventris inflatione.*

* *Elæoſacch. Saſſafras,* ſ. ex ⊙ ſt. Saſſafr. ℥ij, ſacch. albiſ. ℥vi. m.

* *Electuarium Album.* ℞ ceruſ. ♃ij. iv. ſacch. albiſ. ℥xij. m. f. ♃ : cui adde Syr. de Radic. Eryngii ℥iv, vel q. s. ut f. Elect. albiſſimum. *Doſ.* ℥ij, *vel* iij *bis in die, augendo quantitatem quotidie gradatim ad* ℥vi *pro vice. Sanguinem purificat. Datur in Cachexia, Hydrope, Ictero, Scorbuto, Lue* ♀, &c.

* *Elect. Asthmaticum.* ℞ Flo. ♃ ʒiij. cinnam. ʒi. zz. ℈iv. croc. ʒij. mosch. gr. vi. mell. despumat. ʒvi, vel q. s. m. f. Elect. *D.* ʒiij *bis in die.*

* *Elect. Caryophyllatum.* ℞ Conf. caryoph. hort. ʒiv. Conf. ros. r. ʒvi. Syr. de cort. citri ʒij. contus. opt. trajic. per setac. & adde Arom. Rosat. ʒiij. caryoph. Indic. incis. ʒiij. Ambr. gris. ℈ss. m. f. Elect. *Usus est egregii in Anorexia, ventriculi dolore,* &c. *Dos.* ʒi. *ad* ij, &c.

* *Elect. Castitatis.* ℞ Sem. vitic. hyoscyam. ā ʒi. camph. ʒij. glyc. ℈iv. m. f. ♃. adde Conf. Fl. nymph. ʒiij. Syr. de Nymph. q. s. f. Elect. *D.* ʒij. *vel* iij *bis in dies, superbibendo Serum chalybeat. & inungendo interim Renes, ac testes oleo Sem. Hyosc. express.*

Elect. Chalybeatum. ℞ ♂ præp. ʒi. ♂ mundat. ʒss. Pulp. passular. minor. ʒxij. ol. cinnam. vel caryoph. gt. 40. m. f. a. *Datur utiliter in Chlorosi, Hydrope,* &c.

* *Elect. Diarrhodi.* ℞ Spec. Diarrhod. Abbat. ℈iv. Mivæ Berber. ʒiij. sacchar. alb. in ▽ Fragor. solut. ʒiij. m. f. Elect. *Dos.* ʒiij *bis in die, superbibendo haustum seri de sedo.*

Elect. Ducis Sabaudiæ. ℞ Sarsaparil. ʒiij. Sem. ebuli ʒvi. Sem. hyperic. Fol. chamædr. chamæpit. ā ʒiij. Rad. angelic. ʒiij. aristol. rot. ʒvi. cinnam. ʒiiss. caryoph. ℈iv, croci ℈ij, m. f. ♃. subt. & cum mell. despumat. triplo f. Elect. *D.* ʒiij

per

per annum totum, quotidie. Ad Arthritidem curandam optimum remedium.

* *Elect. Epilepticum.* ℞ Sterc. albiſ. Pavon. ſiccat. Rad. pæon. mar. ā ʒij. Rad. Valerian. ʒi. ſem. pæon. excort. ʒiij. carui ʒſs. m. f. ♃ : cui adde Mel. Anthoſat. q. s. m. *Doſ.* ʒij, &c.

* *Elect. Juniperinum.* ℞ Bacc. junip. ſuccul. contuſ. ℔i. infund. in ☿ont. ℔ij. per ☓ ʒ. f. colat, adde ſacch. opt. ℔i. coq. ad Syr. craſſior conſiſtentiam. Tum adde Elect. è Saſſafr. ʒiv. calam. arom. ♃at. ʒiſs. macis ʒi. croc. ℈ij. m. f. a. *Diureticum, Stomachicum,* &c.

* *Elect. Lithontripticum.* ℞ Tereb. Ven. ʒij. vitell. ovor. n° 2. exactiſ. mixtis adde ♃ris ſem. bardan. milii ☉is ā ʒi. Alkekeng. ʒiij. lap. Judaïc. ʒvi. Syr. de Alth. q. s. m. *Doſ.* ʒij *bis in die (præmiſſis præmittendis) ſuperbibendo Aq. Scnel. comp.* ʒiv. *cum Syr. de Alth.* ʒi.

Elect. Macis. ℞ Macis in Oxyrrhodino per 24 hor. infuſ. & exiccat. ʒi. Sem. citri, cardui, lign. vitæ, ā ʒiſs. fiat omnium ♃ ſubtiliſ. cui adde Spec. Liberant. ʒi. cort. citri condit. ʒi. Theriac. Androm. ʒiij. Conſ. Borag. & Lujul. ā ʒij. Syr. Lujul. q. ſ. f. Elect. *Uſus eſt in Peſte, ac morbis malignis.*

Elect. Oxydorcicum. ℞ Succ. Rutæ & chelidon. depurat. ā ʒ4. mell. opt. ℔i. coq. deſpumando ad debit. conſiſt. deinde adde ♃ris ſum-

mit.euphrag.(nigris ſurculis) ʒij.ſem.ſœnic.ʒvi.cinnam.cubeb.caryoph.macis,macrc piper. ā ʒi.m.f.Elect.ſ.a. *Ad viſum acuendum inſigne eſt Remedium. Doſ.* ʒiii *bis in die.*

* *Elect. Paralyticum.* ℞ Sem. ſinap. ſiccat. & pul. ʒv. ſem naſturt. ʒij. Syr. de ſucco ſalviæ ℔i, vel q. s. f. Elect. *D.* ʒſs. *quotidie per menſes aliqt. Optimum remedium.*

* *Elect. Pectorale.* ℞ Pulp.uv.paſſar.exacin. Pulp.conſ.roſ.r.Syr.Capill.ven. ā ʒ4. ſacchar. cand. ♃at.ʒiij. Spec.Diatrag.frig. ʒſs. Sp. ♎ gt. 25. m. f. Elect.

* *Elect. Piperinum.* ℞ Piper. l. minutiſ.inciſ. ʒiſs. ♃ fol. rutæ ʒſs. ☿ ʒv. Ther. Januenſ. ʒxij. m. *In colica, ventriculi dolore,&c. (poſt varia incaſſum uſurpata) ad miraculum hoc præſtitit.*

Elect. Vermifugum. ℞ Fol. helleboraſtri ♃at ʒij. Anaphromel. ʒvi. m.ſ.a. *Ad lumbricos necandos & educendos certiſſimum eſt remedium. Doſ.* ā ℈iv, *ad* ʒij.

Elixir Camphoratum, ſ. ſolvendo camph. ʒſs,in Pyrœni croco tincti ʒvi.ſ.a. *Utiliſſimum eſt in peſte, tum præſervando, tum curando. item, in paſſione hyſterica. Doſ.* ℈i.

* *Elixir Propriet. Dulce,* fit ex myrrh. aloës,croc.ā ʒi. Alcoh. v. ʒviij, *maceratis filtratiſq; ſ.a. Uſus eſt proficui in morbis malignis, hypochondriacis, uterinis; ſtomachi cruditate,*

&

& indè appetitu imminuto. Extrinſecus ulceribus ſordidis mundificandis inſervit.

Elix. Prop. Peſtilentiale, f. ex myrrh. aloës, croc. ā ʒſs, Sp. c. c. ʒij, unitis cum Alcoh. v. ʒiv. digeſtis & filtratis ſ. a.

Elix. Prop. Tartariſatum, f. ex myrrh. aloës, croc. ā ʒi, Tinctur. ♁is ♀ri ʒxij, digerendo filtrandoq; ſ. a.

Elix. Salutis. ℞ Fol. Senæ ʒiv. Lign. ſanct. Rad. Enul. ſicc. ſem. aniſ. carui, coriand. glyc. ā ʒij. uv. paſs. exacin. ʒviij. ▽ Vitæ ℔vi. macer. in frig. per ☉ 4, dein. f. colat. per manic. Hipp. Sunt qui addunt Sal. ♀ri, Rhab. Scammon. &c. *Doſ. c.* 1, 2. *h. ſomni & 3, 4. manè.*

Elix. Vitæ. ℞ Nuc. m. macis, cinnam. opt. ā ʒi. caryoph. ʒſs. Flaved. cort. aurant. & citri, ā ʒiij croc. opt. ʒij. Pyrœni ℔ij. Digere ac filtra ſ. a.

Elix. Vitrioli. ℞ Cinnam. zz. caryoph. ā ʒij. calam. arom. ʒi. galang. ʒiſs. Fol. ſalv. menth. criſp. ā ʒſs. cubeb. nuc. m. ā ʒij. xyloal. cort, citri, ā ʒi. f. ♊ adde ſacch. cand. alb. ʒiij. Sp. V. ℔iſs. ☉ ♁li ℔i. extrahe Tincturam digerendo per ☉ 20. ſ. a. deinde filtra ad uſum. *Stomachum ac inteſtina maximè confortat, & appetitum excitat. ab Epilepſia & Apoplexia præſervat. Cerebrum purgat. Caput, totúmq; corpus multis phlegmaticis catarrhis repletum*

exiccat, illudq; à dolore mirè tuetur. Dos. ℈ss, *ad* ℈i.

* *Elleborus albus præp.* fit affundendo Rad. ♉at. ▽am Sptu ⊕li imprægnatam dissolutionis coralliorum: macerando per ♍♎ 24, & exiccando. Repet.opus ter. *Dos.*ā ℈ss, *ad* ʒss.

* *Emplast. Adhæsivum.* ℞ Diachyl.simp.Diapalm.ā ℔i.pic.Burgund.& Sarcocoll.ā ʒiv.tereb.ʒvi.vel q. s. m. f. a. *Pro Fontanellis apertis servandis, & tutandis ab inflammatione.*

* *Empl. Burgunditum.* ℞ Pic.Burgund.℔i. ♉ caryoph.ʒx. ⊙ stil.piper.ʒiij. m. f. a. *In Cephalalgia, Opthalmia, Catarrhis, Vaporibus, &c. humeris & nuchæ applicatum usus est insignis.*

Empl. Camphoratum. ℞ Camphor.ʒiss. Balsam. de Tolu, ʒi. galb. colat. ʒvi. m. *Usus est in uteri suffocatione, vertigine, &c. umbilico adhibitum vires & habet Emp. Diagalb.*

Emp. Catarrhale. ℞ Taccamah. carann. ā ʒiss. Emp. de Beton. ʒiij. ♉ succin. ʒi. caryoph. ʒss. cort. sassafr. & Winter. ā ʒij. Balsam. Peruv. q. s. m. f. ☌. *Pro capite raso.*

* *Empl. Diagalbani.* ℞ Galb. ♱ præp. ʒxij. ceræ ʒviij. tereb. ʒv. m. f. a. *Tophos, nodos, scrophulas, ac tumores duros, digerit, emollit, resolvit, eorumq; dolores sedat. Verrucas & clavos pedum tollit. Nervos ac uterum roborat.*

Empl. Diasulphuris Rulandi. ℞ Balsam. ♃ ʒiij. ceræ

ceræ ʒſs. colophon. ʒiij. liquatis adde myrrh. opt. ℥at. ʒiijſs. coq. ſ. a. *Curat omnis generis ulcera, & vulnera quæcunq; infallibiliter.*

Empl. Epiſpaſticum. ℞ Pic. Burgund. ʒxviij. ȯkolivar. ʒſs. liquatis adde cantharid. ſubt. pul. ʒiv. ſem. Ammeos pul. ʒij. f. maſſa admodùm adhæſivum.

* *Empl. Febrifugum.* ℞ ℥ gum Lentiſc. ʒvi. aloës ʒij. ℔ ʒiij. Euphorb. ſtaphiſagr. Bacc. lauri, fœnugræc. hyali Venet. ā ʒij. fuligin. ex ligno contract. ♎is nigr. ā ʒiſs. tereb. ʒiij. vel q. s. m. f. Empl. ♁ ſ. a. *Carpis adhibitum horis 3 vel 4 ante acceſſionem paroxyſmi, ſæpe curat Tertianas, aliquando etiam Quartanas.*

Empl. Hæmorrhoidale. ℞ Litharg. ℈æ ℔bi. Axung. ʒi. vel q. s. contund. opt. ut ſ. ♁ convenienter dura, pro Empl. Fieri etiam pt *Suppoſitoria* ex eadem ♁ ſ. a.

* *Empl. Laterale.* ℞ Fl. ♃ ʒv. Rad. irid. Flor. ʒij. caryoph. ʒſs, cumin. ʒiſs. ℥atis adde Picis naval. & Burgund. āʒiv. tereb. ʒiij. ☉ſt. carui, R. hodii, ā ʒiv. m. f. a. *In doloribus pleuriticis multùm facit, præmiſſâ phlebotomiâ.*

* *Empl. Mammillare.* ℞ Sperm. ceti ʒi. ceræ alb. ʒij. galb. ♱ præp. ʒſs. ol. Samb. q. s. *In omnibus mammarum tumoribus, imò ſcrophuloſis, lacte concreto, ædemate, &c. nil huic æquale.*

* *Empl. Nuchale.* ℞ Gum. Elem. tereb. ā ʒſs.

olib. maſtich.gum. tragac. ā ʒiij. ℞ ʒiſs.ſem. pſyll.myrti,balauſt.ā ʒi. Euphorb.℈i. ſuccin.ʒij. Pic. Burg.ʒviij.carann.ʒx. ⊙ caryoph. Balſ. Peruan.ā gr.vi. m. f. ♁ ſ. a. *Ad Odontalgiam tollendam pone aures applica. Ad defluxiones in oculos, Opthalmiam,* &c. *nuchæ adhibe.*

* *Empl. Opiatum.* ℞ Diachyl.magn.ʒiv. ☿ viv.ʒij.opii ʒi. m. ſ. a. *Ad dolores arthriticos & venereos mitigandos eximiè conducit.*

* *Empl.Paralyticum.* ℞ ♌ Lumbricor.ʒiv. calam.arom.ʒiſs.galang.ʒvi. mellis q. s. f. Empl. *pro membris affectis, nulli ſecundum.*

Empl. Podagricum. ℞ Opii, Sapon.Ven. ā ʒſs. Emp. Diachalcit. ʒj. m. ſ. a.

Empl. Saturninum. ℞ ♄ni alb. ʒiv. cretæ alb.ʒſs.myrrh.ʒij. *ā ā ā* (ex p.ij. ☿,& p.j. ♄ni) ʒvi. Axung. veter. q. s. ad formand. Empl. in mort. calido duræ conſiſtentiæ. *Vlcera calloſa & maligna, imò peſſima unâ ſolâ admotione curat, abluendo ea primò (ſi ſordida ſint) aqua ſolutionis Lap. Salutis, mox Empl. in alutam ſat ſpiſſè extenſum admoveatur ulceri, & (ſi opus ſit) Emplaſtro Diachalciteos contineatur, ſuperinducta faſcia lanea ſatis ſtricta, neq; removeatur ante 15 dies.*

* *Empl.Scorbuticum.* ℞ Fl.Hyperic. Fol. Piloſell.Veronic.mar.cochlear. marin. ā mii.abſinth.com.mi.coq. in ⊙ ℞oſ.ʒvi. ad herb.putrilag.

trilæg. expressioni adde sevi cervin. ceræ, Rhodomel. ā ʒiſs. Fl. Tritici ʒi. m.ſ.a. *Confert ulceribus & tuberculis Scorbuticis.*

* *Empl. Smecticum.* ℞ ♄ ni rub. ℔ij. ſ. ☉ ℔ij. ſapon. alb. ʒiv. ceræ ʒij. coq. ſ. a. *Detergit ac reſolvit. Dolores dorſi & junctur arum compeſcit. contuſiones diſſipat. Dolores ſublevat podagricos. Abortum præcavet feliciter dorſo & umbilico adhibitum, & continuò geſtatum.*

* *Empl. Soleare.* ℞ Sevi ovill. ʒiv. pic. naval. reſin. ā ʒviij. thuris ʒxij. ♃ croc. ʒſs. caryophil. mac. ā ʒvi. cumin. ʒiſs. labdan. ʒvi. m. ſ. a.

* *Empl. Spaſmicum.* ℞ Picis naval. ʒiv. caſtor. Ol. coſtin. ā ʒi. m. f. ♁ *Titulus vires indicat.*

* *Empl. ad ſtrumas.* ℞ Emp. è cicuta cum ammon. ʒiv. gum. elem. ʒſs. ☿ corroſiv. ʒx. m. *ſcrophulis & ſtrumis medetur.*

* *Empl. Synanchicum.* ℞ Alb. canis ♃ at. ʒvi. mellis crud. ʒviij. Fl. tritici. ʒiiſs. ceræ ʒiv. ☉ Roſ. ʒvi, vel q.s. ut f. empl. ſ.a. *Adhibeatur jugulo & colli partibus poſt aures ubi dolor.*

Empl. Tibiale. ℞ ♀ ʒij. ſolve in ♆ ʒij. adde Axung. porcin. ℔4. coq. in Vaſe fictili, continuò agitando rudiculâ ferri, ad conſiſt. Empl. mollioris, & exhalationem humiditatis. Tum adde ceræ fl. ʒi, ♃ is maſtich. & oliban. ā ʒiij. m. f. ♁ ſ. a. *Ad nodos, &c. in Lue* ♀.

* *Empl. Vermifugum.* ℞ ♃ aloës ʒi. colocynth.

cynth.myrrh. ā ʒiij. Fol. ſabin. rutæ, abſinth. tanacet.jugland. Rad. bryon.ā ʒij. ceræ, reſin.ā ʒiv. ⊙ Rutac. ʒij. m. f. ♁ ſ. a. *Pro umbilico. Vermes enecat ac educit.*

* *Emulſio de Avellanis.* ℞ Nuel. Avellan. nº 40. ſem.cannab.pepon.& melon. ā ʒi. portulac. ʒvi. amygd. d. decort. nº viij. contuſ. adde ▽ lact. ſimp. ℔iiſs. ℞oſ. rub. ʒiv. ſacch. cand. ʒij. f. expreſſio. *Doſ.* ℔ß. *bis in die cum priapi cervi* ʒi, *ad Ardorem urinæ, Gonorrhœam,* &c.

Emulſio Cathartica. ℞ Sem. Cartham. ʒi. mann. opt. ʒiij. Amygd. d. decort. ʒij. ▽æ Hordei, vel Ebſham. ℔ij. f. Emulſio ſ. a.

* *Emulſio Expulſiva.* ℞ Sem. citri decort. ʒſs. contuſ. adde ▽ arum Citri, Cardui Ulmar. Scordii compā ʒiij. ſacch. alb. ʒi. f. Emulſ. ſ.a. *Dentur coch.* 3 *ſecunda quaq; hora, ad malignitatem variolarum,* &c. *expellendam.*

* *Emulſio Cretacea.* ℞ Cret. alb. ℥at. ʒiij. ▽ Hord. ℔iij. coq. ad ℔ij adde frigefactis ſem. 4. frig. major. ā ʒij. amygd. d. nº viij. carui ƷſS. f. Emulſio, adde cret. ſubt. ℥at. ʒiij. Sacch. Perlat. ʒi, vel Diacod. ʒiſs, *pro re natâ.*

* *Emulſio Dactylorum.* ℞ Dactyl. (oſſibus exemptis) nº 15. coq. in cerev. illupulat. ℔iiſs. contund. Dactyl. cum amygdal. d. nº 24. f. expreſſio cum cerev. dictâ: adde ſacch. cand. &

nuc.

nuc. m. q. s. *Dos.* ℔ss *ter in die per dies* 40 *vel* 50. *in Abortu, Infirmitatibus dorsi, Gonorhœa, Tabe, Tussi, Macilentia,* &c.

* *Emulsio Pæoniata.* ℞ Sem. pæon. decort. ʒi. contus. adde ▽arum Rutæ, Ceras. n. Pæon. comp. ā ʒvi. f. emuls. adde sacch. perlat. ʒiss. *Dentur coch.* 3 *manè, & hora somni, præmisso Electuar. conveniente. In Epilepsia, Vertigine, Hemicrania,* &c.

* *Enema Alexiterium.* ℞ Fol. scordii misem. citri ziij. Fl. sambuc. chamæm. ros. rub. centaur. min. ā p. i. coq. in ▽ont. q. s. colat. ʒx. adde succ. cherm. ʒi. sacch. opt. ʒss. m. *Ad extrahendum venenum,* &c. *ab intestinis,* &c.

* *Enema Colicum.* ℞ Decoct. com. (cum Bacc. junip. & fœnugr. ā ziij. præp.) ʒx. Infus. croc. metallor. ⊙ Anethin. ā ʒij. Sapon. Castil. Elect. Lenit. ā ʒi. ⊙ stil. Bac. juniper. ʒss. m. s. a. *In Colica, Iliaca, Calculo,* &c. *Insigne.*

Enema Balsamicum. ℞ Decoct. fort. Equiseti ʒvi. ⊙ Hyper. ʒvi. Bals. Lucat. ʒi. Peruan. ziij. m. *Ad Dysenteriam, excoriationes intestinorum sanandas,* &c. *maximè proficuum.*

* *Enema Dysentericum.* ℞ Caput ovis mactati cum lana confract. (demptis lingua & cerebro) coq. in ▽ q. s. ad ℔vi. f. colat. pro enematis. Addi pt. Fl. chamæm. malv. alth. &c. vel, fieri pt ex Butyr. insuls. ʒx. sang. dracon.

dracon. ʒij. vin. rub. ʒij. Vel, ex Neogalact. ʒxij, opii ℈i. croc. ʒſs, coctis, addendo ſacch. alb. ʒiſs. vitell. ovor. n° 2.. *Baſdem vires obtinet cum priori.*

Enema Hyſtericum. ℞ Decoct. com ʒx. camph. ʒi. ⊙ Rutac. ʒſs. mell. Mercurial. ʒiij. m. f. Enema.

Enema Oleoſum. ℞ ⊙ Lini ʒiij. ⊙ Chamæm. Aneth. ā ʒij. Scorpion. Rutac. ā ʒi. ⊙ Tereb. ℈i. m. *In Colica, Calculo,* &c. *Egregium.*

Enema Terebinthinatum. ℞ Decoct. com. ʒxij. Tereb. Ven. ʒſs. vitell. ovi unius. Syr. Viol. ʒiſs. Diaphœnic. ʒi. m. f. Enema ſ. a. *In dolore calculi valde proficuum.*

Enema Vinoſum. ℞ V. Hiſpan. ʒxij. ⊙ Aniſ. ʒſs. ſacch. rub. ʒiij. m. f. Enema, *ad Tormina.*

Enema Urinoſum. ℞ Sem. rutæ, dauc. cumin. ā ʒij, Senæ, ʒi. ⊡æ ℔iſs. coq. ad dimid. colat. adde Spec. Hier. ſimp. ʒij. ſacch. rub. ʒiij. f. *Enema Hydragogum. valet in Hydrope.*

* *Ens Veneris.* ℞ ♁li ♂tis opt. reverberat. & loti p. i. ✳ p. ij. ♎a ſ. a. cum tribus cohobiis. *Anodynum eſt & pacificum. Uſus eſt eximii in Rachitide, & vermibus infantum necandis. Proficuum in Pleuritide, ac uteri ſuffocatione. Obſtructiones aperit,* &c. *D. gr.* iv. *ad* xii.

* *Epicarpia Febrifuga.* ℞ Helleb. alb. ♐at. ʒſs. ☾ ʒij. Pulp. ficuum q. s. ut f. ♁ Cataplaſmatis

plasmatis instar. *Carpis adhibend. horis 2 ante parox. Tertianæ.*

Essentia Absinthii. ℞ Sp. ardentis Herbæ fermentatæ ℥xij. ☉ stil. ℥ij. extracti spissi. & ☋is soluti, ā ℥ss. Digere s. a. ad uniendum: dein filtra. Eodem modo parari pt *Essentiæ Cardui, Pulegii, Hyssopi*, &c.

* *Essentia Martis.* ℞ ♂ ʒiv. Affunde guttatim in vitro capaci Sp. ☾i ℥iij, Sp. ☿li rectif. ℥ij, spatulâ ter vel sæpius versando. Tum diluatur ♁ (antè nimiùm compacta sit) Phlegm. ☿li ℥x: & efficietur Tinctura rubicunda, vel summè flava, quæ filtretur ad usum. *Potentur aperit obstructiones cujuscunq; generis. Menses movet, & curat cachexiam, chlorosin, Hydropem*, &c. *Dos. gut. 5, ad 15.*

* *Extractum Absinthii.* Fit ex summitat. siccis in Sp. V. digestis, ut Eliciatur Tinctura, quæ filtrata ad consist. Extracti evaporetur, addendo sing. unciis extracti, ☋is Absinth. ℥ss. Eodem modo fiant *Extr. Cardui, Centaur. Gentian*, &c. Vel, fieri pt ex succis depuratis, evaporando in MB s. a.

* *Extract. Albandal.* ℞ Pulp. colocynth. à semin. opt. liberat. & ☽at. ℥4. glyc. anis. ā ℥ss. ▽æ ♆ filtrat. ℔4. Diger. ☌ 20. s. expres. & exhal. ad debit. consist. s. a. *Humores aquosos educit ad miraculum. Dos. à gr. 5, ad 15, & ultra.*

* *Extract.*

* *Extract. Antiscorb.* v. *Aq. Antiscorb.*

* *Extract. Chalybis.* ℞ Succ. oxalid. depurat. ℔iv. Tamarind. ℥i. coq. parùm, & clarifica. In isto macer. tepidè ♂ ℥v. per ☌ 4, sæpe agitando, f. colat. quæ in MB inspissetur ad debit. consist. Vocatur & *Magist. Martis.* Aliter paratur cum succo pomor. vice Oxalidis & tamarindorum. *Dos.* ā ℥ss, *ad* ℥i.

* *Extract. Diatessaron.* ℞ Spec. Diatessar. ℥iij. Rad. angelic. ℥i. zed. ℥ss. sem. cardui ℥ij. ▽ Scord. comp. Cardui, Melis. Angel. ā ℔i. extrah. Tincturam f. a. & exhal. ad debit. consist. *Confert ad affectus frigidos, tum cerebri, ut Paralysin, &c. tum ventriculi, ut Inflationem & ab ea dolorem, tardam coctionem: tum hepatis, ut Hydropem, Cachexiam, Obstructiones. Valet etiam efficaciter ad morsos venenatos, & potionem veneni.*

* *Extract. Drasticum.* ℞ Scammon. ♃at. ℥iij. succ. aurant cum cortic. express. ℔ij. Digere tepidè ☌ vi. f. express. & exhal. ad Pil. consist. *Dos.* ā ℈ss *ad* ℥ss.

Extract. Ecphracticum. ℞ Xyloal. galang. caryoph. ā ℥ss. cinam. gent. cort. Winteran. ā ℥i. Rad. Raph. rustic. ℥ij. Fol. calaminth. puleg. abs. ā mi. ♂ cum ♎ præp. ℥viij. V. alb. & Decoct. ☐ri albi, ā ℔iiss. macer. f. a. colat. exhal. ad debit. consist. addendo aloës ℥i.

myrrh.

myrrh. ʒij. *Mickleth.w. In morbo virgineo ac Scorbuto eſt efficaciſſimum : magnas enim vires obtinet in aperiendis obſtructionibus, præſertim lienis, hepatis, uteri, ac meſenterii : adeoq; morbis indè natis ſubvenit.*

* *Extract. Febrifugum.* ℞ ♃ Cort. Peruvian. ʒiv. centaur. min. Rad. gentian. ā ʒij. ſerpent. Virgin. ʒi. Sp. V. ℔iv. vel q. s. extrahe Tincturam, & exhale ſ. a. *Titulus vires indicat. Doſ.* ℈ſs, *ad* ʒſs.

Extract. Fellis. ℞ Fell. bubuli in ☉e exicc. ʒij. Sp. V. ℔iſs. extrahe Tincturam, & exhala ſ. a. *Confert ad menſes ſuppreſſos. Doſ.* ℈i, *vel* ʒſs. *indies. operatur per ſedem.*

* *Extract. Ictericum.* ℞ Sterc. ovill. rec. ʒiv. Rad. chelidon. ʒx. curcum, ʒiſs. lumbric. præp. ʒvi. centaur. min. mii. ♂ præp. ʒij. ſucci limon. ʒvi. ▽ cichor. ℔iv. Infund. ♎ 48. f. expreſ. quæ exhal. ad Pil. conſiſt. addendo Lumbric. præp. ʒiſs. *ter in die, ſuperbibendo Decoct. Icteric.* ʒiv.

Extract. Maltæ comp. ℞ Fol. Tuſſilag. pulmonar. maculoſ. rec. ā ʒvi. glyc. ʒviij. uv. paſſ. exacin. ℔ij. cerev. illupulat. fort. debit. ætatis cong. vi. coq. ad conſumpt. cong. 4. f. expreſ. fort. & exhala ad mellaginem. *Doſ.* ʒij. *bis vel ter in die, in Phthiſi,* &c.

* *Extract. Melampodii.* ℞ Rad. Helleb. n. veri

veri cum fibris craſſ. ℥at. ʒvi. ſem. aniſ. ʒi. Sp. V. ℔iij. Infund. tepidè per ☉ vi. f. expreſſ. & exhala. *Doſ.* ℈ſs, *ad* ℈i.

Extract. Peregoricum. ℞ Philon. Rom. ʒiſs. Mithrid. ʒv. Theriac. Lond. Diaſcord. ā ʒiij. ▽ cardui ℔i. Sp. V. ʒiij. macera, cola, & exhala ſ. a. *Proficuum in morbis contagioſis, Catarrhis, doloribus, vigiliis,* &c.

* *Extract. Pectorale.* ℞ Fol. ſcabioſ. hyſſop. heder. ter. ā mxij. marrhub. alb. jaceæ ā mx. Tuſſilag. Helen. ā mxviij. contuſ. exprimatur ſuccus, depuretur, & ad mellaginem evaporetur ſ. a. *D. coch. i. ter in die, ſuperbib. Decoct. Pector.*

* *Extract. Peticum.* ℞ Fol. peti exotic. ʒij. glyc. ʒi. Fol. Aſari rec. ʒx. ſem. aniſ. ʒiij. coriand. ʒij. Rad. angelic. galang. ā ℈viij. macer. tepidè in Hydromel. ʒxx. ♓ 24. f. expreſ. & exhal. ad debit. conſiſtentiam. *Doſ. ad ℈ij. Craſſos humores per vomitum & nonnunquam per ſeceſſum potenter expurgat. feliciter datur in Aſthmate, & pulmonum tartaro, nec-non in febribus, præcipuè Tertiana, & Quartana. Utile etiam in Ictero, Hydrope, ac Arthritide.*

* *Extract. Sarſæ.* v. *Aq. Sarſæ comp.*

F. *Febri-*

F.

Febrifugum Salis. (i. e.) *Sal Armoniac. Volatile.*

Febrifugum Crollianum. v. *Antifebr. Conch.*

Febrifugum Riverii. ℞ Flor. ☿ ij. ter cum ✱co ♎ator. & edulcatorum, Vitri ☿ ii. in ʒiv. ▽ (ex ☉ & ☾ factæ) ♎ati, ā ʒis. ☿ ii. cum ▽ (ex ☉, ♁, & ☾ factâ) ♎ati ʒvi. ☉is in ℞ soluti ʒi. m. ac ☽a ex ♋ gradatim ad siccit. cum 12 cohobiis. ♐ri quinquies loto & siccato adde Alcoh. V. ℔ij. ☽a ex ♋ novâ sexies cohobando. effunde Alc. V. & ♁m calcis pone in ✝bulo benè lutato, △e rotæ, per 3 ⅄. Dein Alc. prædictum ☽atum super incende s. a. *D. gr.* vi. *ad* ℈i, *cum* ā *Scammon.* ♃*rat.* &c.

Flores Antimonii. ♎a ☿ △e forti, aut per se, aut cum ∴, ; vel □ro calcin. admixto. Flores albis. colligantur, usuiq; serventur. *Vomitum nonnunquam promovent. Dos. gr.* 2, *ad* 4. *Sudorifici sunt.*

Flor. Antim. Diaphoret. Fiant ex Flor. ☿ ij. ☉o ♃ris irroratis, & ✝bulo clauso calcinatis s. a. *Viribus pollent cum prioribus.*

Flores Benzoïni. s. ex ♐re Benz. opt. vasi vitreato indito, desuper ponendo chartam duplicem

duplicem pyramidatam, & l. △. ♎ando ſ. a. Flores chartæ adhæreſcentes (chartâ ſæpius mutatâ) eximantur. v. *aliter in Pharmacop. Londin. Pulmonici, bechici, ac aſthmatici ſunt inſignes, & Catarrhos ſiſtunt. Sudorem movent. Doſ. gr. 5, ad 12.*

Flores Biſmuthi. ℞ Marcaſit. calcin. & ✳ ā, & ♎a ſ. a. in cucurb. forti. *Coſmetici ſunt celebrati ad dealbandam faciem, cum duplici quantitate Pomati. Conferunt ad cutis Vitia, Lichenes, Impetigines, &c.*

Flores Joviales. ℞ ♃ p. i. ☉ p. ij. ♎a ſ. a. Ablue Flores ▽â calidâ. *Præſtant magnopere in uteri ſuffocatione, tum intrinſecus quàm extrinſecus adhibiti. Doſ. gr. ij, ad vi. repetitis vicibus.*

Flores Salis. fiunt augendo △em poſt ♌ationem ☉i ♁is, & ♎ando. Flores collo ♌ adhæreſcentes colligantur. *Alexiterii ſunt. Doſ. ad ℈i.*

Flores Salis Armoniaci, ſ. ex ♁ fuſi & ✳ ā, ♎atis ſ. a. *Diuretici, & Diaphoretici. Doſ. gr. 5, ad 15.*

Flor. Sal. Armon. Martiati, ſ. ex ♂, & ✳ ā ♎atis, △ri exponendo ☉ m, miſcendo cum dimid. quant. ✳ci, ſiccando, & ♎ando ſ. a. *Tollunt perfectè eruditates ventriculi, cum Vino Abſinthiaco, aut Decocto ſaſſafras,*

sassafras, sudorem promovendo. Optimè valent in Quartana.

Flores Sulph. Albi. ℞ Lap. prunell. ⧖ 2 calcinat. in ✠bulo optimè operculato cum carbonibus vivis supra operculum positis, ʒiij. 🜍 ℥vi. m. ac ♎a △e ∴æ s. a. *Lacti* 🜍*ris viribus æquivalent. Dos.* ℈i, *ad* ʒss.

Flores Viridis æris. Solve ⊕ in ✠: dein filtra ac crystallisa s. a. *Summum est mundificativum in vulneribus.*

Flores Vitrioli. ♎a ⊖ fusi & ⊕li ā, s. a. *Inserviunt plagis putridis mundandis, incarnandis, & cicatricibus inducendis.*

Flores Zinci, s. uti *Bismuthi*; *easdemq; vires obtinent.*

Flos Cordialium;

Nec-non

Cardiacum Magnum.

℞ Flor. siccat. Rorism. calthæ, tunicæ, superbæ, borag. buglos. ros. rub. ros. pallid. rorellæ, viol. actes, beton. aurant. jasmin. ā ℥i. croc. ℈iv. Fol. siccat. Card. ben. scord. angelic. apiastri, menth. amarac. valerian. ā ʒvi. Rad. Heptaphyll. zedoar. aristol. rot. caryophyllat. ā ʒss. gentian. ʒij. sem. ocimi, cort. citri, sant. citrin. Bac. junip. kerm. cardamom. ā ℥ss. cubeb. ʒiij. cort. sassafr. & xyloal.

xyloal. ā ʒi. contuſis contundendis adde Sp. V. ℔xxx. poſt macerat. debitam abſtrahe per MB ℔xx: quæ ſerventur ad uſum, nominatæ, *Flos Cordialium.* Reſidui fiat expreſſio & colat. quæ per ulteriorem ℞ationem exhaletur ad mellaginem. Singulis hujus unciis accuratè admiſce ſacch. cand. alb. ʒij. ſucc. chermeſin. ʒi. Tinct. Corall. ʒvi. margarit. præp. ʒſs. terr. figil. ʒij. Bezoar Animal. Bez. orient. ā ʒi. ambr. griſ. ℈ij. moſch. ℈ſs. Fol. auri nº 20. m. ſ. a. ut fiat *Cardiacum Magnum.*

* *Fotus Arthriticus.* ℞ Salv. roriſm. chamæm. artemiſ. hyperic. abſ. vulg. ā mvi. ☉ nigr. miij. coq. in ▽ cong. iij. ad ij. ſ. colat, pro fotu.

* *Fotus Scorbuticus.* ℞ Artemiſ. hyperic. cochlear. utriuſque; chamæpit. ā miij. abſ. com. & Rom. ā miv. roriſm. mij. Rad. raph. ſylv. ʒiv. coq. in ▽ ſ. a. pro fotu.

* *Frontale Cephalalgicum,* fit ex Rhodoſtagmatis q. s. in ✠, vel Sp. V. frixâ, inſpergendo ☿ris nuc. m. ʒi. zedoar. ʒſs. camph. ℈ij. *Adhibe fronti & temporibus.*

G.

Galbanetum Hartmanni. ℞ Galb. p. i. Sp. Tereb. p. ij. Digere ac ℞a ex ♌ ſ. a.

Galbanet. Sennerti, ſ. ut ſuprà, addendo

℥ ſt. Lavendul. ʒi, & ℔ando ſ. a. *Ad membra paralytica inungenda inſigne remedium.*

Gargariſma Album. ℞ Aq. Plantag. ʒiij. ℞oſ. rub. ʒi. albumina ovorum in aqueam ſubſtantiam agitata n° 3. ſacch. cryſtall. ʒi. m. f. Gargariſma. Vel ℞ Rad. alth. ʒiij. Sem. cydon. ʒiſs. coq. in Aq. hordei ℔biiſs. ad ℔biſs; circa finem addendo liquirit. raſ. ʒij. colat. adde albumina ovorum agitata n° 2. ſacch. cryſtall. ʒij. m. f. Garg. *quo os ſæpè colluatur, & parùm ſenſim deglutiatur. Pro Aphthis,* &c.

* *Gargariſma Apoplecticum.* ℞ Sem. ſinap. ℥at. Sp. caſtor. ā ʒij. Oxyrrhodini ʒi. f. Muſtarda ſ. a. cui adde Decoct. fort. roriſm. & beton. ā ℔bi. Mel. Anthoſ. ʒij. m.

* *Garg. Scorbuticum.* ℞ Roriſm.mi.caryoph. n° 40. ⊖ cochlear. ʒij. omphac. ℔biij. coq. ad ℔bij. *Ad gingivas putridas in Scorbuto.*

* *Garg. Synanchicum.* ℞ Spong. ſambuc. ʒi. Albi canis ʒvi. Fol.rubi mi.roſ.r.mſs.geran. columbin.mij.ficus n° viij. coq. in ▽ q. s. ad ℔bij. colat adde ✠ Sambucin. ʒi. Rhodomel. ʒiij. *Ad ulcera oris, aphthas,* &c.

* *Gelatina Cornu Cervi.* ℞ C. C. raſ. ʒvi. ℱont. ℔bvi. infunde tepidè & coq. l. △. (vaſe clauſo) ad 3 vel 4 ⅔△, ut fiat Gelatina. colat. adde ſucc. limon. ʒi. ſacch. opt. ʒij. *Reſtaurativa eſt in Tabe,* &c.

* *Gela-*

* *Gelatina Corroborans.* ℞ Pedes 4 ovillos, 2 vitulinos. raſ. ebor. Rad. Satyr. ā ʒij. virgæ Hippopot. ʒi. c. c. ʒx. Fol. alchimil. bellid. ā mij. Font. ℔x. coq. ſ. a. ad ℔iij. ſ. colat. adde ſacch. cand. alb. ʒiij. Refrigerent & reſideat Gelatina, auferendo pinguedinem ac fæces ſ. a. *Detur hauſtus manè cum Priap. cerv. pulv.* ℈i, *præmiſſis pilulis adſtring.*

* *Gelatina Ichthyocollæ.* ℞ Ichthyocoll. albiſ. inciſ. & contuſ. ʒij. Font. ℔ij. coq. ſ. a. ad med. adde colaturæ Neogalact. ℔i. ſacch. cand. ʒi. *Doſ.* ℔i. *bis in die. Ad Profluvium album, Gonorrhœam,* &c.

Gilla Theophraſti. Nihil aliud eſt, quàm ☉ album depuratum.

H.

Helleborus. v. *Elleborus.*

Hepar Sulphuris, fit ex Flo. ♃ liquat. ʒiv, addendo Sal. ♄ri puriſ. ʒiſs, & miſcendo opt. cum ſpatula agitando. remot. ab ♃ ſerva ☽m ad uſum. *Inſervit Tincturæ & Syrupo ♃ris præparandis.*

Hercules Bovii. v. *Aurum Vitæ.*

I.

Ignis Philoſophicus. v. *Phoſphorus.*

* *Infuſio Arthritica.* ℞ Anthûs ℔i. ✻ volat.

lat. ʒi. Pyrœni ℔vi. Digere in Lagena opt. obturata in fimo equino ☉ 40, dein insola ☉ 20, f. expressio. *Applicetur in declinatione Arthritidis, extrahit valde frigidos, crassos, & flatuosos humores in articulis, & fortificat.*

* *Infusio Benedicta.* ℞ Rad. polypod. qu. turpet. sennæ opt. ā ℥vi. fem. carui ℥i. V. alb. ℔xij. macer. (vase clauso) super ♨ calidos ad ☓ 24, colat. cum expressione factæ adde mann. opt. Syr. Ros. cum Agar. sacch. ā ℔i. clarific. cum alb. um. ovor. ſ. a. *Bilem utramq; cum pituita è capite, Ventriculo aliisq; partibus insigniter educit sine fastidio. Dos.* ℥iv, *ad* ℥vi.

* *Infusio Cachectica.* ℞ Rad. Enul. rec. incis. ℥vi, uv. corinth. incis. ʒviij. sacch. alb. ℥vi. V. alb. ℔iij. macer. in frig. ☓ 48, & cola. *Dos.* ℥iv. *bis in die in cachexia, chlorosi, Dyspnœa,* &c.

* *Infusio Icterica.* ℞ △ anserin. rec. ʒvi. Fol. chelidon. mij. V. alb. ▽ chelidon. simp. ā ℔i. Infunde tepidè ☓ vi. cum sacch. alb. ʒij. f. colat. sæpe per manic. Hippoc. *Dos.* ℥iv. *bis in die.*

Infusio Ireata. ℞ Rad. irid. nr. rec. incis. uv. pas. exacin. incis. sacch. alb. ā ʒvi. V. alb. cervis. ten. ā ℔iij, macer. dies 3, & f. colat. *Detur haustus manè & vesperi in Scorbuto, Hydrope,* &c.

Infusio Sancta. ℞ Guajac. ʒix. ♁ ☐ ♀ i ʒiv. glyc. iv. Digere tepidè in Hydrop. ℥. ℔xx. ad ☉ vi. dein f. colat. *Alexipharmacum nobile habetur.*

habetur. Sanguinem mundificat, omnes obſtructiones & putrefactiones tollit, & ſanitatem optimè præſervat. In Scorbuto, Hydrope, Febribus, Lue ♀, Arthritide, cæteriſq; morbis tartareis multùm facit. Doſ. ʒvi. *quater in die.*

* *Injectio Alba.* ℞ Troch. alb. Rh. ʒiij. camph. ℈i. ſolvantur in ▽ ſperniolæ ℥xij. ſ. a. *Inflammationes & dolores mitigat. efficax admodum ad ulcera virgæ, Gonorrh.* &c.

Injectio Auricularis. ℞ Anthûs mij. coq. in ⊡ pueri ℔iſs ad ℔i. colat. adde Rhodomel. ʒiv. m. *In Surditate, & dolore.*

* *Injectio Benedicta.* ℞ ▽ Benedict. ʒviij. ☿ d. ſubt. ☽at. ʒiij. m. exactiſ. ſ. a. *Virei habet Inject. alb.*

Jovis Amalgama. (i. e.) *crocus Jovis.*

Julap. Antiſcorbuticum. ℞ Vin. chalyb. ℔ſs. Tinct. ſacræ ℥iij. Sp. cochlear. ʒ. v. Sp. Lavend. comp. ℥ſs. ♀ ⊕ lat. ℈i. Syr. Scelotyrb. ℥iſs. m. *Detur, coch. ix. omni manè.*

Julap. Aſthmaticum. ℞ Milleped. vivor. nº 400. contuſis adde ▽ Hyſſop. ʒvi. ▽. Limac. magiſtr. ℥iſs. ſacch. cand. ʒiij. f. expreſs. fort. *Dentur coch.* 2 *cum Decoct. Pector.* ℥iij. *quarta quaq; hora calidè.*

* *Julap. Cretaceum.* ℞ Cretæ albiſ. ☽at. ʒi. ſacch. opt. ʒiſs. ol. ſt. nuciſt. gt. iij. Hydropeg. ℔ij. miſc. optimè ſ. a. *D.* ℥iij. *pro vice ſæpe.* Ἐν τῇ καρδιαλγίᾳ ἄριστον.

* *Julap.*

* *Julap. Fragorum.* ℞ Fruct. fragor. matur. ℔iſs. Hydropeg. ℔i. Leucœn. ℔i. facch. alb. Syr. Limon. ā ℥iſs. macer. in frig. ♈ ʒ, & cola. *In æſtu febrili refrigerat*, &c.

* *Julap. Hyſteric. Camphoratum.* Incende camphor. ʒij, & ſæpe extingue in ♈ ont. ℔i, ad totalem camphoræ conſumptionem. Tum cola. *Dentur coch.* 4, *vel* 5 *ſæpe in paroxyſmo.*

* *Julap. Hyſt. Farinaceum.* ℞ Farinæ tritici puriſ. ʒij. ſacch. alb. ℥ſs. Hydropeg. ℥viij. Agitentur opt. in Phiala, ut f. Julap. albiſ. *Dentur ſæpius coch.* 4. *in paroxyſmo.*

* *Julap. Hyſter. Fœtidum.* Solve Aſæ fœtid. opt. ʒiſs, in ♈ Ceras. n. ℥vi, ſine calore in mortar. frig, ut lacteſcat, f. a. *Sumatur coch. i. initio paroxyſmi, & repetatur poſt finitum ejus.*

* *Julap. Hyſt. Mithridaticum.* ℞ ♈ Bryon. c. ℥vi. Mithrid. ʒij. Tinct. caſtor. ℥ij. Syr. Ceruſ. n. Gran. Actes ā ℥iſs. m. f. a. *Doſ. coch. i. vel* 2 *in languoribus.*

* *Julapt. Hyſt. Moſchatum.* ℞ ♈ Naphæ ℥vi. Moſch. ℈ſs. ſang. drac. ℈i. m. *pro* 2 *doſ. in parox.*

* *Julap. Idæum.* ℞ Fruct. rubi Idæi rec. ℔i. facch. alb. ℥ij. Hydropeg. ℔iſs. ſerva ſimul in frig. ad ♈ ʒ, & cola. *Bibatur ad libitum in æſtu febrili ad ſitim extinguendam.*

* *Julap. Perlatum.* ℞ ▽ Citri, Borrag. Meliſ. ceraſ. n. ā ʒiij. Sp. ceraſ. n. vel. Sp. citri ʒi. ſacchar. albiſ. ʒvi. margarit. præp. ʒiſs. Agitentur opt. ſ. a. *Dentur coch.* 5, *vel* 6 *in languor.*

Julap. Purpureum. ℞ Syr. Viol. ʒiij. Sp. ☉li gt. 30. Hydrocrith. vel Hydropeg. ℔ij. m. ſ. a. *In febribus ardentibus ad ſitim extinguendam utiliſſimum.*

* *Julap. ad Rachitidem.* ℞ ▽ Ling. cervin. cum 2 cohobiis ♃at. ʒiv. Conf. Alkerm. ʒij. Syr. Caryoph. ʒi. Sp. ♎ gt. vi. Fol. ☉ n° 2. m. f. Julap. Elegans. *D. coch.* 2 *bis in die. Miranda præſtitiſſe narrant Dominæ.*

Julap. ad Sitim. v. *Decoct. ad ſitim.*

* *Julap. Tartariſatum.* ℞ ♉ ſubt. ☐ alb. ʒi. ☋ ☐ ʒſs. V. alb. ℔iiiſs. m. *Doſ.* ʒij. *bis in die per dies* 8, *in Hæmitritia curanda.*

* *Julap. Vitæ.* ℞ Vitell. ovor. rec. n° 2, ſacch. alb. ʒſs. ☉ cinnam. gt. iij. V. alb. vel Hiſpan. ʒvi. exactiſſ. miſceantur ſ. a. *In animi deliquio, virium que maximâ debilitate, vel in moribundis auxilio fuit.*

* *Juniperi Baccæ candefactæ*, ſ. irrorando Bacc. ſelectiſ. ℔i. vino Hiſpan. dein ex cribro facch. opt. ♉at. ʒiv. inſpergendo, & lentè ſtrcando ſ. a. *Sudorificæ, Hyſtericæ, Nephriticæ*, &c.

Jupiter

Jupiter Diaphoreticus, f. ex ☉o Florum ♃is, in ▽ cocto, ⊼ato, & edulcato ſ. a. *Doſ. à gr. iij. ad x. Potenter ſudorem movet. utilis in utero ſtrangulato, Peſte, Lue* ♀, *Podagra*, &c.

Jupiter Nitratus, f. ☉m poſt ♃ationem Flor. ♃is coquendo in ▽, filtrando, exhalandoq; ad ſiccit. ſ. a. Dicitur & *Nitrum Joviatum. Vires & doſis cum priori.*

* *Juſculum Galli.* ℞ Gallum antiquum admodùm fatigatum, donec laſſitudine cadat. Tum trucida, depluma, exentera, farciaturq; ingredientibus idoneis. coq. in ⊼ont. q. s. (⚹ 5, vel 6.) donec caro ab oſſibus ferè decidat, & cola. *Nutritivum eſt & reſtaurativum in Tabe, Hectica*, &c.

L.

Lac Aluminis, fit ex ▽æ album. ovor. ℥vi, ♃ris ☉is ℥i, Sp. V. ℔ij, opt. & diu in vaſe vitreo conquaſſatis, ut f. inſtar Lactis. *Arcanum habetur in Gonorrhœa, Profluvio albo, Menſibus immodicis*, &c. *Doſ. coch.* 2, *vel* 3 *ter in die. Aſſumptum ad* ℥ij. *hora ante paroxyſmum ſæpe curat Tertianam.*

* *Lac Ammoniaci.* ℞ Gum. Ammon. puriſ. ʒiij. ſolve in ▽æ Hyſſop. frigidæ ℥vi in

mort. frig. ſ. a. *Detur ſæpe coch. i. pro vice in difficultate anhelitus.*

Lac Aſæ fœtidæ, v. *Julap. Hyſt. Fœtid.*

* *Lac Benzoïni.* ℞ Sp. Benz. ʒi. ▽æ Hyſ. ſop. vel ſcabioſ. ʒxij. m. ſ. a. *Aſthmaticum, Pectorale*, &c.

Lac Mercurii, ſ. ex ☿ corroſ. ʒvi, fricatis & agitatis in diſco ſtanneo cum ▽ fumar. ʒxij, ut ſ. lactis inſtar ſ. a. v. *Vires in Aq. Mercurial.*

Lac Saturni. v. *Magiſt. Saturni.*

Lac Scammonii. ℞ ♃ ſcammon. ʒvi. affunde in mort. frig. paulatim ▽ cinnam. hordeat. ʒviij, inter affundendum diu agitando. Liquor lacteſcens ſeparetur à picea ſubſtantia, & ſervetur ad uſum. Vocatur & *Liquor Acuens. Doſ. coch.* i. *ſuaviter purgat.*

Lac Sulphuris. ℞ ♃ p. i. ☿, vel ♁ ♀ p. iij. coq. in ▽æ q. ſ. ad ♃ris ſolutionem: filtra calidè, ♀a cum ✣ vel Sp. ☉i, edulcora & ſicca ſ. a. *Balſamum eſt pulmonum conſumens & exiccans, valet in Catarrhis, Aſthmate, Tuſſi, Phthiſi, Colica*, &c. *Doſ.* ℈ſs. *ad* ℈i.

* *Lapis contrayervæ.* ℞ Magiſt. c. c. coral. alb. rub. margarit. ſuccin. alb. ocul. ♋, ā ʒij. Rad. contrayerv. ʒſs. apic. nig. chel. ♋ ʒij. omnibus ritè præp. & commiſtis adde Gelatin. viperar. q. s. ut ſ. Globuli, foliis ☉ obdu-

obducendi, atque cautè ſiccandi, ſ. a. Sunt, qui addunt Ambr. griſ. ʒiſs. *Cardiacus, Alexiterius & ſudorificus inſignis eſt. Valet maximè in Peſte, Variolis, Morbillis, Febribuſq; malignis omnibus. Doſ.* ℈ß. *ad* ʒß.

Lapis de Coa. ℞ Lap. Hyacinth. Topaſ. Sapphir. Rubin. Margarit. ā ʒi. Smaragd. ʒſs. Bezoar orient. Corall. alb. rub. ā ʒij. Moſch. Ambr. griſ. ā ʒſs. Fol. ☉ n° 40. F. ☿ ſubtiliſ. qui cum ℞oſ. in paſtam ſubactus efformetur in Pilas oblongas, ovulis non abſimiles, in umbra probè ſiccandas. Poſtea Dentalio, Entalio, ſeu ullâ aliâ hujuſmodi conchâ accuratiſſimè (ut eleganter niteant) poliantur ſ. a. *Eaſdem obtinet vires cum priori. Præterea ſpecificus eſt contra Spaſmum & contracturas. Doſ. à* ℈i, *ad* ʒſs, *& ultra.*

* *Lapis Medicamentoſus.* ℞ ♁ alb. ʒiv. ✳ ʒſs. ☉, ceruſſ. Æ ā ʒi. m. f. ☿ coq. cum ☩ q. s. ad lapidis duri conſiſt. ſ. a. *Virtutes hujus variæ ſunt. Ulcera & defluxiones tollit: Vulnera inveterata deſiccat: Eryſipelas, Scabiem, Tineam, &c. curat. Modus utendi ità eſt. Liqueſcat* ʒi *in Aquæ pluvialis* ℔i, *& filtra. Dein utere, tum lavando, tum linteolum imbuendo ac imponendo.*

Lapis Salutis. ℞ ✳ ʒi, ☉, Æ, ā ʒij. ♁ virid. ʒvi. ☽ ʒiij. ceruſſ. ʒij. m. f. ☿ coq. l.

△. cum ✝ q. s. donec. redigantur omnia in lapidem durum. *Eaſdem vires habet cum priori Lapide.*

Laudanum liq. Cydoniat. ℞ Opii correct. ʒiv. croc. ʒij. ſucc. cydon. ℔iiſs. Flor. cereviſ. coch. 4. fermententur ſimul in digeſtione, donec ſubſident crocus & opium, exprime & filtra: adde liquori cinnam. ʒij. caryoph. xyloal. ſant. citr. ā ʒi. ☉ Digere ♁ 14. filtra & exhala ad dimid. *D. Willis. Dolores maximi ſedat, ſomnum inducit, omnes fluxiones ſiſtit, ardorem mitigat, naturam confortat, inquietos Spiritus in Phrenitide, Arthritide, Epileſia, &c. compeſcit. Odontalgiam mirè ſedat (impoſitum).*

Laudan. liq. Turturiſat. ℞ Opii ʒij. croc. ʒi. cinam. caryopht. mac. nuc. m. xyloal. ā ʒi. Tincturæ ☉is ☿ri ℔ij. Digere dies aliqt. filtra & exhala ad dimid. *Vires & doſis cum ſuperiori.*

Laudanum ſive Opio. ℞ Myrrh. opt. miniæ, ſant. rub. citr. ā ʒiſs. macis, cardamom. piper. galang. ā ʒivſs. Sp. V. ℔ij. extrahe Tincturam ſ. a. cui filtratæ admiſce △ris ☉li narcotici ʒiij. & digere per menſem: deinde ad mellagin. exhala, addendo croc. ℈iiſs. Sal. perlar. ℈iſs, ut ſ. ♁. ſ. a. *Anodynum eſt potentiſſimum. Omnes fluxiones, catarrhos, tuſſes, &c. ſiſtit: Atq; eaſdem habet virtutes cum præcedente.* Laudan.

Laudan. Starkii. v. *Pil. Matthæi.*

* *Linctus Benedictus.* ℞ Sapon. Ven. V. Bened. ā ʒij. Lohoch Sani ʒij. Syr. Jujubin. Tussilag. Cap. ven. ā ʒi. m. ſ. artem pharma. copoëicam. *Dicitur & Linct. Potentialis. Detur cochl. i. quarta quaq; hora Potenter expectorationem promovet.*

* *Linctus Expectorans.* ℞ Smegmat. Caſtil. ʒiiſs. ⊙ Amygd. d. Syr. Viol. ā ʒiiſs. ſacch. alb. q. s. m. ſ. a. Vel, ℞ Lohoch Domeſt. ʒiij Smegm. Caſtil. ʒi. m. *Idem facit cum ſupradicto.*

Linctus Hæmoptoïcus. ℞ Lap. Hæmatit. Gum. Arab. ſuccin. alb. ā ʒij. amyl. ʒſs. glyc. ʒi. albumin. ovor. q. s. m. f. Linctus; *ſubinde lingendus cum bacillo liquirit.*

* *Linctus Synanchicus.* ℞ Pulp. Conſ. roſ. ʒij. Rob. granor. Actes ʒi. Rhodomel. ʒiſs. cynocopri ℥at. ʒvi. m. ſ. a. *Detur cochl. i. ſæpe in Angina, &c.*

* *Linimentum Melluminatum.* ℞ ℥ris Aquileg. ſalv. menth. nuc. m. ā ʒſs. ℧ uſti ʒi. mellis ʒiv. m. *Ad ulcera gingivarum, inflammationes, laxitatem, &c.*

* *Linimentum Simplex.* ℞ Succi Solatri, ⊙ Roſ. ā ʒxx. coq. ad ſuccei conſumpt. colat. adde Litharg. ceruſ. ā. ibi. m. ſ. a. *Valet in mammarum Cancro, Rosâ, Eryſipelate, &c.*

* *Linteum Crocatum*, fit coquendo linteum cum croci ʒſs in ▽ Rutæ, & exiccando. *Hoc perpetuò ſub mento, variolis durantibus, geſtandum.*

Liquamen Silicum. ℞ Silic. uſt. p. iij. ☉is ☐ri per ☿ calcinat. ʒiv. exactè miſce, & per vices in ✝bulum candens injice, urgendo △em ſ. a. Poſtea ☾m △ri expone, ut ſolvatur per deliq; ſ. a. *Ad tartaream mucilaginem incidendam, calculum reſolvendum, ac proinde ad obſtructiones reſerandas multùm facit. Doſ. gt.* 20, *ad* 30, *in liquore conven.*

Liquamen Sulphuris. ℞ Fl. ♃, ſacchar. cand. alb. ā ʒi. m. f. ♌. Induratis 4. ovis (exemptis vitellis) include, & probè ligata ſuſpende ſupra prunas, ut Liquamen exudat: quod ſerva ad uſum. *Pectorale eſt egregium in Aſthmate, Tuſſi, Phthiſi, Pleuritide,* &c. *Doſ. gt.* 20, 30, &c.

Liquor Acuens. v. *Lac Scammonii.*

* *Liquor Cephalalgicus.* ℞ Camph. ʒij. ſolve in Pyrœni ʒij. qui Rhodoſtagmatis q. s. excipiatur in diſco, calfaciendo ad mediocrem ſiccit. Tum inſperge ♌ nuc. m. ℈i. zedoar. ʒſs. *Fronti adhibe in cephalalgia.*

Liquor Limacum, fit ex Limac. rubr. concis. & ☉, ā, in manic. Hippocr. injectis, & in cella ſuſpenſis, ut defluant in liquorem, ſervan-

servandum ad usum. *Dolores podagricos mitigat illitus, verrucas curat. optimè valet in Atrophia membrorum, illinendo cum isto calefacto, & tegendo sæpe lanâ carptâ. Mulier quædam cum guttulis hujus aliquot ex hausto cerevisiæ solebat curare Tussim Infantum singultuosam.*

* *Lohoch Album*, f. ex ☉ Amygd. d. rec. & Sacch. Penid. ā, exactiss. ità mixtis, ut in ℘m unam homogeneam conspirent albissimam. *Fieri nequit sine arte Pharmacopœi.*

* *Lohoch Domesticum.* ℞ ☉ Amygd. d. rec. ℥iv. Syr. Jujubin. Capill. ♀ ā ℥ij. sacch. alb. ʒij. misc. exactiss. in mortar. marmor. s.a. *Confici etiam pt multò elegantiùs ac inseparabiliùs (si Ars non desit Pharmacopœo) sine ullâ sacchari additione. Expectorationem promovet.*

Luna Potabilis. ℞ ☽ ♉atæ ℥i. ♎ ℥ij. ✳ ʒij. m. ac reverbera ♁ viij. Ablue à salsedine, & extrahe Tincturam cœruleam ope Sp. ☉li dulcis, decanta ac abstrahe. *Usus est maximè in morbis capitis, & in primis Epilepsia, hydropicam aquam exiccat. Dos.* gr. 4, 5, 6, &c.

M.

Magist. Antim. Diaphoret. f. ex ♁ Diaphor. in ▽ cocto & filtrato, affundendo

O solutum, ♋ando ac abluendo s. a. *Dos. ℈ß. ad ℈i. vires obtinet ceruß. ♁ij.*

* *Magist. Benzoïni*, f. ex Benz. albis. in Pyrœno soluto, ♋ando ▽â Lactis, & siccando s. a. *Dos. ℈ß, ad ℈i. Pectorale est nobile.*

Magist. Bismuthi. ℞ Marcasitæ ♉atæ, p. i. Solve in Sp. ⊕i rectif. p. iij. ♋a ▽â salsa, edulca & sicca s. a. *Confert ad cutis vitia, Lichenes, Impetigines Scabritiem manuum, & simil cosmeticum est insigne.*

* *Magist. Git.* ℞ Gum Git. puris. ℥iij. Tinct. Ros. r. ℔iss. succ. limon. ℔ss. Sp. ⊕li ʒi. macera ac evapora ad consist. extracti: vel f. ♉. Fieri etiam pt ex Gum Git. ℥ij, ⊙ ♀ri p. d. ℥i, Sp. V. ℥vi, digestis ac evaporatis s. a. *Purgat ἄνω καὶ κάτω, precipuè humores serosos. Usus est proficui in Hydrope, Scabie, Pruritu, &c. Dos. gr. x, ad ʒß.*

* *Magist. Jovis*, f. ex Fl. ♃ial. in ▽ solut. & filtratis, ♋ando vel ⊙o ♀ p. d. vel ☉ne soluto, edulcando sæpe ▽ tepidâ, & exiccando. *Dos. gr. 4, 5, 6, &c. v. Salis Jovis Vires.*

Magist. Lithargyrites, v. *Sal Litharg.*

Magist. Lunæ. v. *Vitriolum Lunæ.*

Magist. Martis. v. *Extract. Chalybis.*

Magist. Saturni. coq. ♄ rubr. in ✠: filtra, ♋a ⊙o ⊕li, & edulca s. a. *Usus est*

in

in Phthisi, Hectica, Febribus ardentibus, aliisq; inflammationibus internis. Item in Quartana, Lienis affectibus, Colica, & Lue ♀ rea Secretum est. Dos. gr. 4, 5, 6, &c. Externè valet in Putredine oris, Ulceribus malignis, cancerosis, Lupo, Fistula, Ambustis, Pustulis faciei rubris, Rubedine oculorum, &c.

Magist. Sulphuris. v. *Lac Sulphuris.*

Magist. Tartari. ℞ ⊖is ☐ri q. v. Imprægna ☩ opt. donec ☐ nil amplius aciditatis retinere velit. dein affund. Sp. V. eumque abstrahe, aliquoties cohobando: Tandem repone ☐ ad liquescendum, & habebis Oleum rubrum, per inferiora purgans. *Utile est in omnibus morbis deploratis. Dos. ℈ß ad ℈i.*

Magist. Turpethi. ℞ ☌ q. s. coq. in ▽ pluviali ad solutionem, filtra, & cum ⊙ ☐ p. d. ♎a; Tandem edulcora ▽ ☽atâ s. a. *Insigne est in Lue ♀ rea, Tinea, Scrophulis, &c. Dos. ℈ss, ad gr. xv, cum Conf. Hamech, ℨij, vel iij.*

Magnes Præp. s. ex ♈ris candefacti in ☩bulo, & ⊙i ♂tis ā, l. △. exhalando s. a. *Cum cera mixt. in Emplastr. dolores podagricos mirè mitigat.*

Mars Diaphoreticus. ♎a ✳ cum ā ♂ s. a. ♎atum solve in exigua quant. ▽ont. filtra, & ♎a affundendo guttatim ⊙ ☐ p. d.

p. d. vel Sp. ✳ci. ♃atum exicca ſ. a. *Sudores movet, & diureticus eſt. Eximii uſus in Melanch. Hypochondriaca, Quartana, &c. Doſ. ℈ſs ad ℈i.*

Mars Fulminans. ℞ ☉ ʒivſs. ♁ ♀ ʒiſs. ♃ ʒij. m. f. pul. ſ. a. *Diureticus, & menſes movet, &c.*

Mars Potabilis. Solve Chalyb. ♀riſatum in ☿ent. filtra, & coagula ſ. a. *Optimè valet in Cachexia, Hydrope, Scorbuto, Chloroſi, Quartana, &c.*

* *Maſticatoria.* ℞ Maſtich. ʒiij. pyreth. ſtaphiſagr. ā ʒij. Rad. angelic. ʒiſs. cubeb. nuc. m. ā ʒi. euphorb. ℈ſs. ceræ q. s. f. ☉ : ex qua fiant Maſticatoria ſ. a. *ſc. f. globuli, vel pil. Majores, ſæpe maſticandæ. Sputationem promovent : Cerebrum purgant. Valent in Auditu depravato, Paralyſi, & morbis capitis frigidis. Odontalgiam curant.*

Mater Balſami. v. *Balſam. Paralyt.*

Mel Saponis. ℞ Sapon. com. mellis ā ʒiv. ♁ ♀ri ʒſs. ▽ Fumar. ʒij. nn. ſ. a. *Coſmeticum eſt, inſerviens apprimè manibus & facici lavandis ac dealbandis, valet etiam in ambuſtis, inflammationibus, podagra, &c.*

Mercurii Purgatio, Diverſimodè perficitur. Vel trajiciendo per alutam, vel lavando cum ✠ & ♁ mixtis ; aut cum ▽ à ♆, ſæpius

pius agitando. Vel ſortiter agitando cum Sp. V. in vitro obturato. Vel ♌ando in ∴ per ☊m △e forti; idque per ſe, vel addito ⊖e □ri, ♆, &c. vel āāāndo cum ⊖ vel ☽, ac poſtea per ☊ à corpore admixto ſeparando.

* *Merc. præcipitat. Albus.* Solve ☿ in ▽: ♎a ▽ à falſa, ablue, exicca. *Albus ſubdulcis.* Solve ☿ in Sp. ◐i, ♎a cum Sp. V. ficca, & ſæpe combure cum Sp. V. ſ. a. *Doſis eadem cum ☿io dulci. Uſus in Lue ♀, Hydrope, Podagra, Ictero,* &c.

Merc. præcip. correctus. ℞ ☿ per ⊖ & ✝ purgat. ʒij. ▽ duplic. ʒviij. Abſtrahe ▽em ex ∴, cohobando. Tum mriæ tritæ affunde ☉, ⊖li ʒij. Digere, & ☉m abſtrahe. ſuper ☿m affunde Sp. V. Digere ♁ iij. decanta, aliumque Sp. V. affunde; idq; ʒtiâ vice repete: tandem ſicca. *Doſ. gr.* 3, *ad* 10. *Purgat per inferiora, in Lue ♀rea curanda præſtantiſſimum remedium.*

Merc. præcip. fixus. ℞ ☿ purgat. ʒiij. ✳ ʒiſs. Fl. △ ʒij. m. & ♎a: ♎atum cum fæcibus tritum ♎a iterum: dein auge △em ut candeſcat. id quod in fundo remanet fixum *Panacea Vocatur. Omnes humores noxios exiccat, perq; diaphoreſin expellit. Doſ.* ℈ſs, *ad* ʒſs.

Merc. præc. Flavus. (i. e.) *Turpeth. miner. Doſ. à gr.* 5, *ad* 10. *Eaſdem habet vires quas Arcan. Corallinum.*

Merc.

Merc. præc. griseus. Turpeth. mineral. in ℞ Ros. lotum & siccatum imbibe cum Pyrœno, & (addit. camph. in Pyrœno solut. ā) l. △. Pyrœnum abstrahe s. a. *Dos.* ā *gr. iij, ad viij,* &c. *Purgat per inferiora.*

Merc. præc. Incarnatus. ☿ ℥i in ℞ ℥ij. solutæ adde ▽ fervidæ ℥iij. ⊽a ⊡â rec. ablue ac sicca s. a. *Solùm per secessum movet. Virtutes obtinet Arcani Corallini. Dos. gr. vi, ad xij.*

Merc. præc. Laxativus, f. ex ☿ cum ⊙ ⊕li, vel 🜍 in ∴æ B. crystallisato, & in ✠bulo indito ut per horam candefiat ope △is: dein in ▽am calidam projecto, ut f. ☿ flavus. ▽am decanta, lava, exicca, & Sptum V. supra eum incende s. a. *Purgat ἄνω καὶ κάτω. Dos gr. 3, ad 10. mirè proficuus in Lue ♀rea extirpanda, Podagra, Ictero, Hydrope, Scabie,* &c.

Merc. præc. per se. ☿ pone in vitrum infernalem, exactè in ∴ colloca, & gradatim auge △m, donec ☿ in ☿rem rubicundis. conversus sit. Ablue Sptu V. *opus est multorum dierum. Sudores valde movet. Luem ♀ream sexies vel septies exhibitus penitùs eradicat. Febres omnes tollit. Lumbricos eliminat. ut plurimùm vomitum quoq; movet sat violentum. Dos. gr. 3. ad 6. præstantior erit*

præcipi-

præcipitatus, si fiat cum parte octavâ ☉is. v. infra.

Merc. præc. Ruber. Solve ☿ p. i. in 🜍 p. ij. Abstrahe 🜍 a ☿io per ☽ationem cum tribus cohobiis, donec in ☿rem rubrum evadat. *Vires imitatur præcedentis.*

Merc. præc. Solaris per se. f. ex $\overline{aaa}$ facto ex ☿ ℥iv. cum ☉ per ♁ fusi ℥ss, in vitro infernali posito ut suprà, mriam sæpe eximendo, & conterendo, s. a.

Merc. præc. Viridis. ℞ ☿ ℥iv. ♀ ℥ss. Solve separatim in 🜍, & misc. postea, abstrahe 🜍em, digere ☽atum cum ✠, filtra ac sicca s. a. *Specificum est in Gonorrhœa virulenta, quam nimiam tollit, insufficientem promovet: ideóq; quotidie continuandus ejus est usus, donec omnis fluxus sedatus sit. Dos. gr. ij, iij, ad viij.*

Merc. sublimat. Ruber & Flavus. ℞ ☿, ⦶, ⊕ calcin. ā ℥vi. exactè mista ♎a: cum ♎ato misce ⦶ & ○ parùm calcin. ā ℥iij. Impasta ✠to, & ♎a iterum. Rubrum à flavo separatum seorsim ▽â ablue, & Sptum V. supra utrumque incende s. a. *Purgat præcipuè per inferiora, magnumq; Secretum in Hydrope, Lue ♀, Podagra, Scabie, Ulceribus, Cancro, &c. Dos. gr. 5, 6, 7, &c.*

Merc. Vitæ correctus. ☿m Vitæ in phiala

△e

△e ☉æ fove, donec rubere inceperit: postmodum Sp. V. sæpius ab eo abstrahe ſ. a. *Purgat ſat benè per alvum, Impuritates quaſcunq; educit. Doſ. gr.* 4, 5, 6.

Merc. Vitæ purgans. Si ☿m vitæ cum ☉e aliquoties teras, & salsedinem postea per ▽am ablues, vim solam purgandi per sedem obtinebit. *Doſ. à gr. vi, ad xij.*

* *Miva Borraginis.* Coque Rad. Borrag. ad mollitiem, contus. trajic per setac. cujus ℞ ℔i. & sacch. opt. ℔i. coq. ad mivæ consist. ſ. a.

* *Miva Conſolidæ*, f. ex pulp. Radic. & Sacch. ā, ut suprà, addendo sing. libris nuc. m. ℥vi. *Uſus in Hæmoptyſi, Rupturis*, &c.

* *Miva Dialthææ*, f. ex pulp. Rad. & sacch. ut suprā, addendo sing. libris mivæ nuc. m. ℥i.

* *Miva Satyrii*, f. omnino ut suprà cum nuc. m. additâ. *Venerem ſtimulat*, &c.

Mixtura Anticolica. ℞ Mann. opt. ℥ij. Crem. ☐ri, Sperm. ceti, ā ℥ij. m. *Detur in hauſtu juſculi pulli. Remed. probatiſs.*

* *Mixtura Simplex.* ℞ Sp. Theriacal. camphorat. ℥x. Sp. ⊕li ℥ij. Sp. ☐ri rectific. ℥vi. Digere in phiala hermeticè obsignata ad 3 septiman. ut uniantur exactiſ. ſ. a. *Ciet ſudorem, reſiſtit putredini: in Febribus malig-*

nis

nis admodum proficua. Dos. ʒi, *plus minus.*

* *Mixtura Tubularis.* ℞ Cort. extern. piſtach. ʒij. Fol. tuſſilag. beton. roriſm. ſicc. ā ʒiij. Incidantur, & adde Xylagii præp. ʒvij. ſuccin. alb. olib. craſ. contuſ. ā ʒiſs. gum. Lentiſc. ʒi. ol. ſt. nuc. m. ʒi. f. Mixtura: *inſtar Nicotianæ haurienda.* Vel ℞ Fol. beton. tuſſilag. ā ʒij. Anthûs, cort. piſtach. extern. ā ʒi. Sem. Cardamom. min. ʒiſs. Incide ſ. a. Adde ⊙ aniſ. gt. xvi. ⊙ cinnam. gt. viij. m. Aliqui addunt Nicotian. opt. præp. ʒi. *Utilis eſt præcipuè in Catarrhis exiccandis, Defluxionibus ſiſtendis, Tuſſi,* &c.

* *Mucilago Nephritica:* ℞ Gum Tragac. ʒiſs. Arabic. ʒiij. ceraſ. ʒſs. ♈ Roſ. rub. ʒxx. ▽ Plantag. Portulac. ā ℔iſs. macer. in frig. ♎ 48. colat. adde ſacch. cand. alb. ʒiv. m. D. ʒj. *bis in die cum Aq. lactis hauſtu, præmiſſo Balſ. Peruan.* ♃i *in Pil. cum pulv. glyc.*

N.

Nitrum Antimoniatum. ℞ ☉ in ⚸bulo liquati, p. iij. paulatim injice Vitri ♁ per ſe facti, p. i. Hiſce unitis, effuſis, ☿atiſque, elue ☉m ▽â: filtra ac cryſtalliſa ſ. a. *Dos.* gr. 5, 6, 7, &c. *in Febribus malignis, Hydrope, Lue venerea,* &c. *Nitrum*

Nitrum Cachecticum. ℞ ☉li ♂tis p. 4. Arcan. duplic. p. 5. ☾ p. 7. m. ac in ∴ ad rubed. calcina. ſ. a. *Summe confert in Appetita proſtrato, Cachexia, Febribus, Scorbuto, Nephritide, Catarrhis, Lue ♀rea, Contractura, Paralyſi, &c. Somnum inducit. Sudorem movet; aliis leniter alvum ciet. Doſ. gr. vi, ad xx.*

Nitrum Catharticum. Candefac ☾ in ✠bulo, & per vices carbonem vivum injice, ut ☾ inardeſcat: continua, donec flagrare deſinat: quod reſtat ſolve in ✠: filtra, coagula, idque ter cum novo ✠ repete. Tandem ſolve in Sp. V. & evapora ad ſiccitatem. *Dicitur & Terra foliata Nitri. Obſtructum Meſenterium & lienem liberat, ſuaviterq; purgat. Doſ. ℈i, ad ʒſs.*

Nitrum Corallatum. ℞ ☾ p. iij. ☋is coralli p. i. ſolve ſeparatim in ℞oſ. ac filtra: dein miſceantur & coagulentur ſ. a. *Utile in Febribus & virium reſtauratione. Doſ. ad ʒi.*

Nitrum Fixatum. Solve ☋em Prunellæ in ℣ont. filtra ac coagula ſ. a. v. *Cryſt. mineral.*

* *Nitrum Hermaphroditicum.* ℞ ☾, & ☋is ♀ri puriſ. ā. ſolve in ℞oſar. rub. filtra & cryſtalliſa ſ. a. *Præſtantiſſimum ad humores craſſos & tartareos incidendos & detergendos,*

nec

nec-non meatus obstructos aperiendos: ad calculum renum expellendum, urinamq; movendam, &c. Insuper, in febribus putridis ac malignis optimè conducit. Dos. gr. 20, ad 30.

Nitrum Joviatam. v. *Jupiter Nitratus.*

Nitrum Nitratum. ℞ Sp. ☉ rectif. p. 4. ☉ purificat. p. 6. m. ac ♌a ad siccit. cum terno cohobio, urgendo △em postea s.a. *D.* ℥ss.

Nitrum Perlatum, fit ut *Coralliatum*, ex ♁e Perlar. & ☉o. *Egregium est Cordiale, & mitigat æstum febrilem. Dos. ad* ℈i.

Nitrum Saturnisatum. ℞ ♁is ♄ni, ☉, ā. solve in ♆, & crystallisa s.a. *Prodest Asthmaticis. Dos. gr. 5, 6, 7.*

Nitrum Sulphuratum. ℞ Sp. ♃ ℥4. ☉ purific. ℥4. m. ac ♌a ad siccit. ter cohobando, & urgendo △em postea ad vasis excandescentiam. *Vires habet Salis Prunellæ.*

Nitrum Vitriolatum. v. *Arcan. Duplex.* Vel, parari pt ex ☉ p. ij. ☉ ☿ si p. i, ♌atis, ut in ☉o △rato.

Nodulus Facialis. ℞ Hordei tosti q. v. redige in pollinem, fiatq; cum sindone Nodulus, *quo circa diem undecimum faciem consperge. In Variolis optimè faciem defendit à foveis.*

* *Nodulus Hysterieus.* ℞ Castor. ♅at. ℥ss. Asæ fœtid. ℈i. ol. succin. ℈ss. m. & in serico involve, ut f. Nodulus, naribus sæpe admovendus in parox. hysterico. O *Oleum.*

O.

Oleum Aloëticum. ℞ Aloëpat. ℔i. myrrh. ℥ij. thuris ℥ſs. m. ac ♃a in ∴ l. △. *Illitum umbilico purgat, & vermes necat.*

Ol. Antim. Saccharatum, f. ex ♉ris ♁ij. crud. & ſacch. ā, ex ♌ △e fortiſ. ♃atis ſ. a. *Utile eſt tum ad externos, tum internos morbos. Doſ. à gut. iij, ad vi in Quartanis ante paroxyſmum.*

Ol. Balſami. v. *Balſam. Paralyticum.*

Ol. Balſamicum. ℞ Anchuſ. ℥ij. ⊙ olivar. ℔ij. coq. ad colorem rubicundum, colat. adde Tereb. Cypr. in ▽ Viol. lot. ℔ſs. ⊙ Bacc. lauri, ⊙ Hyper. ā ℥i. ⊙ Junip. & Petræ, ā ℥ſs. ⊙ Rhod. & Spicæ, ā ʒij. ⊙ ſt. è ſem. Angel. & Aniſ. ā ʒi. m. ſ. a. *Omnibus affectibus frigidis ſubvenit; flatuſq; diſſipat. In Paralyſi, Surditate, Otalgia, &c. Multùm facit. In Spaſmo, Colica, Hydrope, &c. internè & externè uſurpatum præſtans eſt Remedium. Doſ. ℈i. ad ʒi. in vehiculis appropriatis.*

Ol. Bufonum. Coq. Bufones 4 vivos in ⊙ oliv. ℔ij. per ⧗m, vel ad crepaturam, colatumque ſerva. *Confert in Puſtulis labiorum, cancroq; mammarum. In Hydrope valet ad urinam ciendam inungendo renes.*

Ol.

Ol. Camphoræ. ℞ Camph. ʒij. argillæ, ʒvi. ☿ in ∴ ex ♌ vitreâ ſ. a. Vel, fieri pt ſolvendo camph. ʒij. in Sp. ☉ ʒiv, in loco tepido. *Diaphoreticum, & Hyſtericum. Doſ. ad gut. x, &c.*

* *Ol. Chartæ.* Accende Chartam ac impone laminæ ♆is, ut comburatur. Sic adhæreſcet ♆i oleum colligendum. *In Alopecia, Herpete, Impetigine, &c. mira præſtat. Anodynum eſt, & Odontalgiam ſedat.*

* *Ol. Coſmeticum.* ℞ ◎ Amygd. amar. ʒiv. ◎ ♀ri p. d. ʒij. ◎ Rhod. gt. 4. m. ſ. a. *Ad cutem detergendam & erugendam.*

* *Ol. Cremoris.* ℞ Cort. intern. virid. rec. Sambuci, miij. Crem. lactis opt. ℔ij. coq. benè, donec in ◎m effluatur cremor. f. expreſſ. adde cort. rec. alior. Sambuc. miv. coq. iterum ad cortic. ſiccitatem. f. expreſſio. *In Hæmorrhoidibus, combuſtionibus, eryſipelate, &c. optatiſs. Remedium.*

Ol. Heracleinum, fit ex ligno Coryli Septemb. aut Martio collecto, in taleolas fecto, & gradatim per ♌ in ∴ ♃ato, ◎m, ab ▽â ſeparetur ſ. a. *Calfacit, incidit. Anodynum, Epilepticum, ac præcipuè Odontalgicum eſt. Guttæ 2, 3, 4, &c. aſſumptæ cum mica panis lumbricos in inſtanti necant, & per ſeceſſum educunt.*

* *Ol.*

* *Ol. Linteorum.* f. ex Linteis accensis & suffocatis in laminam ♃is ſ. a. *Optimè valet ad Ophthalmiam curandam cum gutta una ſalivæ mixtum.*

Ol. Ludi. Materiam ♃ream matulæ inhæreſcentem calcina, & ſolve p. d. ſ. a. *Ad tartarum in omnibus corporis partibus, imò ad calculos etiam grandiores reſolvendos, & expellendos, adeóq; ad obſtructiones indè ortas reſerandas mirificè conducit.*

Ol. Lumbricorum, ℞atur in ∴. ex Lumbric. terr. V. Hiſpan. lotis ſ. a. *Ad Paralyſin curandam mira præſtat.*

Ol. Martis, fit ex Rubigine ♂tis per ▽am Stygiam irrigatam contractâ, abluendo ▽i, filtrando, & exhalando ad oleaginoſitatem ſ. a. *Summum eſt obſtructivum. Doſ. gr.* 4, 5, &c.

* *Ol. Milvinum.* ℞ Milvum è nido, vel antiquiorem, exenteretur deplumatus, cum Picis n°. 4. coq. in Aq. ceraſ. ℥. q. ſ. (adjectis Rad. Pæon. ʒiij. caſtor. ʒi. rutæ mij. Flor. roriſm. lavend. ā mij. Hyperic. ʒi. Rad. Valerian. ʒij.) ad putrilaginem cum ⊙ olivar. ℔ij. ſ. expreſſio. ⊙ innatans auferatur pro uſu. *In ſtante Paroxyſmo epileptico inungantur plantæ pedum, nares, ☽ nucha cum ſeq.* ℞ *Ol. Milvin. dict.* ʒi. *ol. ſt. Rutæ, & ſuccin.* ā ♁i. m.

* *Ol. Paralyticum.* ℞ Sem. ſinap. ℔ij. Caſtor.

ſtor. ʒſs. caryoph. ʒij. nuc. m. ʒiij. Sp. V. ʒiv. contuſa opt. macer. in MB ♆ 24. Deinde valenter prelo exprime oleum. *Spina, nucha, cum partibus affectis ſæpe inunguntur.*

Ol. Polypodii, f. ex Radic. ſiccis per ☌ ex ∴ ℞atis ſ. a. *Inſervit piſcibus capiendis.*

* *Ol. Pomoſum.* ℞ Fol. ſtrammon. pomoſi rec. ℔i. contuſ. adde ⊙ olivar. ℔iiſs. coq. ad ſucci conſumpt. expreſ. adde Fol. rec. ℔ſs. Inſolentur ☽ 14. poſtea coq. ad ſucci conſumpt. & exprime. *Ad miraculum omnes inflammationes, omneſq; combuſtiones, ſive ab igne, ſive ab aqua fervida, plumbo fuſo, pulvere bombardico, vel à fulgetris contractas, ſubitò ſanat.*

Ol. Ranarum. Coq. Ranas vivas nº 12. in ⊙ oliv. ℔iſs per ♆ m, & exprime. *Faciei Ruborem & Impetigines curat. Eryſipelati & Gangrænis ſubvenit. In cancro eſt ſpecificum.*

Ol. Sacchari ſimp. fit ex ſacch. cand. & Sp. V. ā, adurendo ſptum ad Syr. conſiſt. ſ. a.

* *Ol. Sacchari comp.* ℞ Dactyl. inciſ. ʒij. ficuum ʒiij. hyſſop. mi. glyc. ſem. aniſ. bombac. ā ʒvi. Rad. irid. Flor. ʒi. Sp. V. ℔ij. coq. adurendo ad conſumpt. dimid. f. colat. per manic. Hippocr. adde ſacch. cand. q. s. *Ad Aſthma, Tuſſim, &c. confert.*

* *Ol. Saponis*, fit ex Sapon. Venet. raſpat. & Sp. V. ā, per ☌ ℞atis, primò ſ. △. dein

dein fortiori gradatim urgendo. ☉m innatans ♀æ viridi ſeparetur. *Ad Convulſiones, Cephalalgiam, &c. illinantur cum iſto Tempora, nucha, & nares. Ad Tineas, Contuſiones, Podagram, &c. Ungantur loci affecti, tegendi poſtea braſſicæ folio.*

Ol. Saturni. v. *Balſ. Saturninum.*

* *Ol. Scorbuticum.* ℞ Rad. Raphan. ruſtic. ℥vi. Fol. cochlear. miv. Fl. lavend. mij. ☉ ex pedibus bovinis ℔i. coq. l. △. ad ſucci conſumpt. expreſſ. adde Sp. ⊖is ℥iij. Sp. cochlear. ℥i. ☉ cinnam. & caryoph. ā ℥ſs. ☉ origan. ℈iv. m. *Cum iſto inungantur partes affectæ per horam ſemis ſemel in die calidiſſim.*

Ol. Silicum. v. *Liquamen Silicum.*

Ol. Tabaci, f. ex Fol. ſiccis per ☌. Vel, ex ſem. contuſis & expreſſis. *Uſus in doloribus Podagræ, Arthritidis vagæ, Odontalgia, vermibus*, &c.

Ol. Talchi p. Deliq. ℞ ☿ Talchi, ♀ per ☾ calcinat. ā f. S. S. S. ac cementa in ✝bulo clauſo ⧖ vi, ut ✝bulum candeat, exime & edulca. extrahe cum ☩, filtra ac coagula; edulcora ac repone poſtea in cella ad liqueſcendum. *Coſmeticum cenſetur præſtantiſſimum. Lentigines, maculaſq; faciei aufert.*

Ol. Tartari purg. v. *Mag. Tartari.*

Oleum Τεχοφυὲς. ℞ Abrotani rec. contul. ℔ſs.

℔ss. ☉ veteris ℔iss. V. rub. ℔ss. coq. ad siccit. herbæ. s. expressio. Repet. hoc opus ter cum novo abrotano. Colat. adde Axung. Ursin. ℥ij. m. exactiss. *Ad Alopeciam curandam maximè commendatur.*

**Ol. Tritici*, fit Valenter exprimendo Triticum contusum inter laminas candentes, ut oleum effluat. *In Rimis manuum, Ulceribus pedum, Fissuris labiorum, Herpete, cutis scabritie, &c. Mirificè proficuum.*

Ol. Viperarum. ℞ Viperas viventes largas & pingues n° 3. Vin. Hispan. ℥ij. ☉ Hyperic. ℥viij. coq. in MB. vase angusti orificii ad consumpt. humiditatis, fiatq; expressio. *Cutem exterget, Impetigines, &c. Sanat. Podagræ tophos tollit. Lepram curat.*

Ol. Viridis æris. ℞ ♁ ℥ij. ☽ ℥iij. ponantur in catillo, & incend. carbone, donec deflagrârint. Tum solve p. deliq. in cella. *Causticum est. Ad Pustulas ♀reas, & verucas absumendas conducit.*

**Ol. Vitrioli Dulce.* ℞ Ol. ♁li rectif. p.i. Alcoh. V. ℔4. Digere ♑ 30 vel 40: & postea ex ♌ cum 3 vel 4 cohobiis ☿a ad uniendum s. a. *Proficuum in calculo, morbis tartareis, Catarrhis, &c. Dos.* ℈ij *in liquore idoneo.*

Orvietanum. ℞ Rad. fraxinel bistort. tormentil.

mentil. imperator. gentian. carlinæ, aristoloch. utriusque, pentaphyl. zedoar. Valerian. major. contrayerv. angelic. Enulæ, serpentar. Virgin. Fol. Cardui ben. succis. ulmar. rutæ, sabin. puleg. scord. hyperic. cort. citri, aurant. cinnam. Bacc. lauri, junip. carnis Bufonum, ā ℥ij. carn. viperar. ℥iv. croc. opt. ℥ss. f. omnium ♃: cui adde Extract. Bacc. junip. Vino albo facti, ad mellaginem evaporati, q.s. ut f. confectio. Huic adde Elæo-saccharorum Rutæ, Succini Caryoph. Junip. ā ℈ij. m. s. a. dein adde unicuique libræ hujus Confect. Theriac. Androm. & Mithridat. ā ℥ij. m. *Hoc mihi communicavit Rob. Talbor, Eq. Aurat. In Peste, & omnibus febribus malignis Præstantissimum remedium. Dos. ʒss, ad ʒij.*

Oxysaccharum Emeticum. ℞ Vitri ♁ij. ♃at. ℥i. ✠ opt. ℔i. macer in MB (sæpe agitando) ad ♅ 24. colat. filtratæ adde sacch. opt. ℥viij. coq. ad Syr. consist. *Dos ad ℥i. vel ultra.*

Panacea Aurea. ℞ Croc. metall. & Calomelan. ā m. f. ♃. Valet optimè in Lue ♀. *Ptyalismum movet, purgatq; ἄνω καὶ κάτω.*

P.

Panacea Cathartica. ℞ ☿ij. vitæ (ex ☿ p. ij. ♁ p. i, facti) ℥iv. ☿ij vivi in Ratione Butyri

Butyri ♁ provenientis ʒiij. m. & ♎a, ut in ☿io dulci. *Doſ. gr. 5, ad 8, &c. Efficacior habetur quàm ☿ius dulcis in Lue ♀rea, &c.*

Panacea Hartmanni. ℞ △ris ♁ij. combuſtibilis ʒi. ☉ ☽li vel △rectif. ʒiij. Regul. ♁ij ʒi. Digere calide ad ♁ 10: dein ♌a per ♋ vitream ex ∴, ter ad minimum cohobando. △m urge ſub finem, & mriam in ſundo per ⧖ 5 reverbera. Tandem exime, lava cum ℞oſ. & ſicca. ℞ Hujus ♐ris ʒi. ♎ coral. ʒij. m. exactè ſ. a. *Remedii eſt inſtar univerſalis: Habet nimirum in ſe vim diaphoreticam ac ſanguinem mundificandi, ideoq; quibuſlibet morbis per ſudorem ſanabilibus inſervire poteſt, præcipuè Lui ♀reæ, cutiſq; fœditatibus. Doſ. à gr. x, ad xx.*

Panacea Holſatica. v. *Arcan. Duplex.*

Panacea Schroderi. v. *Merc. præcip. fixus.*

* *Panis Diaſarſæ.* ℞ ♐ Sarſapar. ʒiij. chin. ʒi. ſem. carui integr. ʒi. Flor. Tritici puriſ. ʒxvi. Vitell. ovor. nº 2. Barmii aliquantulum, cum lactis q. s. f. Paſta; ex qua fiant Panes in clibano coquendi, *pro pane ordinario, in Lue ♀rea, &c.*

* *Panis de Vipera.* ℞ Carn. Viperar. ♐ar. ʒi. ſarſaparill. ʒiij. Farin. Tritici opt. ibi. Vitell. ovi unius, cum Flor. cereviſ. & lact. q. s. f. Panes nº 4. coq. in clibano ſ. a. *Pro pane*

com. In Lue ♀ rea, Scorbuto, Lepra, Cachexia, &c.

* *Passulæ Laxativæ.* ℞ Senæ opt. ʒi. zz. cinnam. ā ℈i. Sp. V. ℔ss. macer. tepidè ℥vi. f. colat. cui adde sacch. alb. ʒi. passul. minor. vel major. mundat. ʒiv. coq. lentiss. igne ad uvar. mollitiem, & simul conserventur: Vel l. △. (demptis uvis è Syrupo) exiccentur, aspergendo sacch. alb. q. s. Eodem modo parari pt *Pruna Laxativa.*

Pasta Halieutica. ℞ Sem. hyoscyam. ℥ss. occulor. oriental. Palætyri fortiss. ā ʒiss. aleuri coch. 2 ss. ▽ vitæ coch. 4. mell. q. s. redigantur in pastam s. a. *Per minutas frustula in locos aquæ diversos injecta, pisces allicit.*

Pasta Hippiatri. ℞ ☿rum fœnugr. aniss. cymin. cartham. enul. Fol. tussilag. Fl. ♃, ā ʒij. succi glyc. (in ☿. alb. ℔ss solut.) ʒi. ⊙ oliv. mell. ā ʒviij. Theriac Jannens. ʒxij. ⊙ Aniss. ʒi. m. omnia simul, & cum farin. trimo. ℔iss, vel q. s. f. Pasta s. a. *Exinde fiant pilæ magnitudinis pugni virilis: dissolvatur una in Aq. frig. q. s. quam bibat equus omni mane & vesperi ad ☾ 15: quo tempore pro certo curabit equos asthmaticos, tussientes, variisq; morbis internis laborantes: macilentos impinguabit, & infirmos reddit esse sanos.*

* *Pasta Hypoglottida.* ℞ Sacch. cand. alb. subt.

subt. ℞at. ʒiv. ol. Amygd. d. rec. ʒi, vel q. ſi contunde opt. in Paſtam ſ. a. *Ienecat ſæpe parùm in ore.*

Paſta Regalis pro Emulſionibus. ℞ Sem. papav. alb. ʒi. amygd. d. excort. ʒiv. Rad. cring. condit. ʒij. Sem. 4 frig. major. ā ʒſs. ſacch. cryſtall. n. ʒij. contund. in Paſtam ſ. a. *Vſus tempore* ℞ *hujus paſtæ* ʒi, *& cum Aq. Hord.* ibi. *ſ. Emulſio ſ. a.*

* *Pedilavium Emmenagogum.* ℞ Artemiſ. puleg. calaminth. chamæmel. ā m4. coq. in Aq. q. s. ad ℔viij. *Pro pedibus lavandis.*

* *Pedilav. Hypnoticum.* ℞ Capit. papav. alb. nº 20. ſem. papav. alb. ʒi. Fol. Lactucæ m4. Fl. nymph. mvi. Violar. miſs. Bulliant in Aq. q. s. *Ad ſomnum conciliandum.*

* *Pedilav. Podagricum.* ℞ Roriſm. hyper. puleg. laur. artemiſ. ā miij. ⊖ nig. ʒxij. ✻ ʒij. furfur. macri ʒvi. coq. in ▽ cong. ij. adde Sapon. Caſtil. ʒij. Sp. V. ℔j.

* *Pedilav. Scorbuticum.* ℞ Roriſm. puleg. laur. hyperic. naſturt. aquat. ā miij. ⊖ marin. ibi. coq. in ▽ ſ. a.

Phoſphorus, fit ex Reſiduo poſt ☿ationem Sp. ⊡æ, cum ✻ci tantillo, ☿ando per gradus ex ☾ vitrea in Recipiens ▽ â ſemiplenum. *Diureticus ac diaphoreticus. Doſ.* ad ℈ſs.

Pilæ Odoratæ. ℞ Smegm. Venet. ʒvi. ſtyrac. cal. benz. ā ʒſs. Fol. majoran. ℈iv. caryoph. n° xij. moſch. gr. 2. ℞oſ. Dam. q.ſ. ut f. Globuſi ſ. a. *Vim habent abſtergendi & conciliandi gratum odorem, ſimulq; confortandi nervos. Manibus,* &c. *lavandis inſerviunt.*

* *Pil. Æthiopicæ.* ℞ Æthiop. miner. ʒij. ceruſſ. ♁ ʒi. gum. guajac. ʒſs. extract. Sarſæ comp. q. s. ut f. ℘. *D. ad* ℈ij *bis indies per* ☾ 40 *vel* 50 *continuos. In Hydrope, Scorbuto, Lue* ♀ *rea,* &c.

* *Pil. de Ammoniaco magiſtrales.* ℞ Gum. Ammon. ✠ ſcillit. præp. ʒij. aloës opt. ʒiſs. myrrh. maſtich. benz. ā ʒſs. croc. ♎is abl. ā ʒij. Syr. de abſ. q. s. f. ℘. *Inſigniter purgant tartarum, omnemq; fæculentam corporis materiam. Magnopere conferunt adverſus omnes defluxiones, cachexias, oppilationes lienis, ejuſdemq; duritiem & ſcirrhum, Febres quartanas inveteratas,* &c. *Doſ.* ℈*i.* ʒſs, &c.

* *Pil. Angelicæ.* ℞ Senæ mund. ʒvi. rhab. myrrh. agar. ā ʒiij. benz. ʒiſs. croc. ʒij. Fl. Viol. borrag. ā mi. ſuccor. depurat. cichor. ℔iſs. fumar. borrag. ā ℔iiſs. macer. in ♍. ad ♓ 48. f. expreſ. adde aloës opt. ʒxij. exhal. ad Pil. conſiſt. addendo Balſ. Peruan. ℈ij. ⊙ ſt. nuc. m. gt. 20. ♎is abſ. ʒij. m. *Blandiſſimam evacuationem promovent. eximii uſus*

ſunt

sunt ad omnium viscerum nobiliorum corroborationem, & pravorum humorum correctionem. Dos. ʒß. & ultra.

* *Pil. Anticolicæ.* ℞ ☿ris Rutæ, ☿æ, ā mel. q. s. ut f. ♁. *Dos. ʒß hora somni & manè per ☽4 in singula mense. Probatissimæ in Colica curanda.*

Pil. Antimoniales. ℞ Vitri ♃ij. (cum Sp. ⊕ præp. & albificati) subt. ☿at. ʒſs. sacch. cand. ʒiij. Aleuri ʒ4. croc. ℈i. coq. in ▽ont. ad spissitud. (cavendo tamen nè aduratur) instar Pastæ. ex qua f. Pil. *Verum hoc censetur Febrium curativum. Dos. ℈ß, ad ʒi in ipso paroxysmi frigidi initio.*

* *Pil. Antipodagricæ.* ℞ ☿ Castor. opt. ʒſs. succin. alb. chamædr. chamæpit.. ā ʒvi. ⊖ succini, ceruss. ♃ij, Balss. Tolutan. Opopanac. ā ʒi. Rad. petasidid. ʒiij. Tereb. Chiens. ʒij. Balss. ♎ris terebinthinat. q. s. ut f. ♁ Pilularis *Dos. ʒß bis indies per menses ij. vel iij, bibendo interim pro potu com. Decoct. rad. petasitid. sarsæ, chinæ, cum uvis passis,* &c.

* *Pil. Balsamicæ.* ℞ Extract. Eustachii ʒv. Troch. Alhand. ʒij. croc. ℈i. ☿ crud. per alutam transcolati ʒi. Tereb. Ven. q. s. ut f. ♁. s. a. *In Lue ♄rea, Lepra. Podagra,* &c,

* *Pil. Castitatis.* ℞ ☿ Rad. nymph. ʒſs. ⊖is ♄ni ʒij. oss. sepiæ, ʒvi. camph. ʒix. Syr.

de Nymph. q. s. ut f. ⌀. *Dos. ʒß bis in die per ♁ aliquot. optimè valent in Gonorrhœa, priapismo, &c. curandis, præmissis præmittendis.*

* *Pil. Catarrhales.* ℞ Extr. Glyc. ℥i. Rhodaloes ℥ss. Pil. de cynoglos. ʒiij. m. *Dos. ℈i, ad ℈ij, in Catarrhis, Tussi, &c. horâ somni per ♁ 4. vel 5.*

* *Pil. Crapulariæ.* ℞ Diagryd. Spec. Hier. simp. ā ʒvi. aloës opt. ℥iss. ol. st. caryoph. ʒss. Sp. V. q. s. ut f. ⌀ s. a. *D. ℈i. hora somni post crapulas.*

* *Pil. Cretaceæ.* ℞ Cretæ albis. santal. alb. nuc. m. ā p. æ. cum Tereb. Chiens. q. s. f. ⌀. *Proficuæ in Profluvio albo, &c. Dos. ad ʒi bis in die, superbibendo serum cerevisiale foliis consolidæ alteratum.*

Pil. de Creta Palmarii. ℞ Aloës opt. ℥i. cretæ albis. succin. alb. gentian. myrrh. Rad. fraxinel. ā ʒi. Mithridat. ℈iv. tereb. lotæ ʒii. Syr. de Alth. q. s. ut f. ⌀ *Sunt, qui addunt calomelan. ℥ss, vel ʒvi. Cum Calomelan. Dentur ad ℈ii vel ʒi hora somni omni nocte per ♁ 15: Ad Gonorrhæam curandum nil æquale. Idem præstant in Profluvio albo.*

* *Pil. Hydropicæ.* ℞ Resin. zialap. scammon. rhab. guttæ gamb. calomel. ā ℥ss. Ammoniac. in succo irid. nr. præp. ʒiij. ♃

⊕ lat.

⊖ lat. ʒij. gum. Lentisc. ʒi. croc. ℈i. Sp. tereb. gt. 40. cum Syr. de Spin. cerv. q. s. f. ⌀. *D. ad ℈ij, vel ultra in fortioribus.*

* *Pil. Hystericæ.* ℞ ☿ Sem. Viticis ℥i. rutæ, asæ fœtid. Camph. ā ʒij. castor. ℥ss. ⊙ succin. gt. 40. Syr. de Artemis. q. s. ut f. ⌀. *Dos. ℈ss ad gr.* 15, *2da vel 3tia quaq; hora in paroxysmo hysterico; & præterea hora somni singulis noctibus extra paroxysmum.*

Pil. Lithontripticæ. ℞ Sem. genist. bardan. Lap. Judaïc. ā ℥i. Tereb. è Chio ℥iij. m. f. ⌀. *Dos. ℈ij ad ʒi, per dies* 20, 30, &c.

Pil. Lunares. v. *Vitriol. Lunæ.*

* *Pil. Marocostinæ.* ℞ Gum. Ammoniac. (in ✠ scillit. ℥4 solut.) ℥iss. myrrh. opt. (in ✠ Rutac. ℥ij præp.) ʒvi. Aloës opt. (in succ. Ros. Dam. ℔ij, succ. limon. ℔i, solut.) ℔i. Agaric. (cum Aq. cinnam. ʒij, Succor. apii, fœnic. abs. ā ℥iij, contus.) ʒvi. rhab. opt. (cum Aq. cinnam. ʒvi, succ. cichor. pimpinel. sumar. ā ℥viij. contus.) ℥iij. croc. opt. ℥ss. costi ʒvi. xyloal. ʒj. Mari veri ℥s, cum succ. citri ℥4, ⊽Ros. Dam. q. s. præp. misc. omnia diligentis. ultimò adde ▽arum Pæon. Paralys. Borrag. Beton. Cardui, Agrimon. Ivæ, Centaur. min. Rorism. Ceras. n. ā ℔i, vel q. s. macer in MB. per triduum. colat. exhala in MB. ad consist. debitam. *Mucilaginem*

♃ream in ventriculo, Meſenterio, liene, hepate collectam incidunt ac paulatim educunt: Viſcera eadem, ut & caput ſimul roborant, adeóq; morbis quàm plurimis inde natum trahentibus ſuccurrunt. Doſ. ℈i, ad ʒi.

* Pil. Maſticatoriæ. ℞ Sem. ſinap. ſtaphiſagr. pyrethr. ā ʒſs. maſtich. ʒvi. m. f. ☿. adde mell. & ceræ ā q. ſ. ut f. ♁. v. *Maſticatoria.*

* *Pil. Matthæi, aliàs Starkii.* ℞ Opii Thebaïc. opt. à ſordibus purgat. ʒij. ☿ris ſubt. glyc. helleb. alb. & nig. ā ʒij. Sapon. Tartarei (v. ſuo loco.) ʒvi. m. exactiſ. ad dendo ☉ Terebinth. q. ſ. ut f. ♁ pilularis, quæ toties humectetur ☉o Tereb. quoties ſicceſcit. *Aliqui nolunt Helleb. nigrum. Diuretica, diaphoretica, nephritica, lithontriptica, hydropica, bechica, anodyna & paregorica habentur inſignes. Felici cum ſucceſſu dantur in Febribus omnibus, præcipuè Tertiana, & Quartana. Catarrhis omnibus, Doloribus ventriculi, Cephalalgiæ, Odontalgiæ, Tuſſi, Crapulis, Arthritidi, Diarrhœis, Dyſenteriis, Ulceribus & Apoſtematis internis, &c. mirificè ſubveniunt.* Doſ. ℈ſs, ad ℈i, *ſuperbibendo hauſtum alicujus convenientis.*

* *Pil. Melanagogæ.* ℞ Fibrar. helleb. n. veri ʒij. pulp colocynth. ʒiij. coq. in Phlegm. ☉li ℔v, ad conſumpt. dimid. f. expreſſio.

quæ

quæ coaguletur ad mellagin. l. △. Tum adde Resin. Scammon. ʒi. ut f. ℘ Pilularis. *Dos.* ℈ss *ad* ℈i, *&c.*

* *Pil. Pacificæ.* ℞ Opii opt. supra laminam ferri exiccat. & ☿at. ʒij. benz. albiſ. ʒij. croc. nuc. m. ā ʒiij. ⊙ſt, Aneth & nuc. m. ā ℈i. Sapon. ♃rei q. ſ. ut f. ℘ ſ. a. *Virtutes æmulantur Pil. Matthæi.*

Pil. Pavii. ℞ Spec. Hier. ſimp. ʒſs. galban. in Tinct. Caſtor. præp. ʒij. ♂ præp. ʒiij. Diacurcum. (Quidam Diacinnam.) ℈iv. Syr. de ſtæch. q. ſ. f. Pil. n° 21 ex ſing. ʒi. *D.* n° 10 *aut* 20 *manè & ſerò per* ☾ 40. *Ad Melanch. Hyp.*

* *Pil. de Pice.* ℞ ☿ Glyc. ʒi. Rad. irid. Flor. ʒiij. Pic. liquidæ, & Balſ. Peruan. ā ʒſs, vel q. s. ut f. ℘ Pil. *Efficaciſſimæ habentur in Phthiſi, Tuſſi purulenta Excretione, ſuſpiriis & pectoris humoribus, qui difficilè extuſſiuntur. Doſ.* ʒſs *bis in die ſuperbibendo hauſtum Decoct. Pector.*

* *Pil. Reſtringentes.* ℞ Æ, corall. r. gum. Lentiſc. ā ʒiiſs. off. ſepiæ ʒiſs. gum. guajac. ℈ſs croc. ♂tis reſtringent. ʒiiiſs. Tereb. Cypr. ʒiſs. Syr. de Nymph. q. s. ut f. ℘ Pil. *Dentur* ʒſs *vel* ℈ij. *bis indies, ad Gonorrhœam,* &c.

* *Pil. de Sagapeno.* ℞ Sagapen. pellucid. ʒſs. Troch. Alhand. agaric. ā ʒiiſs. Diagryd. ʒij. ♂æ ʒſs. ⊙ chym. Fœnic. ℈i. Syr. de Eupa-

tor. q. s. f. ☉. *Proficuæ in Iliaca, Colica, &c. ad* ʒß. *Admirandæ in Febribus Quartanis. Dos.* ϑß *initio paroxysmi, continuando aliquot dies.*

* *Pil. Sinapinæ.* ℞ Sem. sinap. ♄at. ʒiij. glyc. ʒij. Syr. cap. ♀. q. s. ut f. Pil. hypoglossidæ, *frequenter in ore tenendæ. Magnopere valent in Tussi, Asthmate,* &c.

Pyl. Styracinæ. ℞ Styrac. cal. colat. ʒij. Fl. ♃ ʒi. Benz. alb. ʒij. m. f. ☉. *Efficaciter succurrunt Asthmati, Dyspnææ, Catarrho suffocativo,* &c. *Dos.* ϑi, *ad* ʒi. *semel aut bis in die. Prosun.*

Pil. Tartareæ Bontii. ℞ Aloës opt. ʒiij. gum. ammoniac. (cum ☿ squillit. depurat.) ʒiſs. ☿ ☾ lat. ʒſs. m. *Tantæ sunt apud Hollandos æstimationis,* ut piaculum *habeant, communes eas reddere. Dos.* ϑi, ʒſs, &c.

Pil. Vaticanæ. ℞ Calam. arom. anis. zz. mastich. cinnam. cardamom. min. zedoar. mac. nuc. m. caryoph. croc. cubeb. lign. al. turpet. mann. sennæ, cas. lign. myrobal. omn. ā ϑi. Fol. cardui ben. scord. ā ʒſs. rhab. opt. ʒi. ℈ij. aloës opt. ʒij. ℈iv. Syr. Ros. sol. & Viol. ā q. s. ut f. Massa f. à. *Cephalicæ sunt ac Stomachicæ, omnia viscera fœdo liberant, purgant, roborant, & humores quosvis noxios & obvios educunt: omniumq; partium nutritium œconomiam juvant. Dos.* ϑi, ʒſs, &c.

Pil. Vermifugæ. ℞ Pil. Ruffi ʒſs. ⊙ chym. Sabinæ,

Sabinæ, vel Tanaceti gt. 24. m. *D. ad* ℈ſs. *vel* gr. xij *in Pil. x format. ſumend. per* 3 ☾ *contin. in Plenilunio, vel Novilunio in Syr. Limon.*

* *Pil. Vomitoriæ.* ℞ Gillæ Theophraſti ℒat. ʒi. Medullæ lactis inſulſæ ʒi, vel q. s. contund. opt. in ♁m Pil. *D.* ℈iv *vel* v.

* *Piſa Lutea.* ℞ Ochræ flav. ʒſs. Rad. irid. Fl. ʒij. ceræ ʒi. terebinth. q. s. ut formentur Piſa diverſæ magnitudinis. *Pro fontanellis apertis ſervandis.*

* *Piſa Rubra.* ℞ Vermilii ʒſs. hermodact. ʒij. ceræ ʒvi. tereb. q. s. ut f. Piſa.

* *Piſa Viridia.* ℞ ⊕, helleb. alb. ā ʒij. cantharid. ʒi. Rad. irid. Fl. ʒiſs ceræ ʒvi. tereb. q. s. vel fieri pt ex cantharid. ⊕ ā ʒij, ☾☾ ℈ſs, ceræ ʒvj. tereb. q. ſ. *Pro Fonticulis.*

Pleres. Archonticon. ℞ Cinnam. caryoph. xyloal. galang. nuc. m. zz. roſ. rub. ſpicæ Indic. ſchœnath. (ſpicam & ſchœnath. omittunt Quidam) ſpodii, cyper. Viol. ā ʒi. mac. glyc. maſtich. ſtyrac. cal. ocim. majoran. balſamit. piper. long. alb. cardamom. Bacc. myrti, cort. citri, ā gr. 36. margarit. Been. utriuſque, corall. r. ſeric. toſt. ā gr. 18. camph. gr. 4. m. f. ℒ ſubt. ex hujus ʒſs, & ſacch. alb. in Aq. Menth. ad Tabulat. coct. ʒviij, fieri ſolent *Tabulæ Stomachicæ. Mickleth.*

Plumbum album, & Ceruſſa, ſ. Lamellas

♄ni ſuſpendendo ſupra ☥, ut vapores ab ☥o elevati circumeant. Sic adhæreſcet paulatim Certiſſa.

Pomum Ambræ. ℞ Styrac. cal. ʒvi. benz. ʒi. labdan. ʒij. ſant. alb. caryoph. ā ʒiſs. Fol. majoran. roſ. Dam. ā ℈iv. moſch. ambr. gr. ij. ā ℈ſs. mucilag. gum. trag. in ℞roſ. extract. q. ſ. ut f. Pila ſeu Pomum ſ. a. *Adhibitum naribus odore ſuo grato ſanguinem movet, & cor ſupra modum refocillat, in Apoplexia, Epilepſia, Peſtilentiali aura, &c.*

* *Potio Alba.* ℞ Terminth. ʒſs. ⊙ ſt. nuc. m. gr. i. V. alb. ʒij. Vitell. ovi unius Syr. de Alth. ʒi. m. ſ. a. f. Hauſtus. *Pargat ſat bene, ἄνω καὶ κάτω. Ad Gonorrhœam.*

* *Potio Febrifuga.* ℞ ♎ abſ. ℈ij. Sp. ♃ ℈i. ♈ cichor. ʒiv. m. *bibatur ante parox. ſuperſudando.*

Potio Hydropica. ℞ V. alb. generoſ. ʒiv. Syr. de Spin. cerv. ʒij. Sal. Prunel. ʒi. m. f. potio. *Mayhern.*

* *Potio Pleuritica.* ℞ Succ. è ♃re animali expreſ. V. alb. ā ʒij. Syr. Rhœad. ʒi. ☽olliban. ʒſs. ⊙ ſt. nuc. m. gr. iij. m. f. potio, *ſumenda ter vel 4ter in die poſt phleb.*

Pruna Laxativa. v. *Paſſul. Laxat.*

Ptiſana Cathartica. ℞ Fol. Senæ à ſtipit. liberat. glyc. coriand. ā ℈i. ♈ont. calentis ʒvi.

℥vi. vel viij. macer. ♆ ℥. f. colat-clara. *Mirum eſt quàm delicatulè operabitur. Quinquies aut ſexies movere rarò fallit.*

* *Pulvis Æthiopicus.* ℞ Bufones viventes n° 30 vel 40. comburantur in olla nova ad Ees nigros. f. ♆ ſubt. *D. ℈ß vel ultra in Variolu, &c. Vel in moribundis auxilio certè fuit. Sunt qui mirè hunc commendant in Hydrope curando.*

* *Pulvis Albus.* ℞ Bezoár. Animal. ſuccin. alb. corall. r. margarit. ā ℥i. ocul. & chel. 69, ā ℥iij. m. f. ♆ ſubt. *Vires æmulatur Pulv. è Chelis comp.*

* *Pulv. Anticardialgicus.* ℞ Cretæ albiſ. ℥vi. ocul. & chel. 69 ā ℥iſs. ſacch. albiſ. ℥ſs. ⊙ chym. nuc. m. gt. vi. m. f. ♆. addi pt Æ. ℥vi. *Doſ. ℈i in hauſtu frigidæ largo.*

Pulv. Anticolicus. ℞ Cretæ albiſ. ſubt. ♆at. ibi. humecta cum ſucco Fol. rutæ & chamæmel. ut f. inſtar pulmenti. exicca lento calore & f. ♆. Repet. hoc opus cùm ſuccis rec. ad quartam vicem. ultimò f. ♆ ſubt. *Doſ. ℈i, ad ℈i quarta quaque hora.*

Pulv. Antipyreticus. ℞ Lap. Manat. ℥iſ. Draconthæmat. ʒi. m. f. ♆ ſubt. *Tertianam vernalem curare rariſſimè fallit. Doſ. ʒi horâ ante paroxyſmum ſuperbibendo* ℞ *roſ. rub. ℥iij, ſucc. aurant. ℥vi, cum ſacch. alb. ℥ß, ad 3 vices.*

Pulv.

Pulv. Arthriticus Turneri. ℞ Turpet. hermod. ſenæ, ſcammon. ſem. ebul. ā p. æ. m. f. ♃. *Doſ.* ℈*i, ad* ʒ*i,* &c.

* *Pulv. Aſthmaticus.* ℞ Cartham. Rad. ari, Fol. card. ben. ſenæ, ā ʒij. aniſ. ʒſs. piper. l. ʒi. Diagryd. ℈ſs. m. f. ♃. *Doſ.* ʒ*i bis in die per dies vi contin.*

* *Pulv. Baſilicus.* ℞ Diagryd. ceruſ. ♁ij, crem. ☐ri, ☿ d. ā m. f. ♃. *Eaſdem vires obtinet quas Pulv. Cornachini. Doſ.* ℈*i ad* ʒ*i.*

Pulv. ad Calculum. ℞ Fl. Cardui ſtellati ʒi. Rad. & ſem. petroſel. ā ʒiij. ſeparatim ſiccentur ac ♃entur : dein m. *D.* ℈*ij. in V. alb. aut Juſculo. Mayhern.*

* *Pulv. Cantianus.* ℞ Apic. nigr. chelar. 69, Junio captor. in pollinem redact. Rad. contrayerv. ā ʒij. margarit. corall. rub. alb. ocul. 69, (cum ſucco limon. ſupra marmor. ſimul lævigator. & ſiccator.) ā ʒi. ſuccin. alb. & cryſtall. cum ▽roſ. ſubt. tritorum & ſiccat. ā ʒi. c. c. ad ſummam albed. calcinat. & lævigati cum ſucco citri Sptu ⊕li probè acuato, & ſiccati, ʒi. Bezoar. occid. ▽ Lemn. ā ʒſs. Ceruſſ. ♁ fixi ʒij. Ambr. griſ. ʒiſs. moſch. ℈ſs. miſceantur omnia exactiſ. & cum Gelantinæ è ſpoliis viperar. & c. c. in ▽ cardui factæ, & croco leviter tinctæ q. s. f. Globuli diverſæ magnitudinis, cantè ſiccandi.

Si

Si prædictis addas coccinell. è Mexico ʒſs, dicitur *Pulv. Cantian. ruber*: ſi verò Ærum Phyſalor. ʒij, vocatur *Niger*. *Uſus eſt egregii in omnibus morbis contagioſis, Peſte, Variolis, &c. Doſ.* ƷßS *ad* ʒß.

* *Pulv. Cardiac. Coralliatus.* ℞ Coral. rub. præp. ſacch. opt. ā ʒiij. ⊙ cinnam. gt. vi. m.

* *Pulv. Cardiac. Eboratus.* ℞ Magiſt. ebor. cinnam. ā ʒij. ſacch. opt. ʒiij. m. ſ. ♃ ſ. a.

* *Pulv. Cardiac. Perlatus.* ℞ ♃ Rad. chinæ ʒiij. margarit. præp. ʒij. Aleuri puriſ. ʒviij. ſacch. opt. ʒvi. coq. in clibano vaſe terreo; dein de novo ſ. ♃. *Inſpergendus omnibus cibis, juſculis, panatellis, &c. Magnum reſtaurativum habetur in Tabe.*

* *Pulv. Cardiacus rubeus.* ℞ Cretæ albiſ. ʒviij. Ocul. 69, ʒij. Ꝛ, ʒi. nuc. m. ʒſs. m. f. ♃. *Doſ.* ʒij. *pro vice in Cardialgia, &c.*

* *Pulvis ad Caſum.* ℞ ♈ ſigil. ſang. dracon. Mumiæ, ā ʒi. Sperm. ceti ʒſs. rhabarb. ʒiij. m. f. ♃. *D.* ʒi *pro vice poſt Phleb.*

* *Pulv. Cibarius.* ℞ Summit. euphrag. ʒiij. ſem. fœnic. cinnam. mac. ā ʒi. f. ♃. adde ♁ alb. ʒviij. m. *ſumatur cum omni cibo. Ad viſum acuendum ac præſervandum apprimè utilis. Oculorum ſuffuſiones, caliginem, memoriam debilitatam, &c. juvat.*

* *Pulv. Cinnabaris comp.* ℞ ♁ nativ. ʒij. ſuccin.

ſuccin. alb. ʒi. Rad. pæon. mar. corall. r. ā ʒx. m. f. ℒ f. a. *D.* ʒſs. *quotidie manè. Ad Epilepſiam.*

* *Pulv. Cornachini.* ℞ Diagryd. ♃rat. ʒi. ☿ diaphar. ʒvi. crem. ♀ri ʒiiſs. m. f. ℒ. *Ad omnes ferè morbos (qui purgatione opus habent) curandos commendatur. Doſ.* ʒß, ℈ij, &c.

* *Pulv. Coronatus.* ℞ Epithym. ʒſs. agar. Lap. Lazul. præp. ā ʒij. ſcammon. ʒi. caryoph. nº 20. m. f. ℒ. *D. ad* ℈iv. *Mirè laudatur in Melancholia ad dementiam uſq; curanda.*

* *Pulv. Crinalis.* ℞ Rad. Cyper. long. calam. arom. roſ. rub. ā ʒiiſs. benz. ʒi. xyloal. ʒvi. coral. r. ſuccin. ā ʒſs. farin. fabar. ℥j. Rad. irid. Fl. ʒviij. m. f. ℒ ſubt. adde moſch. zibeth. ā gr. v. *Uſus præcipuè ad pilos renaſcendos, & radices eorum confirmandas (capiti inſperſus.) cerebrum inſuper, & memoriam recreat, confortatq;.*

* *Pulv. Cucuphalis.* ℞ Macropiper. majoran. ſuccin. ā ʒiij. nuc. m. mac. ā ʒi. m. f. ℒ pro cucupha, *Qui goſſypio ſuſceptus inſuatur pileolo ſerico, inter paſſando. Inſignis ad dolores capitis frigidos diuturnos, Catarrhos abſumendos,* &c.

Pulv. Epidemic. aureus, ℞ Sacch. cand. alb. ʒiv. Balſam. ♃ris ʒiſs croc. gr. vi. m. f. ℒ.

℥. *Doſ.* ʒi *manè, & hora ſomni in hauſtu poſſeti vinoſi. Gliſſon.*

* *Pulv. Epilepticus.* ℞ Rad. Fraxinel. viſc. querc. contrayerv. ſerpentar. Virgin. pæon. mar. (debito tempore collect.) Sem. pæon. mar. Magiſt. c. c. Magiſt. ungul. Alcis, ā ʒij. Rad. Valerian. ſylv. ʒi. corall. rub. cran. human. ā ʒiij. Lap. Hyacinth. ʒi. Bez. occid. ʒiſs orient. ℈i. m. f. ℥ ſubt. ſ. a. adde moſch. gr. v. Fol. Auri n° 30. m.

* *Pulv. Febrifugus Certus.* ℞ Rad. Serpent. Virg. ʒij. contrayerv. gentian. zed. ſem. citri, card. b. bez. occid. ā ʒi. Specific. vegetabil. ʒiv. m. f. ℥. *Doſ.* ʒi *quarta quaq; hora ſpatiu intermediis paroxyſmi cum Vino, &c.*

* *Pulv. Griſeus.* ℞ Ocul. cancr. ſalv. ā ʒij. cretæ alb. ʒi. nuc. m. ʒi. f. ℥. *Inſignis in Diarrhœa, Palpitatione cordis, Aciditate ſanguinis, calculo, &c. Doſ.* ℈i, *ad* ʒi.

* *Pulv. Hæmoptoïcus.* ℞ Æ ʒiſs. amyl. ʒiij. Rhodoſacch. ℥ſs. ⊙ Aniſ. gt. ij. m. f. ℥. *D.* ʒiſs *ter in die vel ſæpius. In Hæmoptyſi nil æquale.*

Pulv. Hermodactyl. comp. ℞ Oſſ. human. calcinat. hermodact. ſcammon. turpeth. ſenæ, ſacch. alb. ā p. æ. m. f. ℥. *Lentam pituitam, ac alios humores viſcidos, etiam abarticulis, efficaciter trahit. Podagræ, Chiragræ,*

ac

ac omnibus junctarum doloribus ab iisdem humoribus natis conducit. Dos. 3i.

* *Pulv. Hystericus.* ℞ Pellic. interior. ventric. capon. ʒiv. flaved. cort. aurant. ʒi. m. f. ℔. *D. 3i in paroxysmo, & 4ta quaq; hora. opt. Remed.*

* *Pulv. Ictericus.* ℞ Chenocopri vetus tempore collect. in ☉e siccat. & ℔at. ʒij. croc. opt. ʒi. sacch. cand. alb. ʒij. m. f. ℔. *D. ʒij bis indies in V. Rhen. per* ♌ vi. *Aliter.* ℞ Rad. Curcum. ♑ alb. ♂ præp. ā ʒʃs. lumbric. terr. rhei elect. ā ʒij. m. f. ℔. *D. ʒi in hausțulo vini albi.*

* *Pulv. Lateralis.* ℞ Gland quercin. decort. ʒvi. nuc. m. ʒi. sacch. alb. ʒij. m. f. ℔. Vocatur & *Pulv. Iliacus*, & *Colicus. Dos. ʒi. pro vice bis vel ter in die, in Iliaca, Colica, Lateris dolore, Flatu, Podagra*, &c.

* *Pulv. Liliaceus.* ℞ Rad. lilior. alb. siccat. ʒiiʃs. ceruſ. ♁ij. ʒiij. nuc. m. tereb. Ven. ad friabilitatem coctæ, ā ʒij. Rhodoſacch. ʒi. f. ℔ ſ. a. *D. ad ʒiſs bis in die cum Syr. de Nymph. ad* ☉*æ acredinem in Lue Ven.* &c.

Pulv. Martialis comp. ℞ ♂ præp. ʒvi. xylocaſ. nuc. m. ā ʒʃs. caryoph. mac. ā ʒij. ſacch. alb. ʒij. m. f. ℔. *Ad Cachexias tam Virginum, Mulierum, quàm virorum, juvenum, at ſenum, Remedium præſtantiſſimum. Dos. ʒi, ad ʒij.*

Pulv.

Pulv. Odoratus. ℞ Rad. irid. Fl. ℥xiv. Lign. Rhodii ℥ij. Fol. majoran. ʒiij. caryoph. arom. ℥i. cort. limon. ʒv. Rad. cyperi ℥i. calam. arom. ʒvi. Fl. ros. Dam. ℥4. ros. rub. ℥ij. benz. styrac. cal. ā ℥i. labdan. ℥ss. m. f. Pulv. crassus, *Vestimentis inspergendus, ut à tineis præserventur.* Si prædicta omnia cum cerevis. fortiss. in organis Rosaceis dlaveris, (suspendendo in Recipiens mosch. gr. vi in sindone ligata) habebis Aquam Odoratissimam, Funeralibus apprimè inservientem.

* *Pulv. Opthalmicus.* ℞ Summit. Euphrag. ℥iij. sem. fœnic. com. ℥ij. sem. rutæ ℥ss. mac. ʒij. sacch. opt. ℥vi. f. ♃ s. a. *D. coch. i ter in die. v. Vires Pulveris Cibarii.*

* *Pulv. Oxytocius.* ℞ Croc. cas. lign. myrrh. leucelectri ā ʒij. chrysocoll. ℥i. m. f. ♃ subt. *D. ad ℈iv cum Aq. Artemis. vel Sabin. Præstantissimus est ♃ ad partum accelerandum, menses provocandos,* &c.

* *Pulv. Rannonicus rubeus.* ℞ ℔. cum ℞os. & ✠ præp. ℥iij. ▽ Lemn. ℥ij. Lapid. Smaragd. Rubin. Sapphir. Hyacinth. oss. de corde cerv. corall. r. ā ℥ss. corall. alb. ʒvi. spodii, margarit. ā ʒv. cinnam. sant. rub. sem. acetos. ā ʒij. caryoph. croci, ā ʒi. cort. citri, santal. alb. ā ʒiss. ebor. ʒiij. m. f. ♃ subt. s. a. cui adde Fol. ☉ n° 50. m. *Febribus pestilen-*

peſtilentialibus, contagioſis, ac venetatis optimè conducit. Doſ. ℈i, ad ʒi.

* *Pulv. Pectoralis.* ℞ Partium. albar. benz. ʒſſs. ♃ viv. ʒiij. ſem. aniſ. ʒi. Rhodoſacch. ʒij. m. f. ♊. *D. ad ʒiſs bis in die cum ovo tremulo.*

* *Pulv. Pepticus.* ℞ Flaved. cort. extern. aurant. candefact. & minutiſ. inciſ. ʒiv. Confectionum ſem. coriand. ʒiv. aniſ. carui, fœnic. ā ʒij. Aromat. Roſat. ʒſs. ⊖abſ. ʒi. menth. ♊at. ℈ij. ſacch. cand. ad pond. omnium ſ. ♊ groſſus. *Doſ. ʒi poſt ſingulos paſtus.*

* *Pulv. Pleuriticus.* ℞ Fl. ♃ ʒij. Dent. Apri, mandib. Lucii piſc. ā ʒi. Flor. papav. rhœad. ʒſs. m. f. ♊. *Doſ. ʒi. Stupendum habetur Antipleuriticum cum Rhodoſaccharo.*

* *Pulv. Purpureus.* ℞ C. c. c. ſuccin. alb. coral. r. perl. præp. ā ʒi. ocul. & chel. 69, ā ʒij. croc. ℈ſs. coccinel. ℈ij. m. f. ♊ adde Gelatin. ex c.c. & raſ. ebor. in ▽ Aniſ. factæ q. ſ. f. Globuli ſ. a. *D. ℈i ad ℈ij in Variolis, morbillis,* &c.

* *Pulv. ad Rachitidem.* ℞ ♊ Rad. Ofmund. Regal. ʒiv. ſacch. ʒij. m. *Inſperge hujus aliquantum pulti, cibiſque omnibus liquidis, ut ad minimum ʒij vel iij. in dies abſumantur.*

Pulv. ſine Pari. ℞ ☌☌, ⊕, ā ʒij. ☉ uſt. ʒi. colcothar, ʒſs, m. f. ♊. *Inſperge hujus parùm*

parùm super loca ulcerata, applica desuper Ung. de Minio super linteum, & ibi circumcirca maneat, donec sponte eschara decidat, vel separari potest. Bibatur interim Decoct. guajac cum glyc. & uvis passis, pro potu communi.

* *Pulv. Solearis.* ℞ Cumin. ℥iij. caryoph. ℥i. ⊖ decrepit. ℥4. m. f. ♃. *Pro soccis interbastandis Podagricorum semper ad plantas gestandis.*

* *Pul. Sternutatorius.* ℞ Majoran. rorism. beton. Fl. lilii conval. ā ʒiij. nuc. m. ʒij. ✳ volat. ℈i. m. f. ♃ subt. *Valet in omnibus capitis doloribus; in Lethargo, Podagra,* &c.

* *Pulv. Stomachicus.* ℞ Pellic. interior. ventricul. capon. ℥4. nuc. m. mac. sem. coriand. anis. fœnic. ā ʒiij. menth. ʒi. glyc. ʒij. Rhodosacch. ℥ij. m. f. ♃, *ad Tormina Ventriculi,* &c. *Dos. à ʒi, ad ʒij.*

* *Pulv. ad Strumas.* ℞ Lap. spong. ʒiij. ♉ æ ʒij. ♀ri ⊕lati ʒi. m. f. ♃. *Dos. ℈ij bis in die per dies xij.*

Pulv. Sympatheticus, fit calcinando ⊕ Roman. radiis ☉aribus per Vitrum cauterizans, & ♃ando. v. *Vires Ung. Sympathet.*

Pulv. Tertianarius. v. *Pul. Antipyr.*

* *Pulv. Vermifugus.* ℞ C.C. rhab. corallin. sem. santon ā p. æ. m. f. ♃. *Dos. ℈i, ad ʒß per dies 3 continuos circa novilunium, & plenilunium.*

* *Pulv.*

℞ *Pulv. Uvularis.* ℞ Balauſt, Rad. biſtort. tormentil. ā ʒſs. ☉ ʒij. m. f. ♃. *Quo uvula cum palato tangatur digito, vel linteo excepto, ſæpe in die.*

R.

℞ *Ranar Hepata*, præparantur exiccando ſupra folia caulium in vaſe clauſo, & ♃ ando ſ. a. *D.* ʒß. *in Epilepſia, Quartana*, &c.

Regulis Jovialis, ſ. ex Regul. ♃ fuſi ¼ adjiciendo limat. ♆ eandem quant. ſ. a. *Omnes obſtructiones reſerat. In utero ſtrangulato nobile remedium.*

Regulus Lunaris, ſ. addendo Reg. ♃ fuſi ʒviij. ☽ æ ʒi, ſ. a. *Epilepticus, & Cerebralis.*

Regulus Martis, ex ♂ ʒij, ☉, ♀, ♃, ā ʒivſs, detonando ſ. a. *Curat Luem Ven. ſine ptyaliſmo.*

Regulus Solaris, ex Reg. ♃ fuſi ʒiv, ☉ ʒſs, ſ. a. *Hyſtericus & deoppilativus.*

Regulus Veneris, ex ♀, ♀, ☉, ā ʒiv, ♃ ʒviij, detonatis ſ. a. *aperit obſtructiones in Rachitide.*

Ros Vitrioli, Elicitur ex ⊕ albo crudo, calore MB ferventis ſ. a. *Valet ad ardentes capitis dolores, ſanguinem aduſtum mitigat, & viſcera corroborat. Doſ.* ʒij, &c. *continuatim ad aliquot dies.*

Roſa

Rosa Solis. ℞ Roris ☉is rec. miij. nuc. m. anis. coriandr. ros. r. sicc. ā ℥ss. galang. zz. caryoph. ā ʒij. glyc, ℥i. cardamom. zed. gran. Paradis. calam. arom. ā ʒss. sant. citr. ʒi. sant. rub. cinnam. ā ʒvi. ▽ vitæ opt. ℔vi. Infund. ☉ aliqt. f. colat. per manic. Hipp. addendo sacch. opt. ℥xij. *Confert ad Phthisim, Tabem, &c. confortat cor, hepar, & Ventriculum. Capitis dolorem sedat, & Pestem præcavit, &c. Dos. ʒij, iij. &c.*

Rotulæ. v. *Tabulæ*, vel *Tabellæ.*

S.

Sacchar. Aluminis. v. *Alumen Dulce.*

**Sacchar. Ambaratum.* ℞ Sacch. opt. ℔at. ℔i, vel q. v. repone in vase stanneo, indendo medio sacchari Ambræ gris. frustulum ad ℈i, vel q. v. stent simul perpetuò (vase clauso) in loco tepidiusculo camini juxta angulum. Sic Ambræ fragrantia simul cum viribus toti saccharo communicabitur, sine ullo Ambræ detrimento aut perditione.

* *Sacch. Caryophyllatum.* ℞ Fl. caryoph. hort. ℔at. ʒvi. caryoph. aromat. ℈i. sacch. albis. in ℞os. Dam. solut. ℥xij. coq. & effunde in marmor. s. a. *Cardiacum, cephalicum, & Stomachicum insigne est, cruditati ventriculi, vertigini, &c. confert.*

* *Sacch. Eboratum.* ℞ ♃ ebor. ℥iss ocul. 69, perl. præp. ā ʒi. ⊙ cinnam. gt.vi. sacch. opt. in ▽Ros. rub. solut. ʒxvi. coq. s. a.

* *Sacch. Perficorum,* f. ex Flor. ♃at. ℥ij, sacch. in ▽Ros. coct. ℔i, s. a. *Conducibile ad lumbricos infantum enecandos, & alvum laxandam.*

* *Sacch. Sambucinum,* f. ex Fl. ℥ij, sacch. opt. in ▽ Fl. Sambuc. solut. ℔i, s. a. *Ad flatus Ventriculi, Colicam, Calculum, &c. conducit. Alvum laxat.*

* *Sacch. Tormentillæ.* ℞ Rad. Torment. ♃at, ℥iss. cinnam, ʒss. sacch. in ▽ cinnam. solut. ℔i. coq. & effunde s. a. *Eximii usus in Abortu præcavendo, fœtu roborando, &c.*

Sacculus Embryon, &c. v. *Cerevis. &c.*

Sal Absinthii crystallinum. fit solvendo ⊖ Abs. in ▽, filtrando, crystallisando, siccandoque, s. a.

Sal Aceti essentiale. coq. ⊙m ✠ti in ▽: filtra ac crystallisa s. a. *Sudorificum est, & putredini resistit. Dos. gr. 5, ad 10, in vehiculo aliquo idoneo.*

Sal Aceti fixum. Calcina ⊙m ✠ti, solve ▽ â, filtra & coagula s. a. *Idem facit ut supra.*

Sal Alkali. ℞ ♆ ℔i. ⊤ris isatid. ℔ss. ⊡, ⦶, ā ʒi. coq. in ▽, filtra & coagula ad siccit.

Sal

Sal Aluminis. coq. ☉ uſtum in ▽, filtra & coagula ſ. a. *Sudoriſicum, & Febrifugum. Doſ. gr. 5, ad 10.*

Sal Armoniacum fixatum. Miſce ✳ cum ♆ dimid. quant. & △e fortiſ. ſubito adhibito, additoque ſolle funde, ac poſtea ▽â elue ſ. a. *Inſervit præcipuè liquori indè conficiendo. Sudoriſicum eſt, & putredini reſiſtit, aperit obſtructiones. Doſ. gr. 5, ad x, &c.*

Sal Armon. Volatile, ſ. ex ✳, & ⊖is ♆ri ā, ♎atis ſ. a. pt & ♎ari (jubente Medico) cum 3tia parte Caſtor. vel Succini. *Tollit ventriculi cruditates. Doſ. gr. iij ad x. Specificum eſt in Arthritide & ſudoriſicum.*

Sal. Arm. Volat. Oleoſum. ℞ Caryoph. ʒij. Sp. V. ʒviij. Sp. ✳ci ʒiv. Digere ſimul ad unicendum ſ. a. *Doſ. gr. x, ad 15, &c. in morbis capitis, ventriculi, lienis, uteri, &c. in Colica & Tremore cordis Præſtantiſ. Remed.*

Sal. Chalybis. ℞ Croc. ♂tis per ♃ fact. q. v. extrahe ⊕ cum ▽, filtra & cryſtallisa ſ. a. *Vim habet incidendi, ac aperiendi obſtructiones, tum viſcerum, tum uteri. Doſ. à gr. ij, ad 5, & ultra.*

Sal Cibarius. v. *Pulv. Cibar.*

Sal Coralliorum. Elicitur ex ♇ribus more comm. Vel, ſolve corallia in ☩, filtra ac exhala ſ. a. Sic fieri pt *Sal Ocul. cancror.*

Margaritar. &c. *Dos.* ℈ß, *ad* ℈i, &c.

Sal C. C. Succinatum, f. ♎ando c. c. cum dimid. quant. ſuccini ſ. a. *Dos. gr.* x, *ad* ℈ij, &c.

* *Sal Decrepitatum*, fit calcinando (♄bulo tecto) donec non amplius crepet ☉.

Sal Diureticum. Solve ☉m ☽ci volatilis in ▽ calida; filtra & coagula ſ. a. *Profeſſum in Febribus intermittentibus.* *Dos.* ℈ß, *ad* ℈ß. *In Ictero, Scorbuto, Hydrope, & omnibus obſtructionibus valde conducit.*

Sal Duplex. v. *Arcan. Duplex.*

* *Sal Febrifugum*, Elicitur ex teſtis oſtreor. opt. mundatis, & ad ſummum albed. calcinatis, ſolvendo in ▽, filtrando ac coagulando ſ. a. *Dos ad* ʒi *ante parox.*

Sal Jovis, ſ. Solvendo Magiſt. ♃is per digeſt. in ♆, filtrando & coagulando. *Præſentaneum revulſivum in uteri ſuffocationibus quas ad miraculum compeſcit, tam intrinſecus, quàm extrinſecus adhibitum.* *Dos. gr.* 2, 3, 4, &c. *repetitis vicibus.*

Sal Lithargyrites, Elicitur cum ♆ non ſecus ac facch. ♄ni. Decantetur ſolutio, filtra & coagula ſ. a. Si ſolutio ♄etur cum ol. ♀, vocatur *Magiſterium.* *Interne datur in Diarrhœis, Dyſenteriis, reliquiſq; morbis reſolutis, Inteſtina læſa ac ulcerata ſanat & conſo-*

consolidat: sanguinem æstuantem refrigerat. Dos. ʒß cum Theriaca aliqua sudorifica, sive anodyna.

Sal Martis. (i. e.) *Sal Chalybis.*

Sal Martis Catharticus. Solve ☉m Florum ✳ci ♂tiatorum in ▽ calida, filtra & coagula. *Dos. ad gr. xij. leniter purgat, & Diureticum est.*

Sal Perlarum, fit omninò ut coralliorum.

Sal Philosopharum. ℞ ⊖ decrepit. ♉æ, ā ℥iss. galang. mac. cubeb. ā ℥ss. m. f. ♊. s. a. *Concoctionem juvat ventriculi, cruditatesq; consumit. Dos. gr. iv. ad xij, manè, jejuno ventriculo.*

Sal Polychrestum, f. ex Fl. ♃ & ⦶ á, exactè mixtis detonatisque, solvendo ▽â, filtrando ac coagulando s. a. *Humores purgat serosos per sedem, & nonnunquam per urinas. Dos. ʒi, ad ʒiij, in* ⊽*ont.* ℔ij *solut. ut fiat instar Acidularum.*

Sal Saturni. (i. e.) *Sacch. Saturni.*

Sal Spongiæ Volatile, f. ♃ando per ⚲, & ⊖ rectificando s. a. ex ☉o in ▽ calidâ soluto elixiviatur *Sal fixum. Utile ad calculos renum vesicæq; frangendos. Valet etiam ad strumas discutiendas. Dos. gr. 5, ad 12, vel ultra.*

Sal Sulphuris. Solve ☉m Spts ♃ris ▽â

filtra & coagula ſ. a. *Efficax remed. adverſus verminationem. Doſ. à gr. 5, ad 10.*

Sal Tartari, fit ex ♃ro calcinato non ſecus ac ex aliis ♀ribus ſal extrahi ſolet. pt. & elixiviari ex ☉o poſt ☾lationem Spts ♃ri relicto, ſi ulteriùs comburatur. Vel, fieri pt ex ♃ crud. & ☽ ā ♉at. & calcinatis in ♆bulo ſ. a. *Optimum eſt remed. in Ulceribus, Serpiginibus, Tinea, Scabie, &c. tam internè, quàm externè adminiſtratum.*

Sal Tartari Volatilis. ℞ ♁is ♃ri purific. ʒiv. Alcoh. V. ʒviij. ☾a ex ∴, ter cohobando; & adhæreſcet ♁ lateribus ♌ bici. *Diureticum & Aperitivum inſigniſſimum eſt. Sanguinem purificat, & malignitati reſiſtit. Doſ. gr. 10, ad 20, & ultra.*

Sal Viper. Volatilis, ſ. ex viper. ſiccis per ♌, ut cornu cervi, ex ☉o elicitur more com. *Sal fixum. Medicamentum ſummè penetrans, Putredinem arcens, obſtructiones reſerat, febres omnes reſolvit. In melancholia, podagra, rennum calculo & veſicæ, mira præſtat. Doſ. gr. 6, ad ʒſs.*

Sal Veneris. (i. e.) *Flor. Viridis æris.*

Sal Urinæ Volatilis, ſ. ex ☉ fermentatâ per ♌ ☾atâ ſ. a. *Fixum elicitur ex ☉o more com. Inſigne anodynum eſt in doloribus ſedandis, mixtum cum liquore conveniente,*

&

& supra loca affricatum. Internè datum referat tartareas obstructiones viscerum ac mesenterii, unde insignis ejus usus esse poterit in Scorbuto, Cachexia, Icteritia flava ac nigra, &c. atterit calculum renum ac vesicæ, doloresq; inde ortos sopit. *Dos. gr. 15, ad 30.*

Sapo Tartareus. ℞ ⊖is ♃ri (ex ♃ & ☉ ā, fact. s. a.) ℥iv. ☉ Tereb. ℥viij. stent. simul (vase amplo) in loco frig. & humido ad menses aliqt: tamdiu scilicet (sæpe interim quotidie agitando, & plus ☉i, quoties opus fuerit, adjiciendo) usquedum ⊖ planè triplum ☉i absorbuerit: atque in unam massam (Saponis instar) spissam conspiraverint homogeneam, nullatenus separandam. *Pro parandis Pil. pacificis & Pil. Matthæi.*

* *Savanetta Cosmetica.* ℞ Smegm. Venet. ℥j. solve in succ. limon. ℥ij. adde ol. Amygd. amar. ol. ♃ri p. d. ā ℥i. m. & tamdiu insolentur donec in Unguenti spissitudinem pervenerint, sing. diebus probè agitando. Tum adde ol. st. Rhodii gt. vi, vel q. s. f. ung.

Scammon. Aurantiatum. v. *Extr. Drastic.*

* *Scammon. Cydoniatum.* ℞ ♃ Scam. ℥ij. succ. depurat. cydon. ℔i. Digere ☿ 24. adde ▽ vitæ q. s. Digere iterum, & evapora ad extracti formam s. a. *Dos. ℈i, ad gr. 25, &c.*

* *Scammon. Limoniatum.* ℞ Scam. ♃at. ℥i.

ſucc. Limon. ℔i. Digere, cola, & ℞a ad conſiſt. extracti ſ. a. *Doſ. eadem cum priori.*

* *Scammon. Roſatum.* ℞ Succ. Roſ. Dam. depurat. ℔iij. Sp. ♄ ʒiij. Tris Scam. ʒij. Digere ac evapora ad Pil. conſiſt. adde ☉ ſ. Majoran. ♑i. *Doſ. eadem cum priori.*

* *Secundinæ præpt.* Abluantur Secundinæ fœminæ, aut ſuis primiparæ cum V. albo, exiccentur citò, & ℥rentur ſ. a. *D. ad ʒi. in Epilepſia, utero ſtrangulato partu difficili, &c. Sedativum Archæi.* Tinctura ex Flor. ✻ci ♂tiatis eliciatur cum Sp. V. quæ abſtrahatur ad conſiſt. debitam ſ. a. v. *Vires Flor. ✻ci Martiatorum.*

* *Serum Aluminatum.* ℞ ☾ ʒiij. lact. ℔j. coq. parùm, ut t. Serum. adde ſacch. ʒj. clarific. cum album. ovorum, ſ. a. Si vetis Emeticum, coq. ☾ ʒiij, in lactis ʒvij, ut ſ. Serum, *ante paroxy. febrilem ſumendum.*

* *Serum Hepaticum.* ℞ Fol. fumar. cichor. endiv. ā mij. hepatic. mij. agrimon. acetoſ. ling. cerv. borrag. buglos. ā mi. ſem. carui ʒi. contuſis affunde ſeri lactis ℔iij. ſ. expreſ. adde ſacch. alb. ʒiij. clarific. ſ. a. *D.* ℔i *bis indies.*

* *Serum Scorbuticum.* ℞ Fol. cichor. acetoſ. ā mxij. abiet. mvi. cochlear. naſturt. aquat. ā miv. ſem. coriandr. ʒi. contuſis adde ſucc. aurant. ʒj. Seri lactis ℔j. ſacch. alb. ʒij. clarific. ſ. a. *D.* ℔i *bis indies.* * *Serum*

* *Serum de Sedo.* ℞ Succi sedi major. ℔i. lactis ℔ij. coq. ut f. Serum s. a. *D. ℔i vel ℔ij indies. Usus præcip. in febribus biliosis; sedat sitim, compescit ardorem, &c.*

* *Serum Sinapinum.* ℞ Lactis ℔ij. calefact. adde Mustard. rec. fact. coch. iij, ut f. Serum clarum; quod coletur pro una vice. *Remed. singulare in Tussi, Asthmate, &c. Bibatur hora somni, & manè in lecto calidi per dies 3 vel 4.*

Silices præpti. ℞ Silices albicantes & pellucid. ex fluviis collect. igniantur in ✠bulo, & exting. in ⊽ont. (quâ ✱ solut fuerit) donec in ♈rem fieri poterunt f. ♈ exquisitus supra marmor, & in Troch. cogatur cum ℞os probè exiccandos s. a. *Diuretici sunt, Usus in hydrope, calculo, urina suppressa, &c. Dos. gr. 10, ad 20. &c.*

* *Spiritus Alkermes.* ℞ Sp. Cinnam. Citri, Ceras. n. Anthûs, a ℥iv. succ. chermesin. ℥ij. m. peroptimè, dein agantur per chart. emporet. adde tum sacch. opt. ℥ij. Fol. Auri n° x. m. s. a. *Sunt, qui addunt Sp. Ambræ ℥ij pro ditioribus. Vapores tetros discutit. Spiritus naturales, vitales, animales recreat. parturientibus subvenit, &c.*

Spir. Aluminis. ℞atur ex ⊖ usto per ⊖ omninò ut ⊖ ⊖li. *Dos gut. 4, 5, 6, &c.*

Spir. Alum Dulcis. f. Sptum ☉ is aliquoties rectificando cum Sp. V. ut dulcis evadat. *Diureticum est, calculum pellit, obstructiones aperit. æstus in febribus compescit. Dos. gut.* 4, 5, &c. *pro vice.*

* *Spir. Ambræ.* ℞ Ambræ grisi. ʒs. mosch. gr. xv. sacch. cand. ʒi. m. f. ♎ : cui affunde ♈ris cœlest. ʒiv. Digere (vase hermetice obturato) in fimo equino ad ☉ 20 aut 30. Dein filtra ad usum. *D. gt. vi. in Animi deliquio,* &c.

* *Spir. Benzoini.* ℞ Partium albar. Benz. opt. ʒij. Pyrœni ʒxvi. maneant simul in frig. sæpe agitando ad solutionem Benz. filtra ac serva. Si ▽ à lactis ♋es, & sicces, erit *Magister. Benzoini. Dos. Spiritûs, à* ʒi. *ad* ʒiij. *Magisterii à gr.* 10, *ad* 20. *vires obtinet Benzoïni.*

* *Spir. Camphoræ,* fit Solvendo Camph. ʒi, in Pyrœn. ʒviij, f. a. *Dos.* ʒß *ante paroxy. Tertianæ. Diaphoreticum insigne in febribus malignis. Anodynum est egregium, odontalgiam sedat,* &c.

* *Spir. Cerasorum,* f. ex Cerasis nig. cum nucleis opt. contus. & fermentatis f. a. ♌ando per ♌♌, & rectificando in MB. *Cephalicus, & diureticus, hystericis & epilepticis prodest. flatibus & convulsionibus subvenit. Dos.* ʒij, *ad* ʒi, &c.

* *Spir.*

* *Spir. Cochleariæ*, f. ex Cochlear. hort. floresc. fermentatâ, vel non ferm. ℞ando per ⚔ cum suo refrigeratorio. Quod primò prodit serva per se pro Sptu. *Fieri etiam pt ad hunc modum.* ℞ Sp. V. legitimè probat. ℔xxiv. cochlear. hort. rec. & floresc. qu. infarciri pt. Infunde per ⚔xij, ac ℞a ad medietatem. In hoc Sptu ℞ato macera de novo cochlear. rec. ut supra, iterumque ℞a ad medias. Ex hoc Sptu, & Resin. Scammon. vel zialap. (extrahendo Tincturam ac filtrando) parari pt *Sp. Cochlear. purgans. Spleneticus ac diaphoreticus, fixos ac crudos humores, volatiles reddit, putrediniq; resistit. Hinc proficuus in hypochondriacis & tartareis morbis, ac præcipuè scorbuto. Dos. gut.* 20, 30, *vel ultra in liquore idoneo.*

Spir. Coralliorum, fit ⊖em Corall. opt. purificat. ℞ando ∴, & rectificando. *Scorbuticus est & lithontripticus. Dos. gt.* 5, *ad* 20, &c.

* *Spir. Corn. Cerv. succinatus.* ℞atur ex c. c. cum dimid. quant. Succini. *Dos. gut.* 5, *ad* 15, &c. *Sudorificus est, diureticus, hystericus, Epilepticus*, &c.

Spir. Diatriωn. v. *Mixtura Simplex.*

Spir. Dracunculi. ℞ Sp. Vini cong. 1. Fol. dracunculi recent. quant. infarciri pt. Digere

per

per ♁ iij, & ♑a ſ. a. Aquæ ♑latæ adde ſacc. opt. q. s. *Doſ.* ℥iv. *pro vice; miranda præſtat in ignotis affectibus, ſudorem provocando.*

* *Spir. Embryonum.* ℞ Capones n° 3, exemptâ pinguedine contunde & incide: adde dactyl. ℔i. uv. paſſar. ℔iſs. meliſ. miv. angelic. majoran. chærefol. ā miij. ſem. ocimi ℥ſs. fœnic. angel. cort. limon. ā ℥iij. cort. citri, Rad. pæon. borrag. ā ℥iv. angel. ℥iſs. croc. ℈v. Conſ. flo. Borrag. caryoph. majoran. ā ℥iv. ♈. Hiſpan. ℔xxxij. ♑a ad ſiccitatem. cum hâc ♈â, & Sp. Hormin. ℔i, ♈æ Ceral. n. Meliſ. ā ℔ij, Borrag. ℔iv, & amygd. decort. ℔iſs ſ. Emulſio: cui adde Conſ. flo. Pæon. ℥vi. Borrag. & Caryoph. ā ℥iv. Florum violar. paralyſ. tunicæ, roſ. r. anth calend. ā miv. Xyloal. ʒij. Sant. citr. ʒiiſs. cinnam. ℥viij. Aromat. Roſat. ℥i. ♑a ſ. a. *Fœminis datur quæ ſæpius Abortum paſſæ ſunt magno emolumento, itemq; gravidis ubi à ſubito terrore, aut aliqua occaſione extrinſeca langueſcant, lipothymias & animi defectiones, ventriſq; inflationes in his perſanat: infirmum fœtum roborat, uteri ligamenta firmat, Epilepſiam arcet, ſanguificationi proficit,* &c. *Doſ. coch.* 2, 3, &c. *pro re natâ.*

Spir. Horminis comp. v. Aq. Horm. comp.

* *Spir.*

* *Spir. Hyssopi Verus.* ℞ Hyssop. rec. floresc. q. v. contunde opt. & in vase quern. include, addendo ☿ont. tepidiusculæ q. s. relinque sic ad fermentandum (Flor. cerevisiæ tantillo addito) ♁ 10, vel 12. Deinde adde plus ▽æ, ac ♃a per ✕✕. Postea restifica sæpe in MB. s. a. Eodem modo ♃ari pt *Sp. Herb. aliar. Flor.* &c. *Pectoralis est insigniter.*

* *Spir. Juniperi Verus.* ♃atur ex Baccis fermentat. ut suprà. *Carminativus, diureticus, & stomachicus insignis est, flatibus, renumq; arenulis pellendis, mensibus movendis, & sterilitati auferendæ egregiè proficuus.*

Spir. Mannæ. Si Mannam ♃es l. △. ex cucurbita, habebis Sptum insipidum sudorificum. *Sudorificum insigne habetur in febribus tum pestilentibus, tum communibus, sudorem, propellens admodum fœtidum. Dos. ad coch. i.*

Spir. Millepedum. ♃atur omninò ut c. c. servando ⊖em. *Urinam potenter ciet. Omnes obstructiones reserat. confert oculorum morbis. nec non Rachitidi. Specificus in surditate auribus inditus.*

* *Spir. Nitri.* ℞ ∴æ p. ij. ⦶ p. i. m. ac ♃a per ♌, donec cessant fumi apparere. *Diureticum præstantius vix invenies. Sudorem insuper movet, unde usus ejus insignis in colica, pleurisi, febribus omnibus, præcipuè malignis. Dos.* ℈i, *ad* ℈ij, &c.

Spir.

Spir. Nitri Bezoarticus. ♑atur ex Sp. ☿ rectif. & Butyr. ♁ij ā, ex ♋ ſ. a. Inſervire pt ☉m *Bezoartico Minerali* parando.

* *Spir. Nitri dulcis.* ℞ Sp. ☿ rectif. p. i. Alcoh. V. p. ij. Digere ad unionem, ac ♑a in ∴, bis cohobando ſ. a. *Doſ. ad* ʒi *in liquor. conven. Sudorem ciet, tollit obſtructiones calicæ, renum, pectoris, &c.*

Spir. Reginæ Hungariæ. v. *Aq. Hungarica.*

* *Spir. Rhœados crapularius.* ℞ Flo. papav. rhœad. rec. ſbi. ſem. carui ʒij. nuc. m. ʒi. Ambr. griſ. gr. 4. Sp. V. ſbiv. macer. ſ. a. ſ. colat. *Doſ.* ʒiv *hora ſomni, vel manè poſt crapulam. Specificè Pleuritidi ſubvenit.*

Spir. Salis Armoniaci. ℞ ✳ p. i. ♆ p. ij. ▽ p. iij. ♑a in ∴ ſ. a. *Diureticus, diaphoreticus, inciſivus. reſiſtit putredini, optimè valet in febribus. Doſ.* ♎ *gut. vi, ad xij, &c.*

Spir. Sal. Arm. Tartariſatus. ℞ ♎is ♐ri, ✳, ā, cum triplo ▽æ ♑a ſ. a. *Vires obtinet omnes cum priori.*

Sp. Sal. Arm. Succinatus. ſ. rectificando Sp. ✳ci ſupra ♐rem ſuccini ſ. a.

Sp. Sal. Arm. Chalybeatus, ſ. ex ☉o Flogum ✳ci ♂tiatorum △i expoſito, ♑ando per ♋ ſ. a. *Doſ. gut.* 5, *ad* 15, *&c. omnes obſtructiones tollit, menſes & urinam provocat: Sudorificus etiam cenſetur.*

Spir. Salis coagulatus. Misce ☉is Absinth. depuratis. ʒi, cum Sp. ☉ rectif. ʒiis, & coagula s. a. *Diureticum est Medicamentum, & specificum hydropicum, omnes aquosas humiditates & flatus, omnemq; tartaream & viscosam materiam, unde calculus procreatur, per urinam potenter expellens. in Iliaca, Colica, febribus, icteritia, dysenteria, apoplexia, Podagra, &c. Præsentaneum est auxilium. Dos. gut. vi, ad xv, &c. v. Mynsicht.*

Spir. Salis Martialis. ♃atur per ♌ ex ♂ p. i, ♂ p. ij, s. a. *Dos. gt. 5, ad 15. Diureticus & valde aperitivus.*

Spir. Sambuci. ♃atur è Baccis ferment. uti *Hyssopi*, &c. *Alexipharmacus, cardiacus, sudorificus, & uterinus. Dos. coch.* 1, 2, &c.

Spir. Sanguinis. ♃a Sang. juvenis sani putrefactum in ∴ & rectifica s. a. *Maximè commendatur ad Epilepsiam radicitùs tollendam. ad paralysin, apoplexiam, pulmonem ulceratum, &c. Dos. à gut. x, ad xx, & ultra per mensem integrum.*

Spir. Saturni. ♃atur per ♌ è sacch. ♄ni opt. purificato, rectificando s. a. *Sudorificus est, in Peste, melancholia hypoch. febribus ardentibus, Luę ♀ rea, & simil. Dos. gut. 2, 3.*

Spir. Spongiarum. ♃a è Spongiis per ♌, & rectifica s. a. *Lithontripticus est insignis.*

Spir.

Spir. Tabaccæ. ♃atur ut *Succini*, ex Foliis ſiccis. *Doſ.* ʒi, *ad* ʒiij, *&c. pro vomitorio.*

Spir. Theriacalis camphoratus. ℞ Theriac. Androm. ʒv. myrrh. opt. ʒx. croc. Anglic. ʒß. camph. ʒij. Alcoh. V. ʒx. Digere, ac ♃a in MB. ter cohobando ſ. a. *Egregii uſus in morbis malignis ciet ſudorem, reſiſtitq; venæ. Doſ.* ʒi, *ad* ʒi, &c.

* *Spir. Veneris.* ♃atur per ☌ ex ♁lo ♀ris ſ. a. *Summum eſt Arcanum ad Epilepſiam, corroborat ventriculum, cruditates emendat, uterum frigidum calfacit, ejuſq; ſuffocationem ſanat, menſes movet, renum morbis ſuccurrit. Doſ. gut.* 5, *ad* 10.

Spir. Vini Succinatus. ℞ ♀ris Succini ʒiv. Alcoh. V. ʒxij. ♃a in MB. ſ. a. *Cephalicus, &c.*

Spir. Vini Tartariſatus. ℞ ♁ ☐ ♁ ʒiv. ♃a cum Alc. V. ℔ij. in MB. *Scorbuticus, &c.*

Spir. Viperarum. ♃a ex Viperis ſiccis, ut v. v. ſervando ♁em. *Summe eſt penetrans, putredinem arcens, in toto corpore obſtructiones reſerat, febres omnes reſolvit, etiam Quartanas. Doſ. gut. iv, ad x.*

Spir. Vitæ Aureus. v. *Tinct. Aurea.*

Spir. Vitriali. ♃a ♁ calcinatum ex ... & ſepara ſp. à phlegmate ſ. a.

* *Spir. Vitriali congelatus.* ℞ ♁is Acete-

ſæ

ʒi. Sp. ☉li ʒiſs. m. & coagula ſ. a. *In roborande ventriculo, febribus, ſiti, inflammationibus, &c. Secretum eſt. Doſ. quantum ſeri poteſt, ut dentes ſtupidi non reddantur, in liquor. conven. v. Mynſicht.*

Sp. Vitrioli Diaphoreticus. ℞ ♁is ♀ri, c. ☾ c. ā ʒij. Sp. ☉ ʒvi. ☽a per ♌ ad ſiccit. Liquori ☽ato adde Sp. V. ā, & ſerva ad uſum. *Purificat ſanguinem, abigitq; ſcabiem & prunitum, aperit obſtructiones, ſudorem provocat in Peſte, venenis, hydrope, icteritia, contracturis, &c. Efficax quoq; eſt in mundificandis pulmonibus. Doſ. à ♃i, ad ʒſs.*

Sp. Vitrioli Eſſentificatus. v. *Cliſſus Vitrioli.*

Spir. Vitrioli Martis. ☽atur in ∴. ex ☉lo ♂is calcinato. *In obſtructionibus, chloroſi, Rachitide, &c. Doſ. gut. 5, ad 15.*

Sp. Vitrioli Philoſophicus, fit ex ♈ in quam Butyr. ♁ij projectum fuit, exhalando ad ʒtias, & rectificando ſ. a. *Cephalicus eſt, febrifugus & Ecphracticus. Doſ. gut. 5, ad 15.*

Sp. Vitrioli Tartariſatus. ℞ ☉ ad albed. calcinat. p. ij. ♀ ad nigred. calcinat. p. i. m. & conſperſa Sptu V. ☽a ex ♌, & rectifica ſ. a. *Egregias vires exhibet ad ſudandum in omnibus internis obſtructionibus, in ſanguine grumoſo, contra ſcabiem, ad mundificandam &*

lævigan-

lævigandam cutim. Dos. à ʒi, ad ʒß. cum brodio, aut vino, per tres auroras continuas, si libet.

Stypticum Regis. ☉lo soluto, filtrato, cum ☩ ☐ato, edulcato & siccato affunde ☾ ☉li, & ☿a ex ♌ ad siccitatem. ♎m digere cum Sp. V. filtra calidè ac abstrahe. Solve ♎em in fundo remanentem cum quadruplo ▽æ per digest. & fiet Stypticum. *Usus est internus & externus. Dos. gut.* 10. *ad* 20, &c. *in omnibus hæmorrhagiis.*

* *Succi Scorbutici.* ℞ Succor. cochlear. utriusque. becabung. nasturt. aquat. ā ʒxvi. aurant. ʒxx. sacch. alb. ʒxij. m. trajiciantur sæpe per manicam Hippoc. ad claritatem rubicundam, Vini instar *Rubelli. Diu servari pt, in lagenis vitreis si reponantur, & gratissimi saporis sunt. Dos. coch. i. in omni haustu cerevis. com. vel* ʒiv. *bis in die.*

Suffimentum Hystericum. ℞ Asæ sœtid. ʒi. Fol. rutæ mi. ☩ opt. tbi. coq. in lagena stricti orificii s. a. *Calidus vapor (hiante ore, & naribus) excipiatur sæpius in die.*

Sulphur Antimonii. ℞ ♎ ☐, vel Absinth. ʒiv. in ♆bulo fusis injice cochleatim ♁ crud. ☿at. ʒi. fluere sinatur ad ⧖æ quadrantem, & effunde in vas æneum. Massa crocei coloris edulcetur crebris ablutionibus s. a. *Cist*

vomi-

vomitum. Dos. à gr. 5, ad 10, cum crem. ☐ri *purgat per secessum.*

Sulph. Antim. combustibile. ☿ solutum in menstruo idoneo in ▽am projice: collige ♃r, & ▽ calidâ ablue: vel (si videtur) per se ♎a s. a. *Dos. cum viribus eadem, ut supra.*

* *Sulphur Auratum.* fit è scoriis à Regulo ☿ii liberatis, in ▽ coctis & filtratis, ♎ando ♃ cum ✝, & abluendo. *Dos. gr. 5. ad 15. In aliis vomitum ante sudorem, in aliis sedem post sudorem, movet. mirè conducit febribus tertianis & quartanis horâ unâ ante paroxysmum. Pesti, variolis, &c. modò statim à concepto contagio, bis tèrve repetendo, sæpe prævenit, vel felicius erumpere facit. Lui* ♀ *reæ proficuum est.*

Sulphur Vitrioli. fit solvendo ⊕ in ▽ calidâ, guttatimque affundendo ☉m ☐ri, ut ♎etur ♃ ⊕li, qd edulcoratum exicca. *Confert affectibus pulmonum. Mundificat plagas putridas, cicatricesq. inducit. in Epilepsia, vertigine, & morbis chronicis valde utile. Dos. ad gr. 15.*

Sulphur Vitrioli Martiale. Ablue Fl. ✳ci Martiatos ab omni falsedine, & calcina s. a. *Idem facit cum superiori; & præterea obstructiones reserat. Dos. etiam eadem est.*

Sulphur Vitrioli Narcoticum. ℞ ⊕ p. ij. ☉

♂ p. i. Digere in ♆, ac ♑a in ∴ ad ſiccitatem. Ex ♁ rubra extrahe tincturam ope ♆i, filtra & ☵ta ☉o ☐ri. Tandem △ in fundo edulca & ſicca. *Ex hoc fiunt anodyna, Laudani nomine inſignita. Catarrhos ſiſtit, dolores aufert, &c. Doſ. gr. ij, ad vi, &c. hora ſomni.*

* *Suppoſitoria Aluminoſa.* ℞ ☽ ♃at. q. v. Albumin. ovor. agitat. q. s. ut fiat Paſta, & exinde ſuppoſitoria diverſæ magnitudinis & longitudinis, ſiccanda ad uſum. *Quarum aliquot oleo illitum indatur pro re natâ ad alvum ſollicitandam in variis caſibus. Inſignis uſus in Colica.*

* *Suppoſitorium Hæmorrhoidale*, ſ. ex creta & ung. Populn. ut ſ. ♁ dura ſ. a. *Refrigerat, ſanguinemq; ſiſtit hæmorrhoidum.*

Syr. Alleluiæ. ℞ Succ. Lujul. ℔iiſs. ℞oſ. rub. ℔ſs. ſacch. opt. ℔iſs. Digere in MB, dum fæces ſubſiderint, toties quoties.

Syrup. Ambroſianus. v. *Decoct. Ambroſ.*

Syr. Antiſcorbuticus. ℞ Fol. Pini rec. cochlear. marin. naſturt. aquat. becabung. ā p. æ. contuſa exprime ſuccos. ℞ Horum ℔iij. ſucc. Aurant, ℥vi. clarifica exactiſ. cum album. ovor. adde ſacch. opt. ℔ij. coq. ad conſiſt. Syr. ſ. a. *Cui refrigerato addi poſſunt Sp. cochlear. ℥ij.*

* *Syr.*

* *Syr. Balſamicus.* ℞ Balſam. de Tolu ʒij. ▽ Flor. tuſſilag. ʒxij. coq. in vitro circulatorio exactiſ. lutato in ☉. poſito per ♃ 3. colat. frigidæ admiſce ſacch. albiſ. ʒxx. ut f. Syr. ſine ope caloris. Eodem modo parari pt *Syr. Benzoini, de Styrace,* &c.

* *Syr. Benedictus.* ℞ Infuſ. Bened. ʒxij. ſacch. alb. ʒiv. exhala in MB. ad Syrupi conſiſt. f. a. *Doſ. coch. i, 2,* &c. *pro Infantibus.*

* *Syr. Cardiacus auratus.* ℞ Aq. chelidon. comp. ℔i. ſacch. opt. ℔ij. diſſolve ad lentum ♌ calorem, & adde ſucc. chermes, Syr. de Coral. comp. ā ʒij. Fol. Auri n° 20. m. ſ. a.

* *Syr. Chalybeatus.* ℞ ♁ ♂tis ʒij. ſolve in ▽ Gentian. comp. ʒi. adde Syr. de pomis alter. ʒix. m. f. a. *Doſ.* ʒſ, *ad* ʒiſs, &c.

* *Syr. Chalybeatus Alius.* ℞ Vin. Chalybeat. nr. comp. opt. filtrat. ℔ij. ſacch. opt. ℔i. exhala ad ♎. ad Syr. conſiſt. *Doſ. ut ſupra.*

* *Syr. Chalyb. Corallatus.* ℞ Raſ. ſantal. r. ʒiv. ſant. alb. cinam. corall. rub. ā ʒi. macer. (obſignato vaſe) in V. rubell. opt. ℔iſs. ad ♐ ♃ 24. f. colat. clara, cui adde ſacch. opt. ℔i. f. Syr. f. a. Tum adde ♁ ♂tis ad rubed. calcinat. (in ▽ cydon. ſolut.) ʒſs. m. *Valde adſtringit & roborat. In fluxibus omnibus (præſertim hepaticis) uſus eſt inſignis.* *Doſ.* ʒß, *ad* ʒi, &c.

* *Syr.*

* *Syr. de Croco.* ℞ Croc. Anglic. opt. ʒij. Lachrymar. ſtillantium ex capitibus Papaveris exotici ſupra laminam ferri ſiccat. & pul. ʒſs. Sp. ☉li gt. 30. ▽ citri totius ʒviij. Digere in MB. ut extrahatur Tinctura, quæ filtretur exactiſ. Tum ℞ Sacch. opt. ʒxviij. ▽ citri totius ʒvi. coq. deſpumando ad Syr. craſſioris conſiſt. cui adde Tincturam prædictam, ut ſ. Syr. conſiſt. debitæ ſint coctione. *Doſ.* ʒi, *ad* ʒiij. *& ultra.*

Syr. ad Fiſſuras. ℞ Gum. arabic. ʒij. ſacch. cryſtallin. ʒſs. ℞oſ. r. ʒij. coq. in Syrup. liquidiorem. *Remed. optatiſſ. in Fiſſuris mammarum.*

Syr. Hæmoptoïcus. ℞ Succor. heder. terr. plantag. agrimon. ſedi major. portulac. depuratorum, ad ℔ſs. Sacch. Roſat. duplum. ſ. Syr. ſ. a. *Doſ.* ʒij *cum* ▽ *Lactis* ʒvi. *ſingulis auroris, & eadem quantitas horâ ſomni cum* ▽ *Rhæad.* ʒiv.

* *Syr. Jovialis.* ℞ Limat. ♃is ʒvi. ☉is ʒij. infund. in ☿ont. ℔vi ♐ 48. Tum adde Tamariſc. mij. cort. rad. cappar. ʒiſs. uv. paſſar. ʒiv. aniſ. ʒi. coq. donec libræ 4 conſumptæ fuerint ſ. colat. adde ſacch. alb. ℔i. clarifica & coque ad Syr. conſiſt. *Doſ.* ʒi. *quotidie manè cum* ▽ *Lumbric. magiſtr.* ʒij. *Optimè valet ad Melancholiam hypochond. cachexiam, chloroſin, icterum,* &c.

* *Syr.*

* *Syr. Limacum.* ℞ Limac. hort. ante ortum ☉is collect. è teſtis ſuis exempt. & concid. ℔i. ſacch. cand. ſubt. ℥at. ℔ſs. m. & conjiciantur in manic. Hippoc. ut in cella defluant in Syrupum. Fieri & pt ex Limac. perforatis cum teſtis, & ſacch. cando. *Doſ. coch. i. ſing. horis, in Phthiſi, Tabe,* &c.

* *Syr. Lumbricorum.* ℞ Lumbric. terr. rec. opt. mundat. ℔i. Inde vitro orificii anguſtioris (benè operculo munito) & obvolvatur vitrum totum paſtâ ex Fl. tritici & ▽â factâ, coq. in clibano cum panibus Piſtoris. Poſtea coletur liquor, cui adde ſacch. opt. q. s. ut f. Syr. *Doſ.* ℥i. *cum chalybeatis,* &c.

* *Syr. de Myrrha.* ℞ Myrrh. opt. ʒv. croc. ʒiv. hyſſop. tuſſilag. ā miij. cap. ♀ mi. ſem. bombac. ℥i. uv. paſſ. exacin. ℥iij. coq. in V. alb. ℔ſs ad med. colat. adde ſacch. opt. ℥viij. coq. in Syr. conſiſt. f. a. *Pectoralis eſt, aſthmaticus, aperitivus, emmenagogus,* &c. *Doſ.* ʒi, *ad* ℥ij, &c.

Syr. Peponicus. ℞ Carn. Pepon. matur. & rec. ℔iiſs. inciſ. minutiſſ. adde ſacch. opt. ℥at. ℔i. f. S.S.S. in olla vitreata ; ſtet deſuper peponis carnem pondus i. vel 2. librarum (℥ aliquot) ut f. Syr. in loco frigido f. a. *Doſ. coch.* ʒ. *bis in die cum Pulv. Haly* ʒi, *in Phthiſi, tabe,* &c.

* *Syr.*

* *Syr. de Peto.* ℞ Succ. Peti Anglic. ℔4 oxym. simp. ℥4. Hydromel. ℔i. m. & digere ♁ 4. ut opt. defæcetur. Hinc decanta, iterumque digere ut suprà, donec materia ab omni fæculentia depurata fuerit: adde postea sacch. ℔ij. & coq. in Syr. s. a. *Dos. coch. ß ad ij. per plures dies, mira præstat in epilepsia, tussi, astmate, catarrho suffocativo, phthisi, ventriculi dolore, visu recuperando,* &c.

* *Syr. de Rapis.* ℞ Rapar. excort. in laminas ten. incis. ℔iij. sacchar. opt. ♃at. ℔i. f. S. S. S. in vase fictili. stent in frigido simul cum pondere superposito per ☿ 12 f. colat. *Lenit acrimoniam bilis ac asperitatem bronchiorum, asperæq; arteriæ.*

* *Syr. Sambucinus comp.* ℞ Bacc. sambuc. matur. à stipit. liberat. ℔ij. uvar. corinthiac. mundat. incis. ℔j. Fl. sicc. Borrag. Buglos. Viol. Ros. r. ā ℥ss. V. Rubelli ℔ij. coq. in clibano: colat. claræ adde sacch. opt. ā, & coq. in Syr. s. a. *Mieklethw. Alexipharmacus, Cardiacus, & uterinus est. Sudorem movet,* &c.

* *Syr. de Scammonio.* ℞ Diagryd. ʒvi. uv. passar. exacin. sacch. alb. ā ℥viij. Sp. V. ℔ij. coq. l. ⚠. adustulando ad consumpt. dimid. f. colat. pro Syr. cathartico. *Dos.* ℥ss, *ad* ℥iss.

Syr. *Sidereus.* ℞ Tincturæ Ferri (quam vide suo loco) exactis. filtrat. ℔ij. sacch. opt. ℔i.

℔i. exhala in M. ad consist. Syr. S. a. *Longè efficacior est quàm Syr. Chalybeat. in obstructionibus, &c. Dos. ʒij, ad ʒvi, &c.*

Syr. de Sulphure. ℞ Hepat. ♃ris ʒij. V. Hispan. ℔i. Digere ☉ 3, & V. tinctum filtra. Tum ℞ sacch. opt. ℔ij, ▽ Tussilag. ℔i. coq. despumando ad consist. crassiorem. Postea (Tincturâ prædictâ additâ) f. Syr. debitæ consist. f. a. *Insigniter confert ad Asthma, Tussim, Phthisin, Peste, &c. Dos. ʒʃs, ad ʒi, &c.*

Syr. Tolutanus magistralis. ℞ Bals. de Tolu, de Mecha, vel ejus defectu Capivi, styrac. calamit. Benz. opt. oliban. Mastich. Myrrh. Ammoniaci granulati, Taccamahac. gum. Elemi, Tereb. è Chio, Rad. irid. Florent. ā ʒiʃs. Aq. Bechicæ ℔iʃs, coq. in vase circulatori (opt. clauso) in ∴ calidâ posito ⅄ aliqt. colat. adde sacch. albiss. q. s. ut f. Syr. albissimus f. a. *Pectoralis est, Asthmaticus, Phthisicus, &c. Dos. ʒʃs ad ʒi, &c.*

Syr. Vermifugus. ℞ Fol. Helleborastri rec. ʒij. Hagiospermi ʒiʃs. Rad. bryon. rec. ʒʃs. Absinth. Roman. mii. coq. in Hydropeg. q. s. ad ℔i. colat. adde sacch. opt. ℔i. & coq. f. a. *Dos. cochl. i bis indies.*

T.

Tabulæ Absinthiacæ. ℞ Sacch. albiss. ℔i. Aq. Abs. q. s. coq. f. a. instillando ⊙ ſt Abs.

gt. 60; & effunde in marmor. *Stomachicæ, hepaticæ, splenereicæ, &c.*

* *Tab. Amydaloïdes.* ℞ Partium albar. Benz. opt. ʒi. Fl. ♃ ʒij. Rad. irid. Flor. ʒiſs. ſang. dracon. ʒi. ſacch. alb. ʒxij. mucilag. gum. Trag. in ℞ roſ. extract. q. f. f. Tabul. I. a. *In Aſthmate, Tuſſi, Phthiſi, &c. præſtantiſſimæ.*

* *Tabul. de Angelica.* ℞ Rad. Angelic. rec. ad mollitiem coct. & per ſetaceum traject. ʒiſs. ſacch. opt. ʒxij. mucilag. gum. tragac. q. s. f. Tab. albiſſimæ. *Bezoardicæ, cardiacæ, traumaticæ, emmenagogæ, &c.*

* *Tab. Antimoniales.* ℞ Ceruſ. ♁ij ex Regulo fact. ʒvi. ſacch. alb. ʒxij. cum mucilag. gum. Tragac. f. Tabellæ ſcrupulares ſ. a. v. *Vires Electuar. Albi.*

* *Tab. Antiſynanchicæ.* ℞ Fl. ♃ ʒi. cynocopri ſubt. ☿ar. ʒiij. ſang. dracon. ʒij. ol. Aniſi gt. vi. ſacch. albiſ. ʒviij. cum mucilag. tragac. q. s. f. Tabellæ. *In ulceribus oris, aphthis, &c.*

* *Tab. de Aurantiis.* ℞ Cort. extern. aurant. citri, limon. candefactor. ā ʒi. confect. Aniſ. & zz. ā ʒiij. galang. ℈ſs. caryoph. n° 12. nuc. m. condit. n° 2. Aromat. Roſat. ℈iv. Amygd. decort. Rad. eryng. candefact. ā ʒi. pinear. piſtach. ā n° x. moſch. zibet. ā gr. 4 Ambr.

Ambr. grif. ℈i. ſacchar. alb. ℔iſs. mucil. tragac. in ℞oſ. fact. q. ſ. ut f. Paſta, & exinde Tabulæ ſ. a. *Antiſcorbuticæ, Cardiacæ, Carminativæ*, &c.

* *Tab. Burgeſianæ.* ℞ Glyc. rec. ℔i. Decoct. paſſular. ſcabioſ. & Violar. ℔vi. Infund. per ☾ 3, & coq. ad dimid. f. expreſſio, quæ exhauletur ad mellaginem: cui adde ſacch. cand. alb. ℥at. ℨxij. gum. tragac. ℥at. ℨij. ol. Aniſ. gt. xx. Ambr. grif. gr. iij. contunde opt. ut f. ♌, ex qua formentur Tab. vel Rotulæ, ſ. a. *Bechicæ, Cardiacæ*, &c.

* *Tab. Cardialgicæ.* ℞ Cret. candid. ℨij. oc. 69 ℨi. nuc. m. ℨi. ſacch. albiſ. ℨxij. mucilag. ſem. cydon. q. ſ. ut f. Tabulæ. *Titulus demonſtrat vires.*

* *Tab. Carminativæ.* ℞ Sem. Dauci com. ℥at. ℨi. ſacch. opt. in Decoct. ſem. dauci com. ſolut. ℨxij. coq. & effunde ſ. a. Aliter. ℞ Sem. Cardamom. craſ. pul. ℨi. ſtaved. cornic. aurant. minutiſſ. inciſ. ℨiiſs. ſacch. opt. in ℞oſ. cum tertia parte ▽ Thymi ſolut. ℨvi. coq. & effund. ſ. a. *In ſtatu optimum Remedium.*

Tab. Cathartiæ. ℞ Diagryd. ℨiſs. crem. □ri, ℨvi. ol. ſt. caryoph. gt. vi. ſacch. albiſs. ℨiv. mucilag. gum. tragac. in ℞oſ. fact. q. ſ. a. Tabellæ ſ. a.

* *Tab. Dialthææ.* ℞ ℥ris Rad. alth. ʒij. glyc. ʒj. Fl. ♃ ʒvi. gum. tragac. ʒij. ſacch. opt. ʒxij. Aq. Pectoralis q. s. f. Tab. f. a.

* *Tab. Diambræ.* ℞ Spec. Diambr. ʒſs. ſacch. alb. ʒviij. Aq. cinnam. q. ſ. coq. ſ. a. *Cardiacæ, Cephalicæ, Stomachicæ, &c.*

* *Tab. Diatragacanthi.* ℞ Spec. Diatragac. frig. rec. fact. ʒſs. moſch. ambr. griſ. ā gr. j. zibeth. gr. 2. ſacch. opt. ʒxij. ℞oſ. Dam. q. ſ. contund. in ℳm. & f. Tab. albiſſimæ.

* *Tab. Divinæ.* ℞ Lact. Apyrothii ʒij. ſacch. alb. ʒvi. mucil. cydon. q. ſ. f. Tab. drachmales. *In hæmorrhoidibus curandis Arcanum eſt. Valent præterea in ſcabie, aſthmate, &c. Doſ. nº 3, vel 4. bis vel ter in die.*

* *Tab. Embryonum.* ℞ ℥rum Rad. biſtort. ebor. coral. r. coriandr. ppt. ā ʒſs. ſuccin. alb. cryſtall. Bacc. cherm. ā ʒij. ſacch. alb. ʒxvi. Aq. cydon. q. s. coq. f. a. addendo ol. cinnam. gt. vi, & effunde. *Virium ſunt magnarum in Abortu præcavendo, fœtu roborando, &c.*

Tab. Emeticæ. ℞ Stibii ſubtiliſs. ℥rat. ʒſs. Sacch. opt. ʒiv. ol. Aniſ. gut. v. mucilag. gum. tragacanth. q. s. f. Tabellæ. *Doſ. gr. 16, ad 40.*

Tab. Farfareæ. ℞ Fol. tuſſilag. ſereno cœlo collect. & (abſtersâ mucoſitate aridâ cum

cum linteo madido, irrigando demum Vino Hiſpan. & exſiccando) ℞ at ʒſs. glyc. ℞ at. ʒſs ſacch. cand. alb. ſubt. ℞ at. ʒxij gum. tragac. in Decoct. Pector. ſolut. q. ſ. f. Tab. vel Troch. ſ. a. *Pectorales ſunt efficaces in Tuſſi, &c.*

* *Tab. Fœniculinæ.* ℞ Sacch. opt. ℔i. ▽ Fœnicul. q. s. coq. ſ. a. inſtillando ⊙ ſtil. Fœnicul. gt. 50. effunde ſ. a. *Ad Flatum, Colicam, &c.*

* *Tab. Griſeæ.* ℞ Ambr. griſ. ʒi. moſch. gr. vi. ſtypter. gr. ij. ſacch. cand. alb. ℞ at. ʒxij. mucil. gum. tragac. in ▽ Menth. extract. q. s. f. Tabellæ. *Cerebrum & cor confortant, Spiritus naturales, vitales, ac animales mirificè reficiunt. Doſ.* ʒi, *ij*, &c. *ter vel quater in die.*

* *Tab. Hæmoptoïcæ.* ℞ ▽ Lemn. ʒiij. Æ ʒij. Lap. Hæmatit. Magiſt. eboris, ā ℥iv. Rad. biſtort. ſem. hyoſcyam. corr. limon. rec. minutiſ. inciſ. ā ʒi, ſem. papav. alb. ʒſs. Rhodoſacchar. ʒviij. mucilag. gum. tragac. q. s. f. Tabellæ. *Titulus virtutes indicat. ſumantur ſæpè in die.*

* *Tab. Helenii.* ℞ Pulp. Rad. enul. rec. coct. ʒiſs. ſacch. opt. ℔i. mucilag. gum. tragac. in Aq. Hyſſop. extract. q. s. f. Tab. *Ad Tuſſes, Aſthmata, &c. valde conducibiles.*

* *Tab. Infantum.* ℞ Reſin chelop. ʒi. Zinbach. dulc. ſubt. ☿at. ʒvi. ſacch. opt. ʒiij. mucil. gum. trag. q. ſ. f. Tab. pondere ʒſs. *comedantur manè* 2, 3, *vel* 4. *ad vermes.*

* *Tab. Lenthales.* ℞ Glyc. rec. ʒviij. aniſ. ʒiv. carui ʒi. ▽arum tuſſilag. Hyſſop. praſſii, ā ℔i. Infund. in MB. ♁ 3, ſ. expreſſ. fortis, quæ ad mellaginem exhaletur; addendo gum ceraſ. Arabic. ā ʒij. tragac. ʒſs, per ♁ 2 infuſ. in ▽roſ. Dam. ℔ſs. Tum adde ſacch. opt. ℔ij. moſch. ambr. griſ. ā gr. vi. ☿ris glyc. ʒſs. contunde opt. in ♁, & exinde f. Tab. vel Rotulæ, ſ. a. *Pectorales ſunt jucundæ.*

* *Tab. de Pipere.* ℞ Cinnam. ʒſs zz. ʒij. piper. n. ℈ij. calam. arom. mac. nuc. m. ā ℈ij. gr. v. cubeb. cardamom. min. ā gr. xv. caryoph. galang. flaved. cort. aurant. crud. rec. ā ʒſs. flaved. cort. citri crud. rec. ʒi. Incide omnia craſſo modo, & adde amygd. dulc. excort. ʒv. cort. citri condit. ʒi. ſacch. alb. in ▽ Menth. ſolut. ℔i. coq. & effunde ſ. a. *Cephalicæ, Stomachicæ, Carminativæ,* &c.

* *Tab. Prunellæ.* ℞ Lap. Prunell. ʒſs. ſacch. opt. ʒvi. mucil. tragac. q. s. f. Tab. *In ore ſæpe tenendæ ad ſitim in febribus.*

* *Tab. Roſaceæ.* ℞ Roſ. rub. exungul. ʒvi. gum. Arab. tragac. ā ʒſs. ſacch. opt. ʒxvi. ▽roſ.

Rof. q. s. ut f. pasta. Inde fiant Tab. vel Rotulæ, ſ. a. Addi pt Ol. nuc. m. gt. aliquot. *In Catarrhis, Tuſſibus inveteratis, &c. proficuæ.*

* *Tab. Saponaceæ.* ℞ Sapon. Ven. opt. ʒiſs. glyc. ʒij. Rad. irid. Fl. ʒvi. Fl. ♃ ʒſs. Rad. Angelic. ʒij. ol. Aniſ. ℈ſs. ſacch. opt. ʒviij. mucil. tragac. in Aq. Hyſſop. fact. q. s. f. Tab. vel Troch. ſ. a. *In Empyemate, Phthiſi, &c. optimè valent. expectorationem efficaciter promovent.*

Tab. Stomachicæ. v. *Pleres. Archonticon.*

* *Tab. de Styrace.* ℞ Styrac. cal. colat. polp. paſſul. min. ā ʒi. ☿ris glyc. ʒvi. xyloal. cinnam. ā ʒij. nuc. m. ʒj, ℈ij ℔, ʒx. nuc. moſch. condit. ſiccat. ʒiſs. ſacch. opt. ʒxx. muccag. trag. q. ſ. f. Tabellæ. *Catarrhales, Pectorales, Cordiales, & Tabidis mirè conducibiles.*

* *Tab. Tartareæ.* ℞ Cryſtal. ♀i ſubtiliſ. ☿at. ʒi. ſacch. opt. ʒviij. mucil. trag. q. ſ. f. Tabellæ, *frequenter in ore tenendæ urgente ſiti.*

* *Tab. Vermifugæ.* ℞ ☿ris c. c. crud. ebor. ā ʒiſs. corallin. ʒſs. ſacch. alb. ʒviij. mucil. tragac. q. s. f. Tab. ponderantes ſingulæ ʒſs. D. n° 3 *bis in die.*

Tartarum Aceti. v. *Sal Aceti eſſentiale.*

Tartarum Antimoniatum. ℞ Crem ☐ p. vi. Fl. ♁ij p. i. coq. in ▽, filtra & exhala ad ſiccitatem. *Ecphracticum eſt, diureticum, diaphoreticum, & febrifugum. Alvum laxat, cietq; vomitum. Doſ.* ℈*i*, ʒ*ſs*, &c.

Tartar. Chalybeatum. ℞ ☐ loti ℔i. & ʒij. coq. in ▽ ℔viij. per momentum 1 vel 2, Trajice citò per manic. Hip. agitando liquorem, donec refrigeratus ſit: dein reſideat ☽ in fundo viridiuſculus, & ſiccetur. Vel, ℞ Crem. ☐i ʒiv. ⊕li ♂tis. ʒij. coq. in ▽ aliquantum, filtra & ad ſiccit. evapora ſ. a. *Utiliſſimum in morbis chronicis, ſc. obſtructione lienis, Quartana, ictero, cachexia, hypochondriaca paſſione*, &c. *Doſ.* ℈*i*, *ad* ʒ*i.*

Tartar. Emeticum. ℞ Hepat. ♁ij, crem. ☐i, ā p. æ. m. ſ. ☽. Digere in ▽ Menthæ. filtra ac evapora ad ſiccitatem. *Multò leniùs ac tutiùs operatur quàm crocus metallorum. Doſ. gr.* ʒ. *ad xij.*

Tartar. Laxativum. ℞ Crem. ☐ ʒviij. ⊖☐ ʒiv. ▽ont. ℔iij. coq. ſ. △. per hor. ſs. poſt frigefact. filtra & exhala ad ſiccit. ut fiat Sal album. *Doſ.* ℈*ſs. ad* ℈*i*, &c.

Tart. Vitriolat. Antimoniale. fit addendo paulatim ☐ro ♁iato, ◎ ⊕li q s. ſiccando, in ▽ ſolvendo, filtrando & exhalando ad ſiccit. *Febrifugum eſt, ictericum, cachecticum,*

licum, & digestivum. Dos. gr. 15, *ad* ʒſs, &c.

Tart. Vitriolat. Emetico purgans. ℞ ⊖ □ fusi ʒviij. Vitr. ♁ij ʒi. probè misce in ♆bulo, effunde, ▽â solve, filtra, & in ∴æ calore exicca, paulatim instillando ⊙ ⊕li q. s. & siccando. *Vires easem obtinet cum priori. Purgat ἄνω καὶ κάτω. Dos. gr.* 3, *ad* 8, &c.

Terra Vitrioli dulcis. fit ex ☉o olei ⊕li ad rubed. calcinato, aliquoties ▽â edulcando, donec ▽ rubra ab omni salsedine libera sit. postea exicca. *Magnæ est efficaciæ in Dysenteriis, hæmorrhagiis,* &c. *Dos.* ℈ſs, *ad* ʒſs, &c.

**Testes Equi præpti.* E vivo equo eximantur, incidantur, Leucœno abluantur, exiccentur citò & ℔rentur. Eodem modo præparantur *Testes Apri.* Dos. ʒi pro vice bis in die. *In Epilepsia, Calculo, penis dolore, sterilitate, mictione purulenta,* &c. Testes equi *exhibentur in colica, utero strangulato, fœtu mortuo, lochiis suppressis, partu difficili,* &c. *Dos. ad* ʒi.

**Tinctura Absinthii.* ℞ Summit. Abs. vulg. siccat, à stipit. liberat. ℥v. contusis adde Pyrœni ʒxx. Digere in MB ad ☾ aliqt. exprime fortiter. in liquore infunde iterum

alias summit. abs. & exprime. Repet. opus ad tertiam Vicem. Dein filtra colaturam s. a. *D. gt. vi (plus minus) in haustu Vini, vel cerevisiæ.*

Tinctura Ambræ. v. *Sp. Ambræ.*

* *Tinctura Amygdaloïdes.* ℞ Partium albar Benz. Styrac. calam. ā ℥i. Pyrœni ℔i. Digere ad solutionem, filtra & exhala ad dimid. *Pectoralis est, catarrhalis, asthmatica, nervalis, sudorifica,* &c. *Dos. ʒij, ad vi,* &c.

* *Tinctura Antim. Emetica:* Extrahitur ex vitro ♁ij cum ✠, filtrando & exhalando ad siccitatem. Materiam in ▽ solutam, filtratam, iterumque ad siccitatem abstractam digere cum Sp. V. ad colorem rubicundum, ac filtra. Elici etiam pt Tinctura è scoriis Reguli ♁ij cum Sp. V. digestis & filtratis. Vel, extrahe Tincturam ex vitro ♁ij cum Sp. ♀ rectificato; effunde ac abstrahe in ⚔, non autem ad siccit. totalem: Tum extrahe Tincturam cum Sp. V. quam filtra & exhala ad conven. spissitudinem. *Dos. ad gt. x.*

Tinctura Antim. purgans. ℞ Vitr. ♁ij ☽at. ℥i. Sp. ⊕ non-rectificat. ℥viij. Digere in M. Sic fit Tinctura nigropunicea *Panchymagogum Censetur in omnibus morbis curandis. fortificat ventriculum, obstructiones aperit,*

convenit

convenit chlorosi, cachexiæ, &c. Dos. à gt. 6, ad 10.

Tinctura Armoniaci. ℞ ✻ ℔ij. ♂ ℔i. m. opt. simul terendo, & ☽a per ☌ per gradus. Serva per se Sp. ✻ci. ♂tem in fundo hærentem ☿a, & frequenter ▽â affusâ edulcora. Postea adjectis Sp.V. ℔ij. digere tepidè ☉ 8: effunde Sptum, & novum affunde & digere per ☉ 8. Dein abstrahe in MB. Sp.V. ℔ij, ut una libra Tincturæ superfit. *Egregiè præstat in omnibus obstructionibus hepatis & lienis. Item in Melancholia hypochond. quartana, cachexia, hydrope, morbo virgineo, scorbuto, mensibus, superfluiis & retentis. Dos. gut. vi. ad xij, in liquor. conven.*

Tinctura Asæ fœtidæ. ℞ As. fœtid. ʒij. Alcoh. V. ℔i. extrahe Tincturam & filtra. *Uterina est, traumatica, & splenetia. Dos. ʒi; ad ʒij. &c. in liquore conveniente.*

Tinctura Asthmatica. ℞ Rad. Helen. irid. Florent. sem. anis. carui, glyc. ā ʒij. Fol. cardui ben. mij. uv. pass. exacin. ℔i, Fol. Senæ mundat. ʒvi. ▽ Anisi, ℔vi. Digere ☉4, & s. colat. *D. coch. 2 h. somni, 3 vel 4 manè seq.*

Tinctura Aurea. ℞ Pulp. colocynth. á semin. liberat. concis. & cras. ☿at. ʒiis. caryoph. nº vi. anis. ʒi. croc. ℈s. Sp. V.

ʒxx.

℥xx. Digere ad menſem, & filtra. *Doſ.* ʒij *ad* ℥iſs.

Tinctura Bezoartica. ℞ Rad. enul. angel. zed. ſerpentar. Virg. ā ℥iſs. croc. opt. ℥i. myrrh. cinam. cort. citri ſicc. ā ʒvi. Fol. ſcord. rutæ, ā mſs. Theriac. Androm. ℥iij. opii Thebaic. ʒij. Sp. ☿i rectif. ℥xv. Sp. ☉li ℥iij. Sp. Bacc. ſambuc. & Sp. Bacc. Junip. rectif. ā ℥xviij. Digere ſ. a. ac filtra. Tum adde ♎ ſuccini ʒi. camphor. ʒij. Digere iterum ad uſum. *Doſ.* ʒiij. *ad* ʒi. &c. *in Peſte. morbiſq; omnibus malignis. Spiritus inſigniter recreat,* &c.

* *Tinctura Cardamomi.* ℞ Sem. cardamom. min. excort. & contuſ. ℥4. Alcoh. V. ℥xvi. Digere, exprime, ac filtra ſ. a. *Flatus potenter diſcutit, & cerebrum confortat. Doſ.* ʒi, *ad* ʒiij, &c. *in vehiculo idoneo.*

* *Tinctura Carui.* ſ. è Sem. & Alcoh. V. omninò ut *Cardamomi. Idem facit cum priori.*

* *Tinctura Cathartica Ridglei.* ℞ Senæ opt. ʒi. caryoph. ʒiſs. croc. ʒi. V. Hiſpan. chalybeat. ℔iſs. Infunde ☿ aliqt. exprime ac filtra. *Doſ. coch.* 2, 3, 4. *quotidie ad longum tempus, in febribus obſtinatis,* &c.

* *Tinctura Ceruſſæ.* ℞ Ceruſſ. Ven. ℔at. ʒiv. camphor. ℥ſs. ☉ ☿ p. d. ℥iij. ♆ ℥xvi. macer. in frig. filtra. *In cutis fœditatibus, inflammationibus, ambuſtis,* &c. *uſus eſt.*

* *Tinctura*

* *Tinctura Chamæmeli.* Extrah. ex Flor. ſiccis, & Pyrœno, uti *Abſinthii. Idem præſtat cum Tinct. carui.*

* *Tinctura Cochleariæ comp.* ℞ ♂ mund. ʒiv. Salv. rubræ, agrimon. ā miij. cochlear. marin. fol. ſelectiſſ. ℔ij. cochlear. hort. miij. abſ. com. roriſm. ā mij. Rad. raphan. ruſtic. ʒiv. Incide minutiſ. & adde V. alb. & V. Cherienſ. ā ℔iv. Infund. per ☉ 3, & f. colat. *Doſ. ad* ʒ4 *bis indies per* ☉ 20, 30, 40. *Ex deplorato hydrope cum ſcorbuto curati fuerunt multi præter ſpem; aliis plurimis fruſtra tentatis.*

Tinctura Corallii. Solve corall. r. in Sp. Panis, filtra & evapora: exinde Tincturam extrahe cum Sp. V. filtra & exhala ad debitam conſiſt. ſ. a. *Cardiaca, diuretica, vermifuga,* &c. *Doſ. gut.* 30, 40, &c. *in liquore appropriato.*

* *Tinctura Ferri.* ℞ Batituræ Ferri mundat. ʒvi. Abſinth. Rom. mi. raſ. eboris, ſantal. alb. ā ʒiſs. V. Rubelli ℔ij. macer. ♃ 48. f. colat. quæ filtretur. *Longè efficacior habetur, quàm Vinum chalybeatum in omnibus obſtructionibus,* &c. *Doſ. coch.* 2, *ad* 5, &c. *omni manè per longum tempus.*

* *Tinctura Guajaci.* ℞ Cort. guajac. ♃at. ℔i. Ambr. griſ. gr. xv. ſem. aniſ. glyc. ā ʒi.

Sp.

Sp. V. ℔iv. Digere & cola ad uſum. *Sudorem provocat. Optimè conducit in Lu* ♀ *rea curanda. Odontalgica eſt, pulmonica, & Catarrhalis. Doſ. ʒvi. ad ʒiſs.* &c.

Tinctura Galbaneti. Extrah. ex Galbaneto *Senn.* cum duplo Tincturæ de ♁e ♃ri, circulando, ac poſtea ſeparando Oleum à Tinctura ſ. a. *Hyſterica eſt, paralytica, ſcorbutica, emmenagoga,* &c. *Doſ. gut.* 10, 20, 30 &c.

Tinctura Hæmatitæ. Elicitur ope Spts V. ex Lap. Hæmatit. cum ✳ ♎ato. *Uſus in hæmorrhagiis omnibus ſiſtendis. Doſ.* ʒi, ii, &c.

* *Tinctura Hieræ.* ℞ Spec. Hier. ſimp. ʒi. coccinel. ℈i. V. Cherienſ. ℔iiſs. m. & digere ſæpe agitando ad ♁ aliqt. deinde filtra ad uſum. *Datur in ventriculi dolore, cachexia, ructu, vermibus necandis,* &c. *Ante paroxyſmum Tertianæ, nec-non Quartanæ exhibita ſæpe curat poſt tertiam vicem. Doſ.* ʒij, *ad iv.*

* *Tinctura Juniperi.* fit ex Rob. de Baccis ʒi. Sp. de Baccis fermentatis ℔i, digeſtis & filtratis ſ. a. *D. coch.* 2. *ter in die. In hydrope, calculo, calica,* &c. *ſingulare remedium.*

Tinctura Lunæ. v. *Luna potabilis.*

Tinctura Martis. Extrah. ex Flor. ✳ci ♂tiatis ope Alcoh. V. ſ. a. *Eaſdem vires obtinet, quas Tinctura Armoniaci.*

Tinc-

Tinctura Martis Aurea. ℞ Croc. ♂ ʒi. Sp. ☉ ʒiv. Infund. ☾ 2, ſæpe agitando: dein adde pyrœni ʒiv. Digere tepidè ☾ 3 vel 4. filtra, & erit Tinct. coloris aurei. *D. ad gut.* 20.

Tinctura Martis Tartariſata. ℞ ♀ alb. Tat. ℔ij. ♂ rubiginat. ℔i. m. & coq. in vaſe ferreo in Font. cong. ij. per ⧖ 12, agitando ſubinde ſpatulâ ferreâ, & addendo pro re natâ plus ▽æ bullientis. Poſt reſident. debitam filtra liquorem, & exhala ad ſpiſſitudinem convènientem ſ. a. *Doſ.* ʒi, *ad* ʒiij, &c.

**Tinctura Melampodii.* ℞ Rad. melampod. ʒiſs. calam. arom. ʒij. galang. ʒſs. croc. ʒiſs. cardamom. min. ʒij. V. Hiſpan. ℔iv. macer. (vaſe clauſo) ⧖ 20 in loco tepido: poſtea in frigido ☾ 4, 5, 6. f. expreſ. & filtra. *Doſ. cochl.* 2. *h. ſomni, &* ʒ *manè, ad* ☾ *aliqt. Uſus eſt inſignis in capitis intemperie, cephalalgia, melancholia, aſthmate,* &c.

* *Tinctura Meliſſæ.* ℞ V. Rubelli cong. ij. meliſſ. rec. mviij. ℔a in MB. ad ſiccit. ▽æ ℔atæ adde Fol. meliſ. parùm ſiccat. mviij. ℔a per ✕ ℔iv. in Recipientem lagenam Foliis meliſſ. recentiſ. & ſelectiſ. integris repletam. Poſtea colar. admiſce ſacch. opt. ʒix. ſuſpendendo in nodulo Ambr. griſ. gr. v. moſch. gr. 1. *Inſigniter Cardiaca eſt.*

* *Tinctura Mellis.* ℞ Mell. opt. ℔ij. ∴æ

mund.

mund. siccat. ℔iij. Sp. V. ℔ij. Digere tepidè, filtra, & in MB. evapora ad Syr. consist. *Exhibetur phthisicis pro nutrimento. Dos. coch. 2 vel 3 pro vice.*

Tinctura Myrrhæ. ℞ Aloës opt. myrrh. ā ℥i. Alc. V. ℔i. Digere & filtra. *Vulneraria est insignis, astringit, consolidat, exterget, putredinem arcet, & gangrænam præcavet.*

Tinctura Oculor. Cancrorum. ℞ Oc. 69 ♋at. ℥iv. ✠ opt. ℥xvi. extrah. Tinct. & filtra. *D. coch. 2 ter in die, ad ulcera, &c. curanda.* K. D. E. A.

Tinctura Odontalgica. ℞ Guajac. ℥ij. pyrethr. ℥i. malicor. gallar. sem. hyoscyam. staphidisagr. ā ℥ss. caryoph. zz. piper. l. oliban. ā ʒij. opii, camphor. ā ʒi. peti Indici, salv. mentastr. ā ℈ij. Sp. V. ℔iij. macer. & f. colat. *Tantillum de hac calidè in ore teneatur, postea iterum expuatur, & reiteretur, v. Mynsicht.*

* *Tinctura Paralytica.* ℞ ♋ris Cantharid. ℥ij. Ammeos ʒvi. pyrœn. ℔iss. extrahe tincturam, quam cola. *Pro membris paralyticis fricandis.*

Tinctura Perlarum. fit omninò ut *Corallii.*

* *Tinctura Piperis.* f. ex Pipere n. & Alc. V. uti *Cardamomi. vires habet piperis.*

Tinctura Potentialis. v. *Tinct. Paralytica.*

Tinctura

Tinctura Proprietatis. ℞ Aloës opt. myrrh. elect. ā ʒvi. croc. opt. ℥ss. in ☿rem redactis adde ol. ♁ri. p. d. ℥ij. Digere (vase clauso) ☿24. dein adde Alcohol V. ℥xvi. Digere ac filtra s. a. *Easdem vires obtinet quas Elix. Propriet. dulce.*

Tinctura Regalis. (i. e.) *Spir. Ambræ.*

* *Tinctura Rhabarbari.* ℞ Rhab. opt. glyc. ā ℥ij. uv. pass. enucleat. nº 60. anis. ℥i. sacch. cand. ℥vi. Sp. V. ℔ij. Digere s. a. f. colat. *D. coch. 2, 3, 4. manè. In ventriculi cruciatibus, &c. mira præstat.*

Tinctura Rhœados. v. *Sp. Rhœad. crap.*

* *Tinctura Rosarum.* ℞ Fl. Ros. r. exungul. ℥ss. ol. ⊕ gt. 30. ⊽ont. calentis ℔iiss. macer. ad ☿ 3. colat. claræ adde sacch. cand. alb. ℥iij. *In febribus refrigerativa, hepatiq; confortativa. Coctionem juvat. Diarrhœis, Mensium fluxibus,* &c. *succurrit. Dos. ℥ij. ad iv.*

Tinctura Sacra. v. *Tinct. Hieræ.*

Tinctura Salutis. v. *Elix. Salutis.*

* *Tinctura Sassafras.* ℞ Cort. sassafr. ℥iv. salv. sicc. ℥ij. nuc. m. ℥i. cinam. ℥ss. Ambr. gris. ℈ss. extrahe tincturam cum Sp. V. ℔ij. s. a. *Dos. coch. ij. Lenit arthritidem vagam.*

Tinctura Saturni. ℞ ♄ni laminat. q. v. extrahe tincturam cum Sp. ♄ni essentificato. filtra ac abstrahe s. a. *Apprimè conducit maniæ,*

niæ, melancholiæ, quartanæ, phthiſi, &c. *Doſ. gut. i, ad 5,* &c.

* *Tinctura Scorbutica.* ℞ Fol. cochlear. naſturt. aquat. ā mi. Rad. raphan. ruſtic. ℥ij. Rhab. ℥ſs. polypod. qu. ℥iſs. Senæ ℥i. Sp. V. ℔ij. Infund. ☾ 2, & f. colat. *Doſ.* ℥i, *vel ij. omni manè cum* ▽ *à cochleariæ. Mirum eſt quantum levaminis affert hydropicis ac ſcorbuticis.*

* *Tinctura Serpylli.* ſ. ex Herba, floreſc. ſicc. & Pyræno, eodem modo quo *Abſinthii. Diuretica, hyſterica, ſtomachica,* &c. *Doſ. gut. 5, ad 15,* &c.

* *Tinctura Stomachica.* ℞ Spec. Hier. ſimp. ℥i. coccinel. ʒi. Sp. V. ℔ij. Digere ac filtra ſ. a. *D. coch. 1, 2, 3. ante paſtum, in ſtomachi cruditatibus aut dolore. Si exhibetur ad* ℥iij *hora dimid. ante parox. per* 3 *vel* 4 *vices efficaciſſimè curat Tertianam: interdum & Quartanam.*

* *Tinctura Succini.* ℞ Succin. alb. ſubt. ℥at. ℥iv. Alc. V. ℔i. Digere ad ſolutionem ſuccini. Decanta, filtra, & 3tiam partem abſtrahe in MB. *Cephalica eſt, hyſterica, colica. nervalis,* &c. *Doſ.* ʒi, *ad* ʒij, &c.

Tinctura Sulphuris. ℞ Hepat. ♃ris ℥ij. Sp. V. ℔i. Digere ac filtra. Extrahi etiam poſſe Spts. V. ex Balſ. ♃ris terebinthinato in

MB.

MB. ad ſiccit. cocto. *Valde pectoralis. Doſ. ad gt. xij.*

Tinctura Veneris. Extrah. ope Sp. V. ex Fl. ⊕is p. i, ✳ci p. ij, in ✠bulo ſupra △em mixta ſ. a. *Præſtantiſſima habetur in Epilepſia, paſſione hyſterica, &c. cum liquor. conven. exhibita.*

* *Tinctura Virginiana.* ℞ Rad. Serpentar. Virg. ♉at. ℥ij. Tinct. ⊖is ♀ri ℥xvi. extrahe Tincturam per digeſt. ſ. a. *Alexiteria, cardiaca, ſudorifica, ſcorbutica, &c. Doſ. ʒi. ad iij, &c.*

* *Torquis Infantum.* fit ex Rad. pæon. mar. & hyoſcyam. recent. in fruſtula rotunda ſectis, in medio perforatis, filoque ſeriatim appenſis: qui ſindone circumvolutus, circa collum geſtetur Dentitionis tempore. *Dentitionem facilitat, & convulſiones præcavet.*

* *Tragæa Granor. Actes.* ℞ Succ. Bacc. ſambuc. matur. q. v. farin. ſecalin q. ſ. ut f. paſta: exinde f. panes exigui, quos coque in clibano ad duritiem Biſcocti. Hos pulveratos cum rec. ſucco iterum impaſta, atque (ut priùs) coque, idque tertiò repete. Tandem f. Pulv. ſubt. cujus ſing. unciis adde nuc. m. ʒi. *Doſ. ad ʒi cum vitello ovi, ad dyſenteriam, menſes immoderatos, &c.*

* *Trochiſci Pectorales.* ℞ Extract. glyc. ℥ſs.

ʒfs. amyli ʒiſs. moſch. zibeth. ā gr. iij. aniſ. gt. xij. ſacch. alb. ʒxij. mucil, gum. tr. gac. q. f. f. Troch. *Titulus vires indicat.*

* *Turundæ Acouſticæ.* ℞ Galb. pic. naval. ā ʒij. helleb. alb. ♃at ♆v. zibet. gr. vi. m. divid. in part. 8, vel 10, formâ inſtar caryophyllorum, findone rariſſ. involvendus, filo ad extremitates majores appenſo, ut ex aure. avelli pt. *In ſurditate optimum Remed.*

V.

* *Vinum Arthriticum.* ℞ Sarſaparill. guajac. ā ʒi. Viſc. querc. ʒvi. Fol. ficc. chamædr. chamæpit. ſalv. ā ʒiij. Fl. primul. veris, roriſm. lil. conval. ā ʒſs. hyperic. ʒvi. V. alb. ℔x. infund. ♁ ʒ. f. colat. *D.* ʒij. *bis in die per* ♁ ʒo *aut* 4o, *poſt uſum Vini ſeq.*

* *Vinum Arthriticum purgans.* ℞ Chin. ſarpar. ā ʒij. polypod. ʒiij. rhab. Senæ, ā ʒi. chelop. ʒvi. caryoph. ʒi. V. alb. ℔vi. Infund. ſ. a. & cola. *D.* ʒiv. *quotidie per* ♁ 8, *Ver & Autumno.*

* *Vinum Chalybeatum.* ℞ ♂ crud. ʒviij. Rad. eryng. enul. ā ʒiſs. ſantal. citr. ʒi. coral. rub. raſ. ebor. ā ʒvi. caryoph. mac. cinam. ā ʒiij. ceterach, anth. Fl. geniſt. epithym. ā p. ij. Leucœn. opt. ℔vi. macer. in Mb. ♁ 8, ſæpe

sæpe agitando, post residentiam filtra ad u-sum. *Dos. coch.* 3 *ad* 6, &c. *omni mane ad dies* 20, 30, &c. *in Chlorosi, hydrope, ictero, mensibus obstructis, quartanis*, &c.

* *Vinum Ecphracticum.* ℞ Lumbric. terr. vivent. circulis rubris in collo signatos n° 24. contund. in mortar. marmor. cum uv. co-rinth. mund. ℥iv. addendo V. Rhen. ℔iij. cry-stal. mineral. (in V. Rhen. solut.) ℥ss. f. co-lat. limpidiss. sæpe trajiciendo per manic. Hip. *D.* ℥iij. *ter in die cum Aq. cinnam. hord.* ℥j. *Diureticum est nobile.*

Vinum Hippocraticum. ℞ Caryoph. zz. ā ʒj. cinam. nuc. m. ā ʒij. contusis adde Vin. Hispan. ℔xij. sacch. albiss. ℔iiiss. m. cum la-ctis rec. ℔iiss. stent ♃ 24. f. colat. desuper limon. i. incis. & roriſm. virgultas duas, sæ-pe per manic. Hip. trajiciendo ad claritatem. *Dos.* ℥iij. *vel iv. in languoribus.*

Vinum Hydropicum. ℞ Rad. irid. nostrat. ʒj. enul scillæ præp. ā ʒss. marrub. mi. cort. rad. sambuc. ebul. ā ʒi. Fol. senæ, ʒiss. agaric. ʒij. zz. ʒi. vin. alb. ℔iv, infunde s. a. f. colat. *Aliter.* ℞ Ɛrum genistæ & juniper. ā ʒi. Vin. Rhen. ℔iij. f. lixivium, cui adde Rad. ireos nostrat. ʒiss. cort. intern. sambuc. & ebuli, ā ʒi. cort. dulcamar. ʒss. rhab. ʒij. me-choac. ʒss. Senæ, ʒi. sem. carui, ʒvi. cort.

sassafr.

saſſafr. & Winteran. ā ℥iv. infunde tepidè per noctem: colat. adde ſacch. alb. ℥iv. fl. rof. Dant. miſ. ſtent aliquantiſper, & denuò colā. *Doſ.* ʒiij. &c. *omni manè per dies aliquot.*

**Vinum Scelotyrbicum.* ℞ Fol. acetoſ. becabung. naſturt. aquat. cochlear. hort. ā miſ. Rad. epul. ireos noſtrat. raphan. ruſtic. ā ℥ſs. ſem. cochlear. ʒi. V. alb. ℔iv. macer. per ☌ 2, & f. colat. *Titulus monſtrat vires.*

**Vinum Vipertinum.* ℞ Viperas ſæmellas vivas tempore verno collectas n° vi. V. Hiſpan. opt. ℔vi. macer. (vaſe opt. clauſo) ſine calore per menſes 6. dein cola ad uſum. Sunt, qui macerant viperas excoriatas (rejectis interaneis, cauda ac capite) in V. Hiſpanic. per ☌ aliqt. *In Lepra Græcorum, Elephantiaſi, ſterilitate, Peſte,* &c. *Doſ.* ʒiij *vel* ℥ij *in die, ad longum tempus.*

Vitriolum Camphoratum. ℞ ♁ calcin. ℥vi. Camphor. in Spir. Vini ſolut. ʒi. m. & lento △e Spiritum indè abſtrahe ſ. a.

Vitriolum Lunæ. fit ex ☾ in Sp. ☉i ſolut. coagulando & cryſtalliſando ſ. a. Dicitur & *Cryſtallum Lunare, & Magiſt. Lunæ.* *Doſ.* gr. 2, *ad* 6, &c. *In hydrope, capitis morbis, Epilepſia, hemicrania,* &c. *proficuum. Leniter purgat, & nonnunquam vomitum ciet. Ex hoc fieri ſolent cum micâ panis mixto Pil. Lunares.*

**Vi-*

* *Vitriolum Martis.* ℞ Alcoh. V. ℥iv. ⊙ ⊕ li. ℥ij. serva simul in vase ferreo ad ♁ 15. vel ad siccitatem. *Dos. gr. 2, ad vi,* &c. *in obstructionibus.*

Vitriolum Veneris. v. *Flores Viridis æris.*

* *Unguent. Albuminum,* fit miscendo exactis. ⊙ Ros. ℥ij cum Album. ovor. ℥iv, s. a. *Ad ambusta, inflammationes,* &c. *optimum remedium.*

* *Unguent. Antipyreticum.* ℞ Chenocopri rec. ⊙ oliv. ā ℥iv. ung. Dialth. ⊙ Ros. ā ℥i. ▽ nivis ℥viij. coq. l. △. s. a. colat. adde camph. ʒi. m. *Valet opt. in ambustis,* &c.

* *Unguent. de Aurantiis.* ℞ Poma aurantia rec. sed immatura & viridentia in pulpam cum cortic. contusa n° vi. Fol. lauri miv. salv. acetos. calend. ā mij. succi nasturt. aquat. ℔ij. Butyr. rec. ℔ij. coq. ad succor. consumpt. f. expres. fortis; cui adde recentia folia lauri, & salviæ contusa, cinnam. ℥i. nuc. m. ℥ss. coq. iterum ad herbarum putrilag. & f. expressio. *In Scabie, pruritu,* &c. *insigne.*

* *Unguent. de Betonica aquatica.* ℞ Fol. beton. aquat. acetos. ā mvi. contusis adde Butyr. rec. ℔ij. coq. ad herbar. siccit. f. expressio Repet. coctio ter foliis rec. colat. adde ♃ viv. subt. ☿ at. ℥iiss. ⊙ stil. cort. aurant. ʒi. m. f. Ung. s. a. *In pruritu, Scabie,* &c.

* *Unguent.*

⊙ * *Unguent. Cephalalgicum.* ℞ Ung. Alabastrin. Rosat. ā ℥ij. opii ʒi. croc. ʒss. ol. nuc. m. ʒi. m. f. Ung. *Pro temporibus ac fronte inungendis.*

Unguent. Crinificum. ℞ Labdan. ʒvi. Ax. ung. ursin. ℥ij. mell. crud. ℥ss. ♉ris Abrotani ʒiij. Ter. Rad. arundin. ʒiss. ⊙ nuc. m. ʒi. Bals. Peruan. ʒiij. m.

Unguent. Depilatorium. ℞ ♆ ℥iv. ⚭ ℥iss. Rad. irid. Fl. ℥i. ⦶, 🜍, ā ℥ss. Lixiv. fortiss. ℔ij. coq. ad consist. debitam: adde ⊙ caryoph. gt. xx. m. f. ung. seu Pulmentum.

* *Unguent. Digitalis.* ℞ Butyr. Maial. ℔iij. Flor. Digitalis rec. contus. quot infarciri pt. Insolentur ♁ 30. deinde coq. s. a. & f. expressio. *Pro locis affectis scrophulosis inungendis. Nil æquale.*

* *Unguent. Faciale.* ℞ Camph. Apyroth. ā ʒij. Pomat. ℥ij. Diasinap. fortis. colat. ℥i. ol. Rhodii gt. 4. m. f. Ung. *Ad faciei ruborem curandum, præmissis universalibus.*

* *Unguent. Familiare.* ℞ Butyr. Maial. ℥vij. ceræ, resin. ā ℥4. mell. crud. ʒx. aleuri ʒvi. m. f. a. *Calfacit, humectat, laxat, emollit, discutit, absterget, lenet, concoquit & digerit. usus est familiaris in paronychiis, ac pernionibus subitò curandis. Ulceribus pedum scorbuticis mirè auxiliatur.*

* Un-

* *Unguent. ad Fissuras.* ℞ Myrrh. zz. lithargyri ☽æ, ā ℥j. mell. ℥iv. ceræ, ℥ij. ⓑ Rosat. ℥vi. m. s.a. Pro ditioribus addi pt, ⊙ Rhodii, gr. xij. Fol. Auri nº x. *aliter.* ℞ ℞, myrrh. cerus. ā ʒij. cum Axung. anatis q.s. f. ung. *citò curat.*

* *Unguent. ad Foveas.* ℞ ⊙ Amygdal. dulc. ℥ij. Sperm. ceti ʒiij. ⊙ stil. Rhodii gr. iv. m. f. unguent. s. a. *Ad foveas Variolarum delendas præstantissimum est ungentum. Dolorem lenit, acrimoniam tollit,* &c.

Unguent. Fuscum. ℞ Colcothar. & Phlegm. ⊕ li. ā ℥i. Aceti chelidoniati ʒiss. Flor. ⊕ ʒv. v. mell. despum. ʒiij. f. Ung. s. a. *Mundificativum optimum in vulneribus & ulceribus*

* *Unguent. Hæmorrhoidale.* ℞ Butyr. Maial. rec. ℔iij. Flo. Sambuc. & genist. rec. qu. infarciri pt contusos. Insolentur per mensem. Dein agitentur, & sub ▽ â defossâ simul putrescant per mensem. Postea coq. s. a. & f. expressio. *aliter.* ℞ ☽ris suberis combusti ʒi. camph. ℈ij. opii, gr. vi. Ung. Populn. ʒiss. m. *pro loco affecto.*

* *Unguent. Herpeticum.* ℞ ♆, ○-○, ā ʒi. ♀, ⊖is. nig. sapon. com. ā ʒij. ⊙ Sambucin. q.s. ut f. Unguent. s.a. *Inunge locum peroptimè, maneat desuper* ⧖ 24: *superveniet crusta, removenda Ungent. albo.*

* *Unguent. ad Lumbricos.* ℞ Fol. abſinth. vulg. menth. tanacet. rutæ, porri, jugland. ā mij. ſabinæ, miv. helleboraſtri, mvi. contunde probè cum Sem. Santon. ʒij. Rad. bryon. rec. ʒiv. colocynth. aloës, ā ʒij. Fellis Taurin. ℔i. Butyr. rec. inſulſ. ℔v. V. alb. ℔ij. coq. l. △. ad Vini & ſuccor. conſumpt. f. expreſſio.

Unguent. Ophthalmicum. ℞ Butyr. Maial. ʒiv. cere alb. ʒi. lique & lava ſæpius cum Aq. Roſ. dein (effusâ aquâ) adde Lap. Tutiæ præp. ʒſs. camph. ℈ij. m. f. ung.

* *Unguent. Paregoricum.* ℞ Ceræ, ʒvi. tereb. ʒiv. Mell. ʒiij. Aleuri, ʒiſs. ☉ Roſat. Unguent. Hæmorrhoidal. ā ʒiv. Liqueſcant ſ. a. ut f. Unguent. *Ad Perniones curandos egregium.*

* *Unguent. Piperinum.* ℞ ☿ris Enul. Fl. △, ā ʒij. piper. n. ʒiſs. ung. Roſat. ʒxvi. ol. Rhodii. ℈ij. m. f. unguent. *Ad Scabiem, Pruritum,* &c. *Elegantiſſimum.*

* *Unguent. Soleare.* ℞ Rad. allii contuſ. ʒiv. Axung. ʒviij. coq. ad ſucci conſumpt. f. expreſſio: adde croc. ☿at. ʒi. Sp. ⊖. ℈ij. m. f. Unguent. *Pro plantis Infantum inungendis, ad tuſſim,* &c.

Unguent. Sympatheticum. ℞ Ol. Roſar. ℔ ā ʒi. ol. Lini ʒij. Axung. humanæ, Uſnea cranii hominis interempti ☿rat. ā ʒij. Mumiæ.

miæ. Sanguin. human. ā ℥ss. f. Ung. ſ. a. *Unguento hoc ſanantur vnnia vulnera, ungendo telum, quo vulnus inflictum fuit quotidie ſemel, ſi vulnus ſit magnum; alioquin 2do vel tertio quoq; die inunxiſſe ſufficit. Telum ſervatur in linteolo mundo, & loco non nimis calido, nè damnum inferatur Patienti.*

* *Unguent. Viritritaris.* ℞ Anaphromel. ⊙ nuc. m. per expreſs. ā ℥ss. pyreth. piper. n. cubeb. ā ℈ss. zibet. ℈i. moſch. ℈ss. Balſ. Peruvian. ℥iv. f. s. a.

Vomitorium Aluminis. v. *Serum Aluminatum.*

Vuæ paſſæ & corinth. purgantes. v. *Paſſulæ Laxat.*

Finis Pharmacop. Bataanæ.

Arcana Goddardiana: Ex autographo Autoris *Jonathanis Goddardi*, M. D. Celeberrimi Collegii Medicorum *Londinensium* nuper Socii, Atq; in Collegio Greshamensi *Medicinæ* Prælectoris, desumpta.

Aqua Absinthii comp.

℞ Cort. extern. rec. limon. ℔ss. aurant. ℔i. Summit. absinth. sicc. cort. Winteran. ā ℔ss. Flo. chamæmel. ℥iv. Cardamom. min. in capsulis, caryoph. cubebar. schoenanth. ā ʒi, cinnamom. nuc. m. Sem. carui, ā ʒij. Sp. Vini., cong. iss. Aq. font. (vel Aq. Absinth. 2 dâ ex aquâ fœcibus affus. ℔lat) cong. ivss. Infund. per 3 dies, & dein ℔la in MB, ad siccitatem.

Aqua Alexiteria.

℞ Bacc. Junip. ℔iij. zed. myrrh. sem. angel. ā ʒix. Dictamn. Cret. Rad. serpentar. Virg. ā ʒvi. croc. ʒiss. Sp. Vini, cong. iiss. Aq. Proalexit. cong. 4ss. Infund. calidè per dies 3, dien ℔la in MB, ad siccitat. alexiter. 2 dâ ex fæcibus cum aqua simp. & postea Aq. Alexiter. part. æq. admisc.

Aquâ Chamæmeli comp.

℞ Summit. Absinth. ʒviij. Fl. chamæmel.

N. M.

N. M. ā ℔i. Sp. v. cong. i. Aq. simp. cong. vi. Infund. per dies 3, & ℞la in MB ad siccitatem.

Aqua Cochleariæ comp.

℞ Cochlear. hort. modios iij, vel ℔xxx. Rad. raphan. rustic. in teleolas ten. incis. ℔vi. Aq. simp. cong. iij. Infund. calidè per hor. 24. & ℞la ad extract. cong. iij. Aquæ.

Aqua Cordialis.

℞ Cort. ext. rec. limon. ℥iv. aurant. ℥iij. cinnam. ℥ij. nuc. m. macis, calam. arom. coriand. ā ℥i. cubeb. ʒvi. caryoph. Sem. carui. cardamom. in capsulis, ā ℥ss. croc. ʒj. Sp. v. ℔vi. Aq. font. ℔xij. Infund. ac ℞la. s. a.

Aqua Lenitiva.

℞ Ficuum, Rad. Alth. ā ℔ij. glyc. irid. Flor. ā ℔i. Fl. sambuc. sicc. ℥iij. Infund. in Aq. font. cong. v. & adde styrac. cal. ℥iij. nuc. m. iij. Sem. anis. fœnic. d. a. ʒss. in Sp. V. ℔vi. infusorum. Ol. Amygd. amar. ʒvi. Diger. & ℞la in Alemb. s. a.

Aqua Pectoralis.

℞ Ficuum ℔vi. Rad. enul. glyc. ā ℔iij. irid. Flor. ℔iss. Sem. anis. fœnic. d. ā ℥i. Sp. V. cong. iiss. Aquæ Propectoralis. (vel Aq. s. & postea Aq. Propector. æq. part. admiscend.) cong. ivss. Infund. calidè per dies iij. & dein ℞la ad siccitatem.

Aqua Pectoralis.

℞ Botryos, tussilag. heder. terr. ā ℔vi. marrubii, puleg. hyssop. roriſmar. ā ℔iij. Aq. f. cong. xij. Infund. calidè per dies iij, & dein ℞lentur in Alemb. ſ. a.

Aqua Prolexiteria.

℞ Jugland. virid. ℔xxv, vel n° 400. Rad. rec. Petaſit. ℔xij. Imperator. ℔iv. Valerian. Helen. Flor. rec. calendul. Herb. rec. ſcord. meliſ. centaur. min. ā ℔vi. abſinth. rutæ ā ℔iſs. Aq. ſimp. cong. xviij. Infund. calidè per dies iij. & dein ℞lentur in Alemb. cum roſtro ſpirali ad omnimodam virium extractionem, cavendo ab empyreumate.

Aq. cong. xij, minimùm, } Prodeant.
cong. xv, plurimùm, }

Balſam. magis-comp.

℞ Balſ. de Tolu, Capiv. myrrh. croc. nuc. m. a. ℥ij. maſtich. guajac. ammoniac. taccam. caran. ā ℥ij. tereb. è Chio ℥ſs. ceræ flav. ℥j. Ol. Hyper. ℥vi. Aq. Roſ. r. ℥ix. Liquetur primò cera cum Ol. dein addantur Tinctur. & exhaletur Sp. Vini, tandem adde Aq. Roſ. quæ poſt refrigerationem, pertuſo foramine, liquefiat & in aliud vas commodum effundatur, & uſui ſervetur.

Balſam. minùs-comp.

℞ Tereb. è Chio ℥ij. Ol. Hyper. ℥iv. ceræ

flav. ʒvi. Aq. Ros. r. ʒvi. f. Bals. eodem modo quo superius.

Electuar. Antepidemicum.

℞ Rad. contrayerv. ʒiij. Valerian. Imperator. zedoar. ā ʒiss. Sem. angel. excort. dictamn. Cret. myrrh. ā ʒi. Rad. serpentar. Virg. ʒss. croc. ʒiij. opii, ʒij. (vel ut ʒi. continet gr. ij. opii,) Pulp. Bacc. junip. vino. Hispan. extract. ʒxij. Vin. Hispan. q. s. ad solvend. myrrh. & opium. Syr. Antepidemic. q. s. f. Electuar.

Empl. de Minio comp.

℞ Minii ℔ss. ol. oliv. ℔i. coq. ad nigred. continentur agitando, adde colophon. ℔ss. Fit etiam cum Ol. Lini.

Empl. de Minio comp. aliud.

℞ Minii ʒiij. ol. oliv. ʒvi. coctis adde cinnabar. ʒi. m.

Extract. Catarrhale.

Fit ex Tincturis ad Extr. Panchymag. conficiend. eadem proportione, commistis, quibus addit. Tinct. Opii ea proportione, ut ʒss. contin. Opii gr. i.

Extract. Hypnotic. seu Laudan.

℞ Opii, p. x. nuc. m. croc. ā p. ij. castor. p. i. Extr. cum Sp. Vini, s. a.

Extract. Lenitivum.

℞ Aloës, Jalap. ā ʒvi. rhabarb. sennæ, ā

ʒxij. extrah. Tinctur. cum Sp. V. rectif. quibus admiſceantur centaur. min. gentian. abſinth. myrrh. Fl. Chamæm. ammoniac. nuc. m. croc. ā. ʒij. caſtor. ʒi. aſæ fœtid. ʒſs. extrah. ad debit. extracti conſiſtentiam.

Extract. Panchymagogum.

℞ Aloës, Jalap. ā ʒvi. rhab. ſenæ, a ʒxij. Scammon. ʒi. helleb. n. turpeth. ā ʒiij. extrah. Tinctur. cum Sp. V. reſtif. quibus adde gentian. centaur. min. abſinth. myrrh. Fl. chamæmel. ammoniac. nuc. m. croci, ā ʒiij. caſtor. ʒiſs. aſæ fœtid. ʒvi. extrah. ad debit. conſiſt. fiat.

Infuſio Aperiens.

℞ Fl. ſambuc. Summit. geniſt. ā p. iij. centaur. min. p. ij. Summit. abſinth. vulg. Fl. chamæmel. ā p. i. Aq. Puleg. Hyſſop. Menth. Raphan. comp. ā ʒiv. Infund. calidè per hor. iij. colat. addè Tinct. croci ʒſs. Syr. de ſucco Aurant. ʒiſs. m. *Doſ. cochl. vi. bis in die.*

Julap. Aperiens minùs comp.

℞ Aq. Cinnam. Abſinth. magis comp. Cochlear. comp. Syr. de Ammoniac. ā. ℔ſs. Aq. Amygd. amar. ℔x. m. & addit. Sal. Martis ʒvi. in. Aq. Flor. Sambuc. triplo pondere ſolut. per reſidentiam clarificetur.

Julap. Aperiens magis comp.

Superioribus addantur Abſinth. Fl. chamæm. ā ʒx. nuc. m. croc. ā ʒvi. caſtor. ʒſs.

Laudan. v. Extr. Hyposticum.

Laudan. liquid. v. Tinctur. Opii.

Spts Simplices. v. Aq. Rutæ cum Sp. Vini.

Spir. Salis Armoniaci.

℞ Solutionis Sal. Armon. Solutionis Tart. cum Nitro calcinat. ā p. æ. in Aq. Simp. Miſceantur. & dlentur in B M, in vaſe vitreis vel ſtanneis.

Spir. Raphan. comp.

℞ Sal. Armon. Tart. cum nitro calcinat. āp. æ. ſolvantur in Aq. Abſinth. comp. ſine Sp. V. dlat. & Aq. Cochlear. comp. ā p. æ. miſceantur ſolutiones & dlentur in B. M in vaſ. vitreis vel ſtanneis.

Syrup. Antepidemicus.

℞ Rad. rec. Petaſit. ℔i. Fol. rec. Scord. ℥vi. Rutæ, ℥ij. Infund. per triduum in Succ. Jugland. virid. ℔iv, adhibito leni calore: colat. per reſident. claræ adde Sacch. albiſ. pondus duplum. F. ſyrup.

Syrup. Guajaci comp.

℞ Guajac ℥iv. nuc. m. ʒſs. ſaſſafr. ℥ij. Sacch. alb. ℔iv. in Aq. Guajac. ℔ij ſolut. coq. leniter ad deſpumationem.

Syr. Hypnotic. Pectoralis.

℞ Sacch. alb. ℔iv. Aq. Fl. Aurant. ℥vi. Aq. Ros. Dam. ℥viij. liquentur in Syrup. cui adde nuc. m. croc. ā ʒij. Laudan. liquid. q. s. ut Syrupi ℥i opii puri gr. i. contineat. misceantur & coq. leniter ad despumationem. *Aliter*, cum Aq. Fl. Sambuci, & Ros. Dam. ā ℔i, addit. castor. ʒi.

Syr. Martis.

℞ Sal. Martis (in Aq. Amygd. amar. ℥ij solut.) ℥i. adde Syr. Fl. Sambuc. ℔vi. misceantur, adde gum. ammoniac. ʒvi. Summit. absinth. Fl. chæmæm. cinnam. nuc. m. croc. ā ʒiij. castor. ʒiſs. coq. leniter ad despumationem.

Syr. Pectoralis Balsamicus.

℞ Myrrh. benz. styrac. taccamah. mastich. ammoniac. tereb. è Chio. olib. gum. elem. Balſ. de Tolu, capiv. ā ʒij croc. ʒſs. glyc. ʒvi. Aq. Pector. ℔iv. Sacch. albiſ. ℔viij. Quibus in Aq. ſolutis addantur reliqua, permiſceantur, & coq. leniter ad deſpumationem.

Syr. Hypnotic. Balſamicus.

Fit cum additione Laudan. liq. ea quant. ut Syrupi prædict. ℥i contineat Opii gr. i.

Syr. Terebinthinæ comp.

℞ Tereb. ʒxiij. mastic. ʒi. nuc. m. ʒſs. Syr. Rosat. ℔vi. m. & coq. leniter ad deſpumationem.

Tinctura

Tinctura Amara comp.

℞ Centaur. min. ℥v. gentian. ℥iv. Fl. chamæm. ℥iij. absinth. ℥ij. extrah. cum Sptu Vini.

Tinctura Cordialis.

Paratur ex Aq. Cordiali succo granor. Kermes saturè imprægnatâ.

Tinctura Opii, seu Laudan. liq.

℞ Nuc. m. croc. ā p. ij. castor. p. i. Sp. V. q. s. dlentur. Spts tenuior sufficit, ideòq; possunt duæ vel tres partes Aq. f. ad unam Spts pro menstruo addi. Spts qui impregnetur opio in eo soluto, ut saturè fieri potest.

Unguent. Hæmorrhoidale.

℞ Ol. Ros. ℥iss. Emp. de Minio ʒi. ceræ alb. ℥ss. liquatis adde Æthiop. mineral. ʒij. opii, ℥ss. croc. nuc. m. Fl. chamæmel. ā ʒi. Syr. Rosat. ʒi. Leni calore exhaletur humiditas, & misce f. a.

Aquæ Destillatæ Simplices.

Aq. Amygal. amar.	Aq. Pulmonar. Querc.
Bellid. major.	Rosar. Dam.
Euphragiæ.	Rosar. rubr.
Pæon. ex toto.	Sambuc. Flor.
Papav. errat.	

Aquæ

Aquæ dlatæ cum Sptu Vini, seu Spir. Simplices.

Aq. Anisi.
Asæ fœtidæ.
Aurant. cort.
Cinnamomi.
Fœnic. dulc.
Guajaci.
Junip. Bacc.
Lavend. Flor.
Limon. Cortic.
Menthæ.
Nucis mosch.
Opii.
Papav. errat.
Papav. alb.
Papav. nigr.
Rutæ.
Sassafras.
Succini.

Tincturæ cum Spirit. propriis, vel Sptu Vini paratæ.

Tinct. Absinthii.
Amata simp. i. Absinthii.
Ambræ grisææ.
Ammoniaci.
Angelic. Sem.
Antiemetica. i. Menthæ.
Antepileptica. i. Lavend. Flor.
Anticolica. i. Junip. Bacc.
Anti-hydropica. i. Jalapii.
Antimelancholica. i Ellebor. utriusq;
Antiscorbutica. i. Winterani.
Asæ fœtidæ.
Aurant. cortic.
Balsam. Capivii.
Balsam. Tolutani.
Benzoini.

Calc.

Tinct. Calefaciens. i. Caryophyllor.
Calida major. i. Cardamomi.
Calida minor. i. Cubebarum.
Carannæ.
Cardamomi.
Cardiaca. i. Croci.
Cardiaca reſtring. i. Cinnamomi.
Caryophyllorum.
Caſtorei.
Cephalica. i. Salviæ.
Cephalic. Cordial. i. Nucis moſchatæ.
Chamæmeli Flor.
Chinæ.
Cinnamomi.
Cœleſtis. i. Angelic. Sem.
Contra Iliacam. i. Chamemæl. Flor.
Contrayerva.
Cordial. Antepidem. i. Contrayerva.
Corroborans. i. Limon. cort.
Croci.
Cubebaram.
Ellebori utriuſq;
Exonerans. i. Scammon.
Febrifuga. i. Schœnanthi.
Galbani.
Gambogiæ.
Glycyrrhizæ.
Gratiſſima. i. Thymi citrini.
Guajaci.

Tinct. Guajaci.
Hypnotica. i. Opii.
Jalapii.
Juniperi Bacc.
Lavendul. Flor.
Limon. cort.
Mastiches.
Menthæ.
Moschi.
Myrrhæ.
Nucis moschatæ.
Nutritiva. i. Chinæ.
Olibani.
Opii.
Papav. errat.
Pectoralis. i. Glycyrrhizæ.
Peruviana.
Quartanaria. i. Peruviana.
Rhab. Absinthit. fit cum Aq. Abs. comp.
Rubra. i. Papav. errat.
Rutæ.
Salviæ.
Salv. Absinthit. fit cum Aq. Abs. comp.
Scammonii.
Schœnanthi.
Sennæ Absinthit. extrah. cum Aq. Abs. comp.

Serpen-

Tinct. Serpentar. Virgin.
Stomach. Cordial. i. Aurant. cort.
Styracis.
Succini.
Sudorifica. i. Serpentar. Virg.
Sudorif. min. i. Valerianæ.
Taccamahaccæ.
Terebinth. è Chio.
Thymi citrini.
Valerianæ.
Winterani.

Syrupi Simplices,

Quorum alii ex Tincturis parantur, alii ex Aquis dlatis, cum Saccharo, f. a.

Syr. Ammoniaci.
Anti-hydropicus. i. Jalapii.
Asæ Fœtidæ.
Aurant. ex Aq. Flor. p. i. Sacch. opt. p. ij.
Balsamic. min. i. Capivii, vel. de Tolu.
Benzoini.
Capivii.
Carannæ.
Contemperans. i. Mastiches.
Exonerans. i. Scammonii.
Fœtidus. i. Asæ fœtidæ.

Galbani.

Syr. Galbani.
Hystericus. i. Galbani.
Jalapii.
Jovis i. Ammoniaci.
Mastiches.
Myrrhæ.
Olibani.
Odorat. min. i. Benz. & Styracis.
Pectoral. simp, fit ex Aq. Pector. Flor. Sambuc. Ros. Dam. & Saccharo s. a.
Rosar. Dam. ex Aq. dlat. } p. i. Sacch. opt.
Rosar. rub. ex Aq. dlat. } p. ij.
Ros. odorat. fit, addendo mosch. & Ambr. gris.
Sambuc. Flor. ex. Aq. dlat. p. i. Sacch. opt. p. ij.
Sapientum. i. Myrrhæ.
Scammonii.
Styracis.
ad Tussim. i. Olbani.
Uterinus. i. Carannæ.

F I N I S.

Orthotonia Medicorum

OBSERVATA

In quibusdam Dictionibus,

Apud Pharmacopœos plerósque

(Vel ex ignorantiâ, vel merâ consuetudine)

Malè pronunciari solitis.

Carmina quæ interferuntur excerpta sunt è *Borrichio* & *Ricciolio*, quos videas citantes hâc in re Authores approbatos.

A.

Abbātis Diarrhŏdon.
Abiĕtis lignum.
Athillēa herb.
Aconītum.
Adōnis flos.
Ælurŏpus. herb.
Æthiŏpis. herb.
Alabastrĭnum ung.
Alectorolŏphus.
Alcĕa. herb.
Alcŏhol Vini.
Alœphangĭnæ Pil.
Alȳpum. herb.
Amarăcus. herb.
Ambărum.
Amōmi Sem.
Amygdalĭnum ol.
Anacardīna nux.
Anagȳris. herb.
Anātis. axungia.
Androsăce. herb.
Anemōne. herb.
Anethĭnum oleum.
Anīme gum.
Anodȳnum Ung.
Anthĕra Rosarum.
Anthŏræ Radix.
Antirrhĭnum. herb.
Apozĕma. -τομα.
Apozȳnum. herb.

Arbŭtus

Arbūtus.
Ardĕa. Avis.
Arēgon. ung. ἠγόν.
Arisărum. herb.
Aristolochīa.
Armĕna Bolus.
Armeniăca mala.
Asbestĭnum linum.
Aspalăthum lignum.
Asphodĕlus. herb.
Athanasĭa. herb.
Attăgen, avis.

Nomina *ad Abbatem* Siculum transmittit, & ille Solus *Achillēo* tollere more potest.
Semper *Adoni*, mei———
Æthiopum populus nigum traxisse colorem.
Agaricūmq; asarumq; potens, aloën, *Aconītum*
Τῶν ἄλλων οἴνων μετ' ἀμύμονα χῖον ἄλυπον.
Idaliæ locos ubi mollis *Amaracus* illum.
O Dea, & *Ambareos* mundus respirat odores.
Pinguescat nimio madidus mihi crinis *Amomo*.
Fertur *Amygdalinæ* succus nucis esse bibendus.
Per cæcas latebras *Anagyris* mittit, & acri.
Latipedêmq; *Anatem* cernens excedere pontum.
———Valorum super hæc Anemone.
Dulce satis humor, depulsis *Arbutus* hœdis.
Urbis & ipsa suis deplangitur *Ardea* pennis.
Herba puerperii vel *Aristolochia* secatur.
Daphnis & *Armenias* curru subjungere tigres.
Aspalathum, gallum, elleborum, nigrumq; bitumen.
Radix *Asphodeli* calefactat———
Non *Attagen* Ionicus. *Iambic.*

B.

Bacchăris. herb.
Balanĭum ol.
Balsamĭne. herb.
Barbarĕa. herb.
Bardāna.
Benzoĭnum.
Bombācis sem.
Bombycĭna lana.
Buniās—ādis. Rad.
Byssĭnum linum.

Errantes

Errantes hederas passim cum *Bacchare* tellus.
Balsamines folium committit glutine vulnus.
Nunc furtiva lucri fieri *Bombycina* possunt.
Bunias & rapum decorantur viribus iisdem.
Τοῦτον καὶ γλυκερῆς σπέρματα Βουνιάδος.
Vina, unguenta, leves tunicas, & *Byssina* Vela.

C.

Camphŏra. καμφορά.
Cancămum gum.
Cannabĭnum oleum.
Canthări, insecta.
Caphūra. καφουρά.
Capparĭnum oleum.
Capreŏlus, animal.
Carbasĭnum linum.
Cardamĭne. herb.
Carlīna. herb.
Caryĭnum oleum.
Caryocostĭnum.
Castor-ŏris.
Cathĕter. στήρ instrum.
Caucălis. herb.
Centaurĭum herb.
Calcītis. χαλκῖτις.
Chamæmelĭnum ol.
Chamæmŏrus.
Chamæpĭtys.
Chebūlæ myrob.
Cheirĭnum oleum.
Cholagōga potio.
Chrysoliobus.
Chrysoprăsus, lapis.
Chrysomelĭnum ol.
Cinăræ radix.
Cinnabăris.
Citrĭna cera.
Clemătis daphnoĭdes.
Clystēres—ῆρες.
Coccĭna vestis.
Colchĭcum, herb.
Colcōthar.
Colutĕa, τέα. herb.
Corallĭna.
Corallĭnum Arcanum.
Coronŏpus, Rad.
Costĭnum oleum.
Cotylēdon, herb.
Crataeogŏnon—γονον.
Crocĭnum oleum.
Crystallĭnum sacchar.
Cumīnum. Cymīnum.
Curcūma. κύρκουμα.
Cuscūta. Calsūtha.
Cyani. flores.
Cyclămen—īnis. Rad.
Cynorrhŏdi cons.
Cynosbăti cons.

Cypĕri

Cypēri Rad. | Cyrĭni flores.
Cyprĭnus lapis.

Cannabinas nutrit sylvas, quam commodo nostro.
Carbasinum, ac spatiis geminata monilia colli.
Castoreas siliquas bis sex perquirere cura.
Καυκαλίδας, σὺν δ' αἰθὰ βάλοις φιμωδέα μύρτα.
Abrotanique graves & tristia *Centauria*.
Cadmia, *Chalciti*, chalcantho, chalco & adusto.
Ardua *Morus* erat gelido contermina fonti.
Artemidisq; *Chamæpityósque*, atq; achrados herbæ.
Per juga *Chrysolithi*, positæq; ex ordine gemmæ.
Chrysophraso, & sidus saxis stellantibus addit.
Hispida ponatur *Cināra*, & quæ dulcis Jaccho.
Ἄλλοτε κληματίεσσαν ἐν ὄξει ῥύπτεο τέφρην.
Coccina famosæ donas, & Janthina Mœchæ.
Et posuere inter virgulta *Corallina* cippos.
Porrò *Coronopodis* radix astringit & aret.
Friget & abstergit *Cotyledon* atq; resolvit.
Et *Crocino* nares myrrhinus ungat onyx.
Sic Aretinæ violant *Chrystallina* testæ.
Ordine subprimo *Cuscuta* calescit & aret.
Transeat instabiles strenua *Cyaneas*.
Cyperum, ladanum, sagapenúmq; & tragacanthum.

D.

Daphnĭnum oleum.
Diacrocūma.
Dianŭcum.
Diaphanicum.
Diaphorēsis. *ησις*.
Diarrhŏdon Abbātis.
Diospȳros. herb.
Diphrȳges.
Dropax-ăcis.
Dryoptĕris. *εὐς*.

Corpore

Corpore de patrio parvum *Phœnica* renasci.
At *Diphryges* valde desiccat——
Psilothro faciemq; lavas, & *Dropace* calvam.

E.

Ebēnum lignum.
Empyēma. ημα.
Enĕma. εμα.
Epilīnum herb.
Epūlis. ἐπουλίς.
Eranthĕmum. θεμον.
Erīca. herb.
Errhīnum.
Erythrodănum.
Exostōsis ωσις.

Fert *Ebenum* : Solis est thurea virga Sabæis.
Calfacit & siccat, seu clamat amaror, *Erica.*
Ἀμβροσίην ὑπὸ ῥῖνα ἑκάστῳ θῆκε φέρουσα.

F.

Fagīnus.
Febrifūga potio.
Figulīnum Vas.
Formīca.

Post varic niteus sub pondere *Faginus axis.*
Parvula nam exemplo est magni *Formica* laboris.

G.

Gagātes.
Glaucīnus color.
Glottĭdes, aves.
Gratiŏla. herb.

Nascitur in Lycia lapis, & propè gemma *Gagates*
Pallida donabit, *Glaucina*, Cosme, tibi.

H.

Halīmus. herb.
Hedychrŏi Troch.
Hedysārum herb.
Heliochrȳson. herb.
Helleborīne. herb.
Herba Parĭdis.
Hierobotāne. herb.
Hippolĭthus lapis.
Hippopotāmi dens.
Hippūris. ἵππουρις.
Hormīnum.
Hydragōgus. ωγός.

Hype

Hypecōnum. herb. | *Hyperīcum.*

Μάγματος Ἡδυχρόου τοσσὸν ἐφελκομένον.

Horminum siccat mediocriter atq; calescit.

Οὐρείην Ὑπέρεικον, ὀθ' ὑσσώπου ὀροδάμνους.

I.

Jacĕa herb.
Janthĭnus color.
Jasmĭnum oleum.
Illecĕbra, herb.
Intŭbus, *Intŭbum*.
Irīnum oleum.
Isātis herb.
Jujūbæ.
Jujubĭnus Syr.
Juniperĭnum ol.

Coccina famosæ donas & *Janthina* mœchæ.
Illecebris erat, & gratâ novitate morandus.
Intuba, jam teneris frondens lactucula fibris.
Nectit *Isatis* agrum, vel florea regna Priapi.

L.

Labdānnum. *Ladānum*.
Lagōpus. herb.
Lampsăna. herb.
Lapis Armĕnus.
Lapis Lazūli.
Lathyris. herb.
Laurĭnum Ung.
Lentiscĭnum lign.
Leucöĭum.
Leucöĭnum. *ol*.
Leucogrăphis. herb.
Libanōtis. ωτίς.
Lithanthrăces.
Lumbrīci.

Cyperum, *Ladanū* sagapenúmq; & tragacanthum.
Si mens auritâ pendet *Lagopede* Flaccus.
Aut herbæ succum, *Lathyris* quæ nomine fertur.
Καὶ ῥόδον, ἠδ' ἴα λεπτὸν ἀεὶ σπερμοῖον ἀέξει.
——— Λιθάνθρακας αἰθομένοιο.
Lumbrici quoque terrestres miscentur olivo.

M.

Macropĭper.
Malabăthrum.
Martăgon. herb.
Mastiche.
Mastichĭnæ Pil.
Melĭa terra.
Melicrătum.
Melĭnum oleum.
Melŏnum sem.
Melopĕpo. πέπον.
Melopepŏnis sem.
Miclĕta. ἔτα.
Mumĭa.
Myosōtis. ὠτὶς.
Myrrhĭnum ol.
Myrtĭnum ol.

Mastichis addentur fractæ jam molliæ farra.
Rugarum sulcos lentisci *Mastiche* tendens.

N.

Narcissĭnum ol.
Nardĭnum oleum.
Nenūphar.
Nenupharĭnum ol.
Nepĕta. herb.
Nervĭnum Ung.

Sive apio *Nepetas* tereti cum Mastiche junges.

O.

Ocȳmum, ocĭmum.
Oesȳpus.
Omphacĭnum ol.
Onobrȳchis. herb.
Opălus, lapis.
Ophioscorŏdon. herb.
Opthalmĭa. morb.
Ornithogălon. herb.
Opopănax-acis.
Origănum.
Osȳris. herb.
Oxălis-ĭdis.
Oxycrătum.
Oxyrrhodĭnum.

Ocyma præterea, bulbive linuntur amari.
Oesypa quid redolent, quamvis mittantur Athenis.
Βοβρύχως, κόνιος ———
Expirant autem *Panaces*, absinthia tetra.
Cúmque hoc absumi debebit *Origanus* herba.

Sistráq;

Sistráq; erant, nunquámq; satis quæsitus Osyris.
Ἄρκτιον, Ὀξαλίδας τε καὶ ὁρμονόεντα λύκαψον.

P.

Pampĭni folia.
Papaverĭnum ol.
Parŭlis. morb. ουλις.
Pepŏnis Sem. ὀνος.
Perdicis Fel.
Periclymĕnum, herb.
Periplŏca. herb. οκα.
Petroselīnum.
Peucedănum.
Phellodrys. ὀδρυς.
Philanthrōpus. ωπος.
Phyllītis. herb.
Platănus, arbor.
Piperĭnum ol.
Polygāla. herb.
Polygonătum.
Polygŏnum. herb.
Polytrīchum.
Pomphŏlyx. ȳgos.
Potamogīton. εἴτων.
Prasīnus color.
Priāpus.
Propŏlis—εος.
Psilōthrum.
Ptisăna.
Pylōrus. πυλωρός.
Pyrĕthrum. εθρον.

Heu malè tum mites defendat *Pampinus* uvas.
Lepra elephantiasis, cancer, gangræna, *Parulis*.
Seu fel *Perdicis* parili cum pondere mellis.
Φύλλα τε κισσήεντα Περικλυμένοιο φέρουσα.
Peucedanúmq; sonat flammis, Erycináq; thapsos.
Jamq; ministrantem *Platanum* potantibus umbram.
Ἤλασε τοῦ δ' αὐτοῦ λύτο γούνατα, καὶ φίλον ἦτορ.
Hellespontiaci servet tutela *Priapi*.
Psilothro nitet aut acidâ nitet oblita cretâ.
Frumentum, milium, *Ptisanamq*; fabámq; solebas.

R.

Raphănus.
Resīna.
Ricinus. com.
Rubrīca. ochra.

Semine vel *Raphani* permisto dulcia melle.

Resinā,

Resinā, Veneto nec resecare luto.
Sanguine seu *Ricini*, quem bos gestaverit ante.
Calfacit & siccat bina sub classe *Ricinus*.
Excepto siquid Masuri *Rubrica* notavit.

S.

Sambucīnus Syr.
Sampsūchum.
Sampsuchīnum ol.
Sandarăcha.
Sandȳcis emp.
Sanguisūgæ.
Santalīnum cerat.
Sapphirīna Aqua.
Sardŏnyx. ὄνυξ.
Saxifrāga.
Scariŏla.
Schœnop ăson.
Securidăca. herb.
Scordīum.
Serapīnum gum.
Sesamīnum ol.
Sesămum.
Sinapīnum oleum.
Sisări Radix.
Smilax-ăcis.
Sophĭa chirurgorum.
Storax ăcis.
Strobīlus.
Strobilīna resina.
Styrăcis Pil.
Styracīnum ol.
Sycomōrus arbor.

Nataq; jam veniant hilari Sampsūcha canopo.
Galbana, *Sandaracham*, Sampsuchum,———
Interdum Libico fucantur *Sandyce* pennæ.
Marte satos scires, timor abfuit ubera *Sugunt*.
Cunctæ *Saxifragæ* desiccant atq; calescunt.
Σκόρδιον, καὶ κεῖνον ὀπὸν μίσγηο θυώδη.
Sesamon at levitur calet: occluditq; meatus.
Ductor cujus erat præfectus *Sisara* turmis.
Et crocon in parvo, versum cum *Smilace* flores.
Cum tibi sit *Sophiæ* par fama & cura Deorum.

Aut *Styracem* torres, aut diri vulturis alam.
Non *Storace* Idæo flagrantes picta capillos.

T.

Taraxăcum.	*Tribulus* aquat.
Tetănus morb.	Trichomănes.
Thalassína vestis.	Tripŏlis. τρίπολις.
Tragopōgon. ώγων.	Tryphĕra. --ερά.

Hinc tussis, spasmus, *Tetanus*, dyspnœa, catarrhus.
Auro includuntur, teriturq; *Thalassina* vestis.
Semina jacta legunt, lolium, *Tribulusq*; fatigant.

V.

Vagīna.	Umbilīcus
Venétus sapo.	*Vomīca morb.*
Vernix--īcis.	Urăchus.
Veronīca.	Urēter--ēris.
Vesīca.	Urēthra. -ηθρα.
Vicia.	Usnĕa.

Vagina tectus, quem cur distringere coner.
De prasino conviva meus, *Venetóq*; loquetur.
Calfacit & siccat *Veronīca*, fugatq; tumores.
Nam, displosa sonat quantum *Vesica*, pepedi.
Aut tenues fœtus *Viciæ*, tristesq; lupini.
Et phthisis, & *Vomicæ* putres, dimidium crus.

Z.

Zeopȳrum.	*Zizȳpha.* Jujūbæ.
Zibēthum.	*Zythogăla.*

Πυρὸν ἐρεπτομένους παρὰ πύελον ἦχε πάρος περ.
Ἦν δ' ἐπιθρομβωθῇ νεαλὲς Γάλα τεύχεϊ γαστρός.

Non

Non fuerit hîc forſan ſupervacaneum, Regulis duabus generalibus, quam plurimis, in pronunciandis dictionibus, difficultatibus mederi.

Regula prima generalis.

Adjectiva in *inus* à rebus animatis ſenſitivis deducta; item, Nomina Cognationum, item, Propria & Gentilia penultimam producant: ut, Caro *agnīna*; pinguedo *anatīna*; ſtercus *equīnum*; Syr. *Byzantīnus*; ſena *Alexandrīna*; manna *Calabrīna*, &c.

Regula ſecunda generalis.

Adjectiva in *inus* à Rebus non animatis, (viz) à plantis, lapidibus, aliiſq; materialibus; (qualia ſunt permulta à Græcis vocibus formata:) item, Adjectiva ab Adverbiis temporalibus, aut Subſtantivis quatuor Anni tempora notantibus, derivata, penultimam corripiunt: ut, *Acanthĭnus, amaracĭnus, cedrĭnus, cypreſſĭnus, fagĭnus, glaucĭnus, adamantĭnus, amethyſtĭnus, hyacinthĭnus, diutĭnus, craſtĭnus, priſtĭnus, perendĭnus, hornotĭnus, rotĭnus, cerĭnus, therĭnus, oporĭnus, chimerĭnus*, &c. Matutīnus autem & veſpertīnus, quia à nominibus Maturâ & Veſpero flectuntur, penultimam habent longam.

FINIS.

TABULA POSOLOGICA.

Doſibus Pharmacorum quorundam (Quæ in *Pharmacop. Lond. noviſ. Edit.* occurrunt) Expeditiùs computandis Accommodata.

In nonnullis ad amuſſim uſque, in aliis quàm proximè. Ingredientium purgantium, &c. calculantur Quantitates.

	Continentur in
Arom. Caryophyllat. ℈iv,	Ambr. griſ. gr. 4. Moſchi gr. i.
Arom. Roſat. ʒi, gr. xij,	Ambr. griſ. gr. i. Moſchi, gr. ſs.
Bened. Laxat. Spec. ℈ij, gr. vij,	Diagrydii, Eſulæ, Hermodact. ā gr. xv. Turpeth. ℈ſs.
Caryocoſtini ʒſs,	Diagrydii. Hermodact. ā gr. xv.
Catholici ʒvij,	Pulv. Senæ, ℈i. Polypod. Rhab. ā ℈ſs.

Confect.

Continentur in

Confect. Hamech. ʒi. { Diagrydii. gr. viiſs. Pulv. Senæ, Agar. ā ϑi. Epithym. ϑſs. Colocynth. indcto gr. xv.

Confect. Alkerm. ʒij ϑij, { Ambr. griſ. Margarit. ā gr. i.

Conf. de Hyacinth. Spec. ʒxi, { Ambr. griſ. Moſchi, ā gr. i.

Decoct. Epithymi, ʒ4, { Epithym. Senæ, ā ϑiv. Helleb. n. gr. xv. Turpeth. Myrob. chebul. Indar. ā ϑij. Agaric. gr. v. Polypod. ʒi.

Decoct. Senæ Gereon. ʒiij. { Senæ, ʒij. Polypod. ʒſs.

Diacarthami ʒi, { Diagrydii gr. ix. Turpeth. gr. xviij. Carthami, Hermodact. ā gr. xij.

Continentur in

Diacodii ʒix. Cap. Pap. ʒiiiſs in Dſto.
Diachyl. Ireat. ʒiſs,--Pul. Irid. Florent, ʒi.

Diacinnam. Spec, ʒiſs, { Moſchi gr. i.

Diaprun ſolut. ʒviſs.---Scammon. ℈i.

Diaphœnic. ʒſs, gr. xiv. { Diagryd. gr. xij. Turpeth. gr. xxxij.

Diarrhod. Abbat. ʒiij, ℈i, { Sem. frig. maj. ℈ſs. Moſchi gr. ſs.

Diaſatyr. ʒx. { Moſchi gr. i. Ambr. griſ. gr. ſs.

Diaſcordii ʒv, gr. xij, { Opii gr. i.

Diaturb. cum Rh. ℈ij, gr. xvij. { Hermodact. Turpeth. ā gr. xij. Diagryd. gr. vi. Rhabarb. gr. xv.

Elect. Amar. major. ʒi, { Aloës ℈ij. Turpeth. Rhabarb. ā gr. xv.

Elect.

Continentur in

Elect. Amar. min. ℥vſs, { Epithym. gr. v. / Alcës ʒi.

Elect. è Citro ſolut. ʒiij, { Diagryd. gr. vi. / Turpeth. gr. viiſs. / Senæ, gr. ix.

Elect. Lenitiv. ℥i { Pulv. Senæ, ʒi. / Polypod. & / Sen. in decoct. ā ℈i.

Elect. è Saſſafras ʒi, { Ambr. griſ. gr. i. / Moſch. gr. $\frac{1}{12}$.

Elect. è Succo Roſar. ʒiiiſs, { Diagrydii gr. xij.

Empl. Barb. magn. ℥iſs, { Opii, gr. i.

Emp. Cephalic. fort. ℥i, { Piper. nigr. / Euphorb. / Pyrethi, ā gr. vi.

Emp. Diachalit. ʒviiſs. Vitriol. uſt. ℈i.
Emp. Epiſpaſtic ʒiij. Cantharid. ℈ij.

Continentur in

Emp. Hysteric. ʒij, ʒiſs. { Gall. Moſchat. / Alipt. Moſchat. ā gr. i. / Moſchi, gr. ſs.

Emp. Oxycroc. ʒiij, --- Cróci, ℈i.

Emp. de Ranis, ʒi, --- Hydrargyri ʒſs.

Hier. Diacolocynth. Spec. ʒi, { Colocynth. / Agaric. ā gr. vi.

Hier. Logadii, ſc. Elect. ʒvij, { Colocynth. / Opopanac. / Sagapen. / Polypod. ā ℈i. / Diagryd. / Agaric. ā ℈ſs. / Helleb. alb. & n. ā gr. i. / Sem. Thymel. / Euphorb. ā gr. vi. / Aloës opt. gr. v.

Mithridatii ʒiv, ℈ij, -- Opii gr. i.

Moſchelæi ʒi, -- Moſchi gr. i.

Philon. Magiſtral. ℈ſs- Opii gr. iv, vel v.

Philon. Roman. ʒiſs, { Opii gr. iiſs. / Sem. Hyoſcyam. gr. v.

Philon. Perſic. ℈iv, { Opii gr. iiſs. / Sem. Hyoſcyam. gr. v.

Pil.

Continentur in

Pil. de Agarico ʒi,
- Colocynth. gr. 4.
- Turpeth. gr. x.
- Agaric. gr. vi.
- Hier. picr. gr. viij.

Pil. Aggregativ. ʒi,
- Diagryd. gr. v.
- Colocynth.
- Agaric. ā gr. ij.
- Turpeth.
- Aloës, ā gr. vi.

Pil. Aureat. ʒi,
- Diagrydii,
- Aloës, ā ℈ss.
- Colocynth. gr. ij.

Pil. coch. major. ʒi,
- Diagryd. gr. ivss.
- Turpeth. gr. ix.
- Colocynth. gr. vis.

Pil. coch. min. ʒi,
- Scammon.
- Colocynth.
- Aloës, ā gr. xiij.

Pil. de Cynogloss. ℈ss,
- Sem. Hyoscyami,
- Opii, ā gr. i.

Pil. Diambræ ℈i, ---Ambr. grif. gr. i.

Continentur in

Pil. de Eupator. maj. ℈i. { Rhabarb. gr. vij. / Aloës ℈ſs.

Pil. Fœtidar. ℈i, { Colocynth. / Opopanac. / Sagapen. / Epithym. / Aloës, ā gr. iv. / Turpeth. gr. iiiſs. / Scammon. gr. iiſs. / Eſulæ Rad. / Hermodact. ā gr. iſs.

Pil. de Gutta Gamand. ℈i, { Gutt. Gamandr. gr. ix. / Scammon. gr. vi. / Aloës, gr. xv.

Pil. de Hermodact. ℈ij, { Colocynth. / Turpeth. / Hermodact. / Sagapen. / Aloës, ā gr. iij. / Opopanac. gr. iſs. / Euphorb. gr. ſs.

Pil. Hier. cum Agar. ℈i, { Aloës ℈i. / Agaric. gr. viij.

Pil.

Continentur in

Pil. Imperial. ℈i,
- Agaric.
- Senæ, ā gr. v.
- Aloës ℈ss.
- Rhabarb. gr. viij.

Pil. de Lap. Laz. ℈ij, gr. v,
- Epithym.
- Agaric. ā gr. iv.
- Lap. Lazul. gr. iiss.
- Helleb. nigr.
- Scammon. ā gr. i.

Pil. Mechoacanæ ℈i,
- Mechoacan. gr. viij.
- Turpeth. gr. vi.
- Esulæ gr. iij.
- Fol. Thymel.
- Sem. Ebuli.
- Agaric. ā gr. iv.

Pil. de Oponax. ℈iiiss,
- Colocynth.
- Hermodact.
- Sagapen.
- Opopanac. ā gr. v.
- Turpeth. gr. iv.
- Scammon. gr. ij.
- Aloës, gr. xij.

Pil. sine Quibus ℈i,
- Scammon. gr. vi.
- Agaric.
- Rhabarb.
- Senæ, ā gr. iv.
- Aloës gr. xiv.

Pil.

Continentur in

Pil. de Styrace gr. vi. -- Opii, gr. i.

Pulv. Diasenæ ʒi, gr. vi, { Diagryd. gr. vi. / Senæ, gr. xxiv.

Pulv. Haly ʒi. -- Sem. frigid. gr. vi.

Pulv. Senæ comp. maj. ʒi, { Senæ ʒss.

Pulv. Sen. comp. min. ℈iiss, { Senæ. gr. xxxij.

Pulv. Warvicens. gr. 21, -- Scammon. gr. xij.

Sacch. Perlat. ʒi, -- Margarit. præp. ℈i.

Sief de Plumbo ℈ivss, -- Opii, gr. i.

Sief de Thure ℈iv, -- Opii, gr. vi.

Spec. cord. temperat. ℈iiss, { Ambr. grif. / Mosch. ā gr. i. / Margarit. gr. xij.

Spec. Diamarg. frig. ℈iiss, { Sem. frig. maj. gr. viij. / Pap. alb. gr. ij.

Spec. Diambræ ʒi, gr. vij, { Ambr. grif. gr. iij. / Moschi gr. i.

Spec. Diamosch. d. ℈iiss, -- Mosch. gr. i.

Spec. Diamosch. am. ℈iiiss, { Mosch. gr. i.

Continentur in

Spec. Diatrag. frig. ℈iiiſs, { Sem. frigid. gr. viij. Papav. alb. gr. iij.

Spec. Diatri. Sant. ʒi, gr. 4, { Sem. frig. gr. xij.

Spec. Liberant. ʒvſs,-- Ambr. gr. Moſch. ā gr. ſs.

Syr. Cic. cum Rhab. ʒvi,- Rhab. infuſ. ℈i.

Syr. de Epithym. ℥i, { Epithym. ℈i. Myrobal. ʒij. Polopod. Agar. ā gr. vi. } Infuſ.

Syr. de Mecon. ℥ix,--- Cap. pap. coct. ʒiiiſs.

Syr. Papav. comp. ℥ix,-- Cap. pap. coct. ʒiij.

Syr. de Pomis magiſtr. ℥i, { Senæ, ʒi. Epithym. ℈i. Rhabarb. Agaric. ā gr. v. } Coct.

Syr. de Pompis purg ʒvi,- Senæ infuſ. ℈i.

Syr. de Rhab. ʒvi, ℈ij, { Senæ infuſ. & Rhabarb. ā gr. xxv.

Syr. Roſ. cum Agar. ʒvi, { Agaric. infuſ. ℈i.

Syr.

Continentur in	
Syr. Ros. cum Helleb. ℥i,	Myrobal. ʒi, ℈ij, Senæ. Polypod. Epithym. ā ʒs. Rhabarb. ℈s. Helleb. n. gr. iiis.
Syr. Ros. cum Sena, ʒvi,	Sennæ, ʒi.
Theriac. Androm. ℈iv,	Opii, gr. i.
Theriac Londin. ℥i,	Opii, gr. i.
Troch. Alipt. Moschat. ʒiis,	Ambr. gris. gr. iij. Moschi, gr. s.
Troch. de Carabe ℈i,	Opii, gr. i.
Troch. Gall. Moschat. ℈s,	Ambr. gris. gr. iij, Moschi gr. s.
Troch. de Lign. aloës, ℈v,	Ambr. gris. gr. iij. Moschi, gr. s.
Troch. de Terra Lemn. ℈ij,	Opii gr. i.

Troch.

Continentur in

Troch. è Violis solut. ℈iiss, { Scammon. gr. iv. / Turpeth. gr. xxiv.

Trypher. maj. ʒvi, { Scor. ferri. / Myrobal. ā ℈i. / Moschi gr. i.

Trypher. solut. ʒss, { Diagryd. ℈ss. / Turpeth. gr. xij.

Ung. alb. Camphorat. ʒvi, { Camphor. gr. vij.

Ung. Enulat. cum Merc. ʒi, { Hydrargyr. ℈j.

Ung. Neopolitan. ʒi, -- Hydrargyr. ʒi.

Ung Tutiæ, ʒiij, { Lap. Tutiæ ℈i. / Lap. Calaminar. ℈ss.

Cathar-

Catharticorum Simplicium Doſes

In Subſtantia.

AGaricus. ℈i. ʒi. ʒij.
Alcë. ℈i. ʒi. ʒij.
Bryon. Rad. ℈i. ʒſs. ʒi.
Carthamus. ʒi. ʒſs. ʒvi.
Caſia fiſtula. ʒſs. ʒi. ʒij.
Cataputia minor. Bacc. n°x. Fol. 4, 5.
Colocynthis. gr. vi. ℈ſs. ℈i.
Ebuli Sem. ℈i. ℈ij, ʒi.
Ebuli Succus. ʒſs. ʒv, ʒvi.
Ebuli cort. ʒi. ʒiſs, ʒij.
Elaterium. gr. 1, 2, 3.
Epithymum. ʒi. ʒij, ʒſs.
Eſulæ cort. gr. vi, xij, xv.
Euphorb. gr. iij, 6, 12.
Frangul. cort. intern. ʒi, ʒiſs, ʒij.
Gratiolæ Fol. ℈i, ℈ij, ʒi.
Gutta Gamandræ. ℈ſs. ℈i, ʒſs.
Helleb. nigr. gr. xv. ℈i. ℈ij.
Hermodactyl. ℈ij, ℈iv, ʒij.

Jalapium

Julapium ℈i, ʒi, ℈iv.
Ireos Succus. ʒſs, ʒij, ʒiij.
Lap. Armen. ʒſs, ʒi, ʒiſs.
Lap. Lazuli. ʒſs, ʒi, ʒiſs.
Manna. ʒi, ʒij, ʒiij.
Mechoacana. ℈j, ʒiſs, ʒij.
Mezerei Fol. cort. gr. vi, xij, xv.
Myrobalani. ʒ j, ʒvi, ʒi.
Opopanax. ʒſs, ℈ij, ʒi.
Polypod. ʒij, ʒvi, ʒi.
Rhabarb. ʒi, ʒiſs, ʒij.
Ricini nuclei. n° 4, 8, 12.
Roſar. Dam. Succus. ʒſs, ʒiſs, ʒij.
Sagapenum. ʒſs, ℈ij, ʒi.
Scammonium. gr. vi, xij, ℈i.
Sena. ℈ij, ʒiſs, ʒij.
Soldanella. ʒſs, ℈ij, ʒi.
Spina Cervina. Baccæ, n° 30, 40, 50. Succ. ʒij, ʒſs, ʒvi.
Tamarindi. ʒi, ʒij, ʒiij.
Turpethum, ℈ij, ʒi, ℈iv.

Hiſce addi pt.

Aquæ Minerales. ℔iij ad ℔viij.
Braſſicæ jus. ad ℔i.
Crem. Tartari. ʒij, ʒiij, ʒſs.
Geniſtæ Flores. Succus. ʒſs, ʒvi, ʒi.

Gum.

Gum. Guajaci. ʒi, ɔiv, ʒij.
Lac Ebutyratum. ℔ij, ℔iij.
Lac recèns mulctum. ad ℔i.
Mercurialis. Mi coctum in brodio.
Ol. Sem. Lini. ʒiij, iv, vi.
Perſici Flores. Succus. ʒſs, ʒvi, ʒi.
Pruna Damaſc. macerata. n° 12, 16, 20.
Pruni Sylv. Flores. Succus. ʒſs ad ʒi.
Sambuci turiones pulv. ʒi, ʒij.
Serum Lactis. ℔ij, iij, iv.
Terebinth. Venet. ʒiij, ʒſs, ʒvi.
Violarum Succus. ʒi, ʒiſs, ʒij.

INDEX

INDEX

Morborum, Curationum, &c.

A.

Abortum prohibentia, Fœtum roborantia, &c. Aq. Embryon. A. Horm. c. A. Lamii c. | Caudel. Nenuph. | Cerev. Embryon. Emp. Smect. | Emulſ. Dactyl. | Sacch. Torm. | Sp. Embryon. Tab. Embryon. |

Alexiteria, Bezoartica, &c. Aq. Epidem. A. Lact. Alexit. Aur. potab. Aur. Vitæ. | Bez. Animal. Bez. min. | Bolus Alexiter. | Emulſ. cupoſ. | Enem. Alex. | Flor. Salis. | Infuſ. Sanct. | Lap. c. yerv. L. de Goa. | Mixt. Simp. | Pulv. Albus. P. Cantian. P. Pannon. nab. P. Purpur. | Sal Fart. Volat. Sal Viper. | Sp. Sal Arm. Sp. Sambuc. Sp. Ther. camph. Sp. Viper Sp. Vitriol. di ph. | Sulph. Aurat. | Tab. de Angel. | Tinct. Bez. T. Virgin. | Aq. Alex. & Proalex. D. G. |

Alopeciæ cura. Aq. Crinal. | Ol. Chartæ. | Ol. Terebinth. | Pul. Crinal. | Ung. Crinific.

Alvi fluxibus, Diarrhœæ, &c. *Remedentia.* Alum. dulc. Alum. Febrif. | Bez. Animal. B. Mart. | Caudel. Amygd. | Laudana. | Sal. Litharg. Tinct. Roſ. | v. *Aſtringentia, Opiata,* &c.

Aluminata ex Alum. præparata, &c. Alum. dulc. Alum. Febrif. | Aluminatum. | Aq. Alumin. Aq. fort. Aluminata. Aq. Herpet. | Arc. Alum. | Lac Alum. | Lap. Medicam. L. Salut. | Pul. fine pari. P. Uvular. | Sal Alum. | Serum Alum. | Sp. Alum. d. | Suppoſ. Aluminoſ. |

Ambuſta, Inflammationes, &c. *Sanantia.* Balſ. Magiſtr. B. Lucat. | Magiſt. Saturni. | Mel Sapon. | Ol. Cremor. Ol. Pomoſ. | Tinct. Ceruſſ. | Ung. Albumin. Ung. Antipyret. |

Analeptica. v. *Reſtaurantia.*

Anginæ, oris & faucium Ulceribus, &c. *Medentia.* Catapl. Cynanch. | Emp. Synanch. | Garg. Synanch. | Linct. Synanch. | Tab. Antiſynanch. | v. *Aphthæ.*

Animi deliq. & Syncopes remedia. Aq. Cinnam. cardiac. | Julap. perlat. Jul. Vitæ. | Sp. Alk. Sp. Ambræ. Sp. Embryon. | Tab. griſ. v. *Cardiaca.*

Anodyna,

Anodyna, Paregorica, &c. Aq. Pneumon. | Balſ. Anod. B. Magiſtral. B. Nuciſt. B. Sulph Rul. B. Tartari. | Bez. Lunar. | Butyr. Amygd. | Cerat. Alb. | Cryſtal. min | Dec. Pacific. | Emp. Diagalb. Emp Opiat. Emp. Smect. | Ens Vener. | Extr. Paregor. | Inject. alb. Inject. ben. | Laudana omnia. | Liquor. Limac. | Nitr. fixt. Nitr. ſulph. | Ol. Chartæ. Ol. Heracl. Ol. Sapon. Ol. Tabac. | Pil. Pacif. | Sal Urin. Volat. | Sp. Camph. | Sulph. Vitriol. narcot. | Ung. Paregor. |

Antimoniata. ex Antim. &c. *præp.* Antihect. Poter. | Ant. diaph. Ant. diaph. fix. Ant. medicam. Ant. reſuſcit. | Aq. Stim. ſulph. | Balſ. ſulph. antim. | Bez. Jov. B Lunar. B. Mart. B. miner. B. Solar. | Cerev. Catapſ. | Ceruſſ. Antim. Ceruſſ. Mart. | Cinnab. Antim. | Dec Antim. | Elect. alb. | Febrif. Riv. | Fl. Antim. Fl. Ant. diaph. | Magiſt. Ant. diaph. | Merc. Vitæ corr. & purg. Nitrum Antim. | Ol. Ant. ſaccharat. | Oxyſaech. emet. | Panac. aur. Pan. cathart. Pan. Hartm. | Pil. Antim. Pul. Baſil. P. Cantian. P. Cornach. P. Liliac. | Regul. Jov. Reg. Lun. Reg. Mart. Reg. Solar. Reg. Vener. | Sulph. Antim. Sulph. Ant. Comb. Sulph. aurat. | Tab. Antim. | Tart. Ant. Tart. Emet. Tart. vitriolat. antimoniale. Tart. Vitriolat. Emetico-purg. | Tinct. Ant. Emet. T. Ant. purg. |

Aperientia. v. *Ephractica.*

Aphthas, ulcera oris, &c. *Sanantia.* Aq. Mellum. | Dec. Ulmi. | Garb. alb. G. ſynanch. | Linim. Mellum. | Tab. Antiſynanch. | v. *Plura inter Aluminata, Vitriolata*, &c.

Apoplectica, Apoplexia, &c. *remed.* Balſ. Apop. | Bez. Lunar. | Calx Lunæ. | Catapl. Apop. | Elix. Vitæ. Elix. Vitriol. | Garg. Apoplect. | Pom. Ambræ. | Sp. Sal coag. Sp. Sang. | v. *Cephalica, Epileptica*, &c.

Apoſtemata Curantia. Aq. Chalybeat. | Balſ. Sulph. Aniſat. & Terebinthinat. | Pil. Matth. | v. *ulcera.*

Appetitum Juvantia, &c. Aq. Pneumon. | Elect. Caryophyllat. | Nitrum Cachect. | v. *Stomachica.*

Arthritica. Arthritidis. Podagra, &c. *remed.* Allium condit. | Aq. Hungar. Aq. Omn. flor. | Balſ. Anod. B. Sulph. miner. B. Tartar. | Catapl. Podagric. | Cicer. Tartari. | Cinnab. Antim. | Dec. Ambroſ. Dec. Pacific. | Diatart. | Elect. Duc. Sab. | Emp. Opiat. Emp. Pod gric. Emp. Smect. Emp. Solear. | Fotus Arthrit. | Infuſ. Arthrit. Infuſ. ſancta. | Jup. diaph. Jup. nitrat. | Laudana. | Liquor Limac. | Magnes præp. | Mel. Sapon. | Ol. Sapon. | Ol. Tabac. | Pedilav. Podagric. | Pil. Antipodagr. Pil. Matth. Pil. Pacific. | Pul. Arthrit. Pul. Hermod. c. Pul. Lateral. Pul. Solear. Pul. Sternutat. | Sal Arm. volat. Sp. Salis coag. | Vinum Arthrit. Vin. Arthrit. purg. v. *Anodyna, Opiata*, &c.

Aſthmatica. Aſthmatis, Dyſpnœa, &c. *remed.* Allium condit. | Aq. Bechic. Aq. Bened. c. Aq. Cinnam. cum Ox. Sq. Aq. Digitalis. Aq. Pector. | Balſama Sulphurata. | Cerev. Butl. | Conf. Nicot. | Elect. Aſthmat. | Elix. Salutis. | Extr. Petic. | Flor. Benz. Fl. Sulph. alb. | Infuſ. Cachect. Julap. Aſthmat. | Lac. Ammon. Lac Benz. Lac Sulph. Liquam.

Lignum Sulph. | Nitr. Saturn. | Ol. Sacch. ſimp. &c. | Paſta Hippatri. | Pil. Sinap. Pil. Styracin | Pul. Aſthmat. Pul. Epidem. aur. | Serum Sinap. | Sp. Hyſſop. Sp. Milleped. Sp. Nitri d. | Syr. Balſam. S. de Myrrh. S. de Peto S. Sulph. S. Tolut. magiſt. | Tab. Divin. T. Helen. T. Sapon. | Tinct. Aſthmat. T. Melamp. T. Sulph. | Vin. Hydrop. | Ung. Solear. | v. *Pectoralia, Pulmon*, &c.

Aſtringentia, Styptica, &c. Aq. Styptica. | Bez. Martial. | Chalcanth. rubef. | Ol. Mart. | Pil. reſtring. | Pul. Uvular. | Stypt. Regis. | Syr. Chalyb. corallat. | Terr. Vitriol. d | *v. Aluminata, Vitriolata*, &c.

Aurophiæ Conducentia. Emulſ. Dactyl. | Liq. Limac. | Dec. Limac. Syr. Lumbric. | v. *Reſtaurantia.*

Auditum Juvantia. Aq. Crinal. | Inject. Auricul. | Maſtichat. | Ol. Balſamic. | Pil. Maſtichat. | Sp. Milleped. | Turund. acouſtic. |

Aurium Dolores. Tinnitus, &c. *ſedantia.* Balſ. Sulph. Ruland. | Inject. Auricul. | Ol. Balſamic. Ol. Chartæ. Ol. Heracl. |

C.

Cachectica. Cachexiæ cura. Antim. diaph. Ant. diaph. fix. Ant. Medicam. | Dec. amar. | Cerev. Butl. | Elect. alb. | Eſſent. Mart. | Extr. Diateſſ. Infuſ. cachect. | Magiſt. Anr. diaph. | Mars potab. | Nitr. cachect. | Panis de Viper. | Pil. de Ammon. mag. | Pul. Martial. c. | Sal Urin. Volat. Syr. Jovial. | Tab. Antim. | Tart. Chalybeat. | Tinct. Antim. purg. T. Armon. T. Hieræ. T. Martis. | v. *Antimoniata, Martiata, Hepatica, &c.*

Calculi renum ac Veſicæ remed. Aq. Omn. flor. Aq. Perſic. c. | Balſ. Lucat. B. Magiſtr. B. Tart. | Enem. colic. Enem. oleoſ. Enem. terebinth. | Nitr. Hermaphrod. | Ol. Ludi. Ol. Vitriol. d. | Pul. ad Calcul. | Sal Viper. | Teſtes Apri præp. | v. *Nephritica.*

Camphorata, ex Camphora, &c. præp. Aq. Camphorat. | Balſ. Anodyn. | Elix. Camph. | Emp. Camph. | Enem Hyſt. | Front. cephalalg. | Julap. Hyſt. camph. | Liq. Cephalalg. | Mixt. ſimp. | Pil. Caſtirat. Pil. Hyſter. | Sp. Camph. Sp. Theriac. camph. | Tinct. Ceruſ. | Vitriol. Camph. | Ung. Antipyr. Ung. Facial.

Cancri remed. Arc. Corall. | Balſ. Saturn. | Cerev. Scroph. | Croc. Jov. Linim. ſimp. Magiſt. Saturn. | Merc. ſublim. rub. & flav. | Ol. Bufon. Ol. Ranar. |

Capitis Ulcera. v. *Tineæ.*

Cardiaca. Spiritus Reficientia, & Aq. Caryoph. Aq. Cinnam. Cardiac. Aq. Cordium c. Aq. Lact. card. | Cardiac. cœleſt. | Elæolacch. card. | Elix. Vitæ. | Flos Cordial. & Cardiac. magn. | Jul. perlat. Jul. Vitæ. | Lap. de Goa. | Miv. Borrag. | Nitr. Corall. Nitr. perlat. | Pul. Cardiac. corallat. Eborât. & perlat. Pul. Pannon. rub. Pul. Purp. | Roſa Solis. | Sacch. Ambarat. & Caryoph. | Sal Corall. | Sp. Alk. Sp. Corall. | Syr. Cardiac. aurat. Syr. Sambuc. c. | Tab. de Angel. T. de Aurant. T. Diambr. T. grif. T. de ſtyrac. | Tinct. Bezoart. T. Corall. T. Meliſs. T. Perlar. T. Virgin. | Vin.

Vin. Hippocrat. | Aq. Cordial. & Tinct. Cordial. D G. | v. *Alexiteria*, &c.

Cardialgiæ cura. Diacreta. | Emulſ. Cretac. | Jul. Cretac. | Pul. Antacardialg. Pul. Griſeus. Pul. Cardiac. rub. | Tab. Cardialgic.

Carminativa. Flatus diſcutientia, &c. Aq. Chamæm. c. | Conſ. Aurant | Elæoſacch. Carmin. & Fœnic. | Elix. Salut. Elix. Vitr. | Ol. Balſam. | Pul. Lateral. Pul. Peptic. | Roſa Solis. | Sp. Cerat. Sp. Embryon. Sp. Junip. | Tab. de Aurant. T. Carmin. T. Fœnic. T. de Piper. | Tinct. Aſthmat. T. Cardam. T. Carui. T. Chamæm. T. Piper. T. Rhab. | Aq. Abſ. c. & Aq. Chamæm. c. D. G.

Catarrhalia. Catarrhi, &c. *Remed.* Balſ. Sulph. Aniſat. Benzoinat. &c. | Caſhew. | Dec. Antim. | Elix. Vitriol. | Emp. Burgund. Emp. catarrhal. Emp. nuchal. | Extr. Parcgor. | Flo. Benz. Fl. Sulph. alb. | Lac Sulph. | Laudana omnia. | Mag. Benz. | Mixt. Tubul. | Ol. Vitriol. d. | Pil. Catarrh. P. Matth. P. Pacif. P. Styracia. | Pul. Cucuph. Pul. epidem. aur. Pul. Pect. | Sulph. Vitriol narcot. | Syr. de Croco. S. de Rapis. S. de Sulph. S. Tolut. mag | Tab. Amygd. T. Roſ. T. de ſtyrac. | Tinct. Amygd T. Guajac. T. Sulph. | Extr. Catarrhal. D. G. | v. *Opiata, Sulphurata*, &c.

Catarrhi ſuffocativi Remed. Conſ. Nicot. | Pil. de ſtyrac | Syr. de Peto. | v. *Aſthmatica*, &c.

Cephalica. Capitis morbis proficua. Aq. Cephal. | Balſ. Apoplect. | Bez. Vener. | Catapl. Cephal. | Cerev. Butl. | Emp. Catarrhal. | Pil. Vatican. | Sacch. Amburat. Sacch. Caryoph. Sp. Cerat. Sp. Vini ſuccinat. Sp. Vitrioli Philoſ. | Tab. Diambr. Tab. de Piper. | Tinct. Succin. | T. Melamp. T. Serpyll. Vitriol. Lunæ.

Cephalalgiæ remed. Aq. Cephal. | Balſ. Magiſtr. | Emp. Burg. | Frontal. Cephalalg. | Liq. Cephalalg. | Ol. Sapon | Pil Matth. & Pacific. | Pul Cucuph. Pul. Sternut. | Ros Vitrioli. | Roſa Solis. | Tab. Diambr. | Tinct. Melamp. Ung. Cephalalg. | v. *Cephalica*, &c.

Chalybeata, v. *Martiata.*

Chloroſi remedentia. Elect. Chalybeat. | Eſſent. Martis. | Infuſ. Cachect. Sp. Vitriol. Martial. | Syr. Jovial. | Tinct. Antim. pur. T. Armon. T. Martis aur. | Vin. Chalyb. v. *Antimoniata, Carbon. Martiata*, &c.

Clavorum, & Verrucarum cura. Balſ. magiſtr. | Cauter. Lunar. Emp. Diagalb. | Liquor Limac. | Ol. virid. æris |

Colica. Colica, Iliaca, &c. *remed.* Allium. condit. | Aq. Chamæm. c. Aq. Pneum. | Balſ. magiſtr. | B Sulph. aniſat. & ſuccinat. | Cathart. Cæſar. | Conſ. Aurant. Croc. Ven. Elect. Piper. | Enem. colic. & oleoſ. | Fl. Sulph. alb. | Lac. Sulph. | Mag. Saturn. Mixt. Anticolic. | Ol. Balſam. | Pil. Anticol. Pil. de Sagap. | Pul. Anticol. Pul. Lateral. | Sacch. Sumb. | Sal Arm. volat. oleoſ. | Sp. Nitri d. Sp. Sal comp. | Suppoſ. alumin. | Teſt. equi præp. | Tinct. Junip. T. Succin. | v. *Anodyna, Carminativa, Opiata, &c.*

Columellæ relaxatæ conducit. Pulv. Uvularis.

Contractura. v. *Spasmus.*
Contusionum remed. Aq. Chalyb. | Balſ. Lucatel. | Balſ. magiſtr. | Emp. Smect. | Ol. Sapon. | Pul. ad caſum. |
Convulſiva. v. *Epileptica.*
Cordis Palpitationis & Tremoris medela. Pul. Griſeus. | Cardiac. Celeſt. | Elect. Caryoph. | Sal Arm. volat. oleoſ. | Tinct. Meliſs. v. *Cardiaca.*
Coſmetica, Cutanea, &c. Aq. Coſmet. Aq. Venuſt. Arc. Coſmet. | Cerat. alb. | Flo. Biſmuth. & Zinci. | Lac Merc. | Mag. Biſmuth. | Mel. Sapon. | Ol. Coſmet. Ol. Talch. Ol. Tritic. Ol. Viper. | Pilæ odor. | Savan. Coſmet. | Sp. Benz. | Tinct. Ceruſ. | v. *Tartara, Nitrata, Aluminata, &c.*
Crapula, Ebrietatis, &c. cura. Pil. crapular. P. Matth. P. Paſ. | Sp. Rhoead. crapular. | Tinct. Abſinth. |
Cuprea, Venerea. Ex cupro, &c. præp. Balſ. Vener. | Bez. Ven. | Croc. Ven. | Flo. virid. æris. | Ol. virid. æris. | Regul. Ven. | Sp. Ven. | Tinct. Veneris. |
Cutis Scabritiem emendantia. Ol. Tritic. Ol. Viper. | Pilæ odor. v. *Coſmetica.*
Cynanchica. v. *Anginæ curantia.*

D.

Dentes candidos reddit Dentifric. Dominar.
Dentitionem facilitant Dentifric. Infant. & Torquis Infant.
Dentitium Dolores ſedantia. Alum. dulc. | Arc. Alum. | Emp. Nuchal. | Maſtichar. | Ol. Chartæ. Ol. Hedach. Ol. Tabac | Pil. Matth. P. Pacif. P. Maſtichat. | Sp. Tabac. | Tinct. Guajac. Tinct. Odontalg. | Torq. Infant. | v. *Anodyna, Opiata, &c.*
Depilatorium. Ung. Depilatorium
Diabetis cura. Aq. Bened. ſimp. & comp.
Diaphoretica. v. *Sudorifica.*
Diarrhœa. v. *Alvi Fluxus.*
Diuretica. Urinam Cientia, &c. Alkek. cond. | Aq. Cucum. comp. Aq. Cynosb. c. Aq. omn. Flor. Aq. ſtim. ſulph. | Balſ. Lucat. Balſ. Succin. | Conſ. Hepat. coralli. | Crem. Hord. | Croc. Ven. | Dec. Diuret Augen. | Elect. Junip. | Flo. Sal. Arm. | Jul. Fragor. Mars diaph. Mars Fulm. | Nitr. Hermaph. | Pil. Matth. Pil Pacif. Sal Diuret. S. Martis Cathart. S. Polychr S. Tart. S. Tart. Volar. | filic. præp. | Sp. Alum. d. Sp. Cerat. Sp. Junip. Sp. Milleped. Sp. Nitri Sp. Nitri dulc. Sp. Sal Arm. Sp. Sal Arm. ſuccinat. tartariſat. & Chalybeat. Sp. Sal Coag. Sp. Sal Mart. | Syr. Lumbric. | Tinct. Antim. T. Coral. T. Junip. T. Serpyll. | Vin. Ecphract.
Dorſi doloris & infirmitatis remedia. Aq. Lamii comp. | caudel. Nenuph. | Emp. Smect. | Emulſ. Dactyl. |
Dyſenteriæ remedia. Butyr. Ceræ. | Chalcanth. rubef. | Dec. dyſenteric. | Enem. Dyſenteric. Enem. Balſamic. | Pil. Matth. Pil. Pacif. | Sal Litharg. | Tet. Vitriol. d. | Tinct. Roſ. | Trag. gran. Actes. | v. *Opiata, Aſtringentia, &c.*
Dyſpnææ remed. v. *Aſthmatica.*

E.

Eccoprotica. v. *Laxantia alvum.*

Ecphractica, Aperientia, &c. Ens Vener. | Extr. Ecphract. | Infuſ. Sancta. | Nitr. Cathart. Nitr. Hermaph. | Sp. Alum d. Sp. Miſep. Sp. Nitri d. Sp. Sal Arm. Chalybeat. Sp. Sal Martial. Sp. Viperar. Sp. Vitriol. Diaph. Sp. Vitriol. Mart. Sp. Vitriol. Philoſoph. Sp. Vitriol. Tart. | Sulph. Vitriol. Martial. | Syr. Lumbric. Syr. Sider. Tart. Antim. Tart. Chalybeat. | Tinct. Antim. purg. T. Arm. T. Ferri. T. Mart. | Vin. Ecphract. | Vitriol. Mart. | v. *Martiata.*

Elephantiaſis. v. *Lepra.*

Emetica v. *Vomitoria.*

Emmenagoga. Menſes moventia, &c. Aq. Chamæm. comp. Eſſent. Mart. | Extr. Fellis. | Mars fulm. | Pediſav. emmenag. | Pul. Oxytoc. | Sp. Junip. Sp. Sal Arm. chalyb. | v. *Plura inter Chalybeata, Hyſterica, &c.*

Empyemati proficua. Aq. Bened. Aq. Tuſſil. c. | Tab. Saponac. v. *Pectoralia, &c.*

Ephelides maculas curant. Aq. Bened. | Savan. Coſmet.

Epileptica. Epilepſiæ, Convulſionum, &c. Remedia. Aq. Hirundin. Aq. Picar. c. | Balſ. Succin. Balſ. ſulph. aniſat. | Bez. Lunar. | Calx Lunæ. | Cinnab. Antim. | Corv. Epilept. | Dec. Digital. | Elect. Epilept. | Elix. Vitriol. Elix. Vitæ. | Emulſ. Pæon. | Lum potab. | Ol. Heracl. Ol. Milvin. Ol. Sapon. | Pul. Cinnab. c. Pul. Epilept. | Ranar. Hepat. præp. | Regul. Lunar. | Secundin. præp. | Sp. Ceraſ. Sp. c. c. ſuccinat. Sp. Embr. Sp. Sang. Sp. Vener. Sp. Vini ſuccinat. | Sulph. Vitriol. Sulp. Vitriol. n rcotic. | Syr. de Peto. | Teſtes Apri, & Equi præp. | Tinct. Succin. Tinct. Ven. | Vitriol. Lunæ. | v. *Antimoniata, Vitriolata, Cephalica, &c.*

Epiphoræ oculorum cura. Aq. Camphorat. v. *Opthalmica.*

Equos aſthmaticos curat, & macilentos ſaginat Paſta Hippiatri.

Eryſipelatis, Roſæ, &c. remed. Bez. Lunar. | Lap. Medicam. Lap. Salutis. | Linim. ſimp. | Ol. cremor. Ol. Ranar. | Ung. Hæmorrhoid. |

Expectorantia, Bechica, &c. Apoz. potenter Expector. | Aq. Digital. | Balſ. Sulphuris Knæph. | Linct. Bened. Linct. expect. | Loh. alb. Loh. Domeſt. | Mixt. Tubular. | Pil. de Pice. | Syr. de Myrrh. | Tab. Saponac. | Maſticator. | Pil. Maſtichator. | v. *Aſthmatica, Pectoralia, &c.*

F.

Faciei Ruboris, Puſtularum, &c. remed. Acet. Litharg. | Alaminat. | Aq. Bened. Aq. Mercur. | Cerev. Catapſ. | Dec. Rubiæ Tinctor. | Lac Mercur. | Mag. Saturn. | Ol. Ranar. | Ung. Facial. | v. *Coſmetica.*

Febri-

Febrifuga. Febrium & Febricitantium remed. Alum. Febrif. | Antidot. Conchar. | Aq. Febrif. Aq. Formicar. | Arcan. dupl. | Dec. Bez. Jov. Bez. Solar. | Catapl. Solear. Croc. Ven. | Dec. Ambros. | Diaph. potab. | Emp. Febrifug | Epicarp. Febrif. | Extr. Febrif. | Febrifug. River. | Flo. Sal. Arm. Martiat. | Lac Alum. | Lap. C. yerv. Lap. de Goa. | Merc. præcip. per se | Mixt. simp. | Nitr. Antim. Nitr. Corallat. Nitr. Hermaph. Nitr. Perlat. Ol. Antim. saccharat. Pil. Antim. Pil. Matth. Pil. Pacif. Pil. de Sagap. | Potio febrif. | Pul. Antipyr. Pul. Febrif. certus. Pul. Pannon. rub. | Sal Alum. Sal Diuret. Sal Febrif. Sal Litharg. Sal Viperar. | Sedativ. Arch. | Serum Alum. | Sp. Alum. Sp. Camph. Sp. Mann. Sp. Nitri. Sp. Nitri d. Sp. Sal Arm. Sp. Sal coag. Sp. Saturn. Sp. Viper. Sp. Vitriol. coag. Sp. Vitriol. Philosoph. | Sulph. Aurat. | Tartar. Antim. T. Chalyb. T. Vitriolat. Antimoniale. T. Vit Emetico-purg. | Tinct. Cathart. T. Hieræ. T. Ros. T. Saturn. T. Stomach.

Fissuras, Rhagades, &c. Sanantia. Ol. Tritic. | Syr. ad Fissuras. | Ung. ad Fissuras. |

Fistulas, Ulcera, &c. curantia. Aq. Alum. Aq. chalyb. | Balsf. Saturn. Balsf. Sulph. Antim. Balsf. Vener. | Croc. Jov. | Magist. Saturn. | v. *Ulcera.*

Fistulæ lachrymali conducit Aq. Opthalm. Sapph. v. *Ophthalmica.*

Flatus discutientia. v. *Carminativa.*

Fœtum Roborantia. v. *Abortum prohibentia.*

Fœtum mortuum & Secundinas expellunt Balsf. Nucist. | Testes equi præp. | &c. v. *Emmenagoga fortiora.*

Fontanellas apertas servant Emp. Adhæsiv. | Pisa Lutea, rubra, & Viridia. |

Furunculus. v. *Paronychia.*

G.

Gangrænas prætaventia. Ol. Ranar. | Tinct. Myrrhæ. |

Gonorrhœæ Remedia. Caudel. Nenuph. | Emuls. de Avellan. Emuls. Dactyl. | Gelat. Ichthyoc. | Inject. alb. Inject. ben. | Lac Alum. | Merc. præcip. virid. | Pil. Castitat. P. cretac. P. de creta Palm. P. Restring. | Potio alba. | v. *Siphylica. Mercuriata, &c.*

H.

Hæmoptoïca. Linct. hæmopt. | Miv. Consolid. | Pul. hæmopt. | Syr. hæmopt. | Tab. hæmopt. | Tinct. Hæmatit. | v. *Astringentia.*

Hæmorrhagiæ Narium, &c. remed. Balsf. magistr. | Chalcanth. rubef. | Stypt. Regis. | Terr. Vitrioli dulc. | Tinct. Hæmatit. | v. *Astringentia.*

Hæmorrhoidalia. Aq. Chalyb. | Balsf. Momord. | Emp. Hæmorrh. | Ol. cremor. | Suppos. hæmorrh. | Tab. Divin. | Ung. Hæmorrh. & Ung. Hæmorrh. D. G. |

Hectica. v. *Phthisis.*

Hepatica, Splenetica, &c. Balſ. Splenet. | Cerev. Butl. Cerv. Jov. | Conſ. hepatic. corallit. | Elect. Diarrhod. | Extr. Diantis. Extr. Ecphract. | Pil. de Ammon. Mag. Pil. Tartar. Bont. | Scrup. hepatic. | Sp. Cochlear. | Tab. Abſ. | Tinct. Abſ. Tinct. Rofar. | v. *Chalybeata, Tartarea, &c.*

Herniæ remed. Miv. Conſolid. | Sp. Sal coagul. | v. *Aſtringentia.*

Herpetis, Serpiginis, &c. cura. Aq. Bened. Aq. Herpet. | Ol. Chartæ. Ol. Tritic. | Ung. Herpet. |

Hydropica. Hydropis, &c. remed. Æthiop. miner. Antimon. diaph. Aut. d. fix. Ant. Medicam. | Aq. Bened. Aq. Ceraſ. c. | Arcan. Corallin. Bez. Solar. | Cerev. Butleri. C. Hydrop. C. Vern. | Dec. Ambroſ. | Elect. alb. El. Chalyb. Enem. Urinoſ. | Eſſent. Mart. | Extr. Alhand. Extr. Diatefs. | Infuſ. Ineat. Infuſ. ſanct. | Luna potab. | Mag. Aut. diaph. | Mag. Cit. Mars potab. Merc. præcip. alb. &c. Nitr. Antim. Ol. Bufon. Pil. Æthiop. Pil. Hydrop. Potio Hydrop. | Pul. Æthiop. | Sacch. ſambuc. | Sal. diuret. Sal. præp. | Sp. Sal. coag. | Syr. Lumbric. | Tab. Antim. | Tinct. Cochlear. c. T. Junip. T. Mart. aur. T. Scorbut. | Vin. Chalyb. Vin. Hydrop. Vin. Hydrop. purg. | Vitriol. Lunæ. | v. *plura inter Chalybeata, Diuretica, Purgantia, &c.*

Hypnotica, Somnum Inducentia, &c. Laudana omnia. | Nitr. cachectic. | Pedilav. hypnot. | Sulph. Vitriol. narcot. | Syr. de croco. | v. *Opiata.*

Hypochyma Oculorum curat Aq. Opthalm. Sapph. v. *Ophthalmica.*

Hyſterica, Uterina, &c. Balſ. Succini. | Bez. Jov. Bez. Saturn. | Calx Jovis & Lunæ. | Cerev. Jovial. | Cliſs. Vitriol. | Croc. Jov. Croc. Ven. | Elix. Camph. El. Prop. dul. El. prop. Peſtilent. & Tartar. | Emp. Camph. Emp. Diagalb. | Enem. Hyſter. | Ens Vener. | Flor. Jovial. | Jul. Hyſt. camphorat. farinac. fœtid. mithridatic. moſchat. | Junip. Bacc. candef. | Jup. diaph. Jup. nitrat. | Mag. Jov. | Nod. Hyſt. | Ol. Camph. | Pil. Hyſt. | Pul. Hyſt. | Regul. Jov. Reg. Solar. | Sal c. c. ſuccinat. Sal Jov. | Secundin. præp. | Sp. ceraſ. Sp. c. c. Sp. Succin. Sp. Samb. Sp. Ven. | Suffim. Hyſt. | Syr. Samb. c. | Teſtes equi præp. | Tinct. Aſæ fœt. T. Galbanet. T. Propet. T. Serpyll. T. Succin. T. Veneris. |

I.

Icterica. Icteritiæ remed. Dec. Icteric. | Elect. Alb. | Extr. Icter. Infuſ. Icter. | Jul. Tart. | Pul. Icter. | Sal diuret. | Sal Urin. | Sp. Sal. coag. | Syr. Jov. Syr. Lumbric. | Tab. Antim. | Tart. chalyb. Tart. Vitriolat. antim. | Vin. Chalyb. | v. *Martiata, Tartarea, &c. Iliaca.* v. *Colica.*

Impetigines curantia. Bez. Ven. | Flo. Biſmuth. & Zinci. | Magiſt. Biſmuth. | Ol. Chart. Ol. Ranar. Ol. Viper. | v. *Tartarea, Nitrata, Alumminata, &c.*

Impotentiæ virilis remed. Miva. Satyr. | Sacch. Ambarat. | Teſtes Apri præp. | Vin. Viper. | Ung. Virilit. | v. *Pr. liſica.*

Inflamma-

Inflammationes, v. *Ambusta sanantia*.
Ischiadis, Sciaticæ, &c. remed. Aq. Hungar. v. *Arthritica*.
Ischuria, v. *Urina suppressa*.
Jovialia, ex Stanno, &c. præp. Antihect. Poter. | Arcan. Jovial. | Aur. Mosaic. | Bez. Jov. | Calx. Jov. | Cerev. Jov. | Croc. Jov. | Dec. ad mors. canis rab. | Flor. Jov. | Jup. diaph. Jup. Nitrat. | Mag. Jov. | Regul. Jov. | Sal Jov. | Syr. Jov. |

L.

Lac coagulatum solventia. Emp. Diagalb. Emp. mammill. | Ung. Famil. Ung. Paregoric. |
Lateris dolorum remed. Bals. Magistr. | Emp. Lateral. | Pul. Lateral. v. *Pleuritica*.
Laxantia Alvum, Eccoprotica, &c. Bals. Tart. | Dec. Rhab. | Elix. Salut. | Ol. Al et. | Pass. Laxat. | Pil. Catarrh. | Ptis. cathart. Sacch. Persic. | Sal Polychr. | Suppos. Alum. | Tart. Laxat. | Tinct. Hier. T. Prop. T. Rhab. T. Stom. | v. *Purgantia*.
Lentiginum. Macularum, &c. remed. Aq. Bened. | Ol. Talch. | v. *Cosmetica, Tartarea, &c.*
Lepræ, Elephantiasis, &c. R. Bez. Ven. | Dec. Ulmi. | Ol. Viper. Pan. de Viper. | Pil. Balsamic. | Vin. Viperin. v. *Scabiem curantia*.
Lethargo subvenit Pul. Sternutat. v. *Cephalica*.
Libidinem restinguunt Elect. Castit. | Pil. Castit. | v. *Camphorata*.
Linguæ, & Faucium asperitati Medetur Dec. Ulmi. v. *Aphthæ*.
Linguæ Paralyticæ remed. Catapl. Apoplect. C. Cephal. | v. *Apoplectica, Cephalica, &c.*
Lithontriptica. v. *Nephritica*.
Lochia suppressa. v. *Emmenagoga*.
Lues Venereæ Remed. v. *Siphylica*.
Lunaria, ex Argento præp. &c. Bez. Lunar. Calx Lunæ. | Caustic. Lunar. | Luna potab. | Regul. Lunar. Vitriol. Lunæ. |

M.

Mammarum Cancer. v. *Cancri Remedia*.
Mammarum Tumores solvunt. Emp. Diagalb. & Emp. Mammill.
Maniæ Remedia. Elleb. alb. præp. | Extr. Melamp. | Pul. coronat. | Tinct. Saturni. v. *Melancholiæ Rem.*
Martiata. Chalybeata. Ex chalybe. ferro, &c. præp. Aq. Chalyb. | Bals. Mart. | Bez. Mart. | Cerus. Mart. | Chalyb. sine Acid. Chal. Tart. | Cliss. Vitriol. | Elect. chalyb. | Ens. Ven. | Ess. Mart. | Extr. chalyb. E. Ecphr. E. Icter. | Flo. Sal Arm. Martiati. | Julap. Antiscorb. | Mars diaph. Mars potab. | Nitr. cachect. | Ol. Mart. Pil. Pavii. P. Restring. | Pul. Icter. Pul. Mart. c. | Regul. Mart. | Sal Chalyb. Sal Mart. Cathart. Sp. Vitriol. Mart. | Sulph. Vitrioli Mart. | Sulph. Vitr. narcot. | Syr. chalyb. S. chal. corallat. S. Jovial. S. Sider. | Tart. chalyb. Tinct. Armon. T. Ferri. T. Mart. T. Mart. aur. T. Mart. tartarisat. | Vin. Chalyb. Vin. chal. purg. | Vitriolum Martis. |

Melancholiæ remed. Arcan. dupl. | Cardiac. cœleſt. | Extr. Melamp. | Mars diaph. | Miv. Borrag. | Pil. Melanch. Pil. Pavii. | Pul. Coronat. | Sal Viper. | Sp. Saturn. | Syr. Jov. | Tart. chalyb. | Tinct. Armon. T. Mart. T. Melamp. T. Saturn. | v. *Martiata, Joviana, &c.*

Memoriam recreantia, &c. Pul. cibar. Pul. Crinal. |

Menſes moventia, &c. v. *Emmenagoga.*

Mercuriata. Ex Hydrargyro, &c. præp. Æth. miner. | Arc. Corallin. Arc. Jov. | Aur. Moſaic. Aur. potab. Aur. Vitæ. | Bez. Mercur. Bez. min. Bez. Solar. | Cinnab. Ant. | Croc. Jov. | Emp. opiat. Emp. ad Strum. Emp. Tibial. | Inject. ben. | Lac Merc. | Mag. Turpeth. | Merc. præcip. alb. &c. Merc. ſublim. rub. & flav. Merc. Vitæ. Cur. Merc. Vitæ purg. | Panac. aur. Panac. cath. | Pil. Æthiop. Pil. Balſam. Pil. de creta Palm. | Pil. Hydrop. | Pul Baſil. | Tab. Infant. |

Miſtus cruenti remed. Aq. Chalyb. | Conſ. Hep. Corallit. | Teſtes Apri. |

Morbilli. v. *Variolæ.*

Morphææ curantia. Balſ. Saturn. | Aq. Merc. | Lac. Merc. |

Morſum canis rabidi curat Dec. ad morſ. can. rab.

N.

Nephritica, Lithontriptica, Calculi, &c. remed. Alkek. cond. | Aq. Cucum. c. Aq. Cynosb. c. Aq. Lact. nephrit. Aq. Perſic. c. Aq. Senel. c. | Conſ. Hep. coralit. | Elect. Lithontript. | Liquam. ſilic. | Miv. Dialth. | Nitrum Cachect. | Pil. Lithontrip. P. Matth. P. Pacif. | Sacch. Sambuc. | Sal Spong. Vol. Sal Urin. | Silic. præp. | Sp. Alum. Sp. Corall. Sp. Junip. Sp. Spong. Sp. Ven. | Tinct. Junip. | Syr. Tereb. comp. D. G. |

Nitrata. ex Nitro, &c. præp. Aq. fort. dupl. Aq. fort. aluminat. Aq. Reg. | Arc. dup. | cryſt. miner. | Eſs. Mart. | Nitr. Antim. Nitr. Cachect. N. Cathart. N. Coral. N. fixat. N. Hermaph. N. Jov. N. Nitrat. N. Perlat. N. Saturn. N. Sulph. N. Vitriolat. | Reg. Mart. Reg. Ven. | Sal Alkal. Sal Polychr. | Sp. Nitri. Sp. Nitri Bez. Sp. Nitri d. Tab. Prunell. | Ung. depilator.

Nodos venereos ſolvit Emp. Tibiale.

Nutritiva. v. *Reſtaurantia.*

O.

Odontalgica. v. *Dentium dolores ſedantia.*

Odorifera. Aq. Odorif. | Balſ. Apop. | Caryoph. odor. | Corp. ſine Anima. | Diachyl. Odor. | Diapalm. odor. | Pilæ odorat. | Pom. Ambr. | Pul. odorat. | Sp. Ambræ. Sp. Benz. |

Ophthalmica, Oxydorcica. Oculorum morbos curantia. Aq. Camph. Aq. Ophth. Aq. Ophth. ſapphirin. | Cerev. Oxydorc. | Elect. Oxydorc. | Emp. Burgund. Emp. Nuchal. | Ol. Linteor. | Pul. cibar. Pul. ophth. | Sp. Millep. | Syr. de Peto. | Vitriol. camph. | Ung. Ophthalm. |

Opiata, ex Opio, &c. præp. Balſ. Anodyn. | Emp. Opiat. Emp. Podagric. | Extr. Paregor. | Laudana. Pil. Catarrh. Pil. Matth. Pil. Pacif. | Syr. de croco. | Tinct. Bez. | Ung. Hæmorrh. | Extr. Hypn. D. G. | Syr. Hypn. pect. D. G. | Syr. Hypn. Balſamic. D. G. | Tinct. Opii. D. G. | Ung. Hæmorrh. D. G. |

Oris & Naſi fœtorem emendant Cathart. Cæſar. & Corp. ſine mixta.

Oris Ulcera. v. *Aphthæ.*

Oxytocia. Partum facilitantia. Balſ. Fœminar. Balſ. Nuciſt. | Pul. Oxytoc. | Secundin. præp. | Teſtes equi præp. |

P.

Paralytica. Paralyticos, &c. Juvantia. Balſ. Apop. B. Paralyt. B. Succin. | Cinnab. Ant. Elect. Paralyt. | Emp. Paral. | Extr. Diaphœn. | Galbanet. | Maſtichat. | Nitr. cachect. | Ol. Balſam. Ol. Lumbr. Ol. Paralyt. | Pil. Maſtichat. | Sp. Sang. | Tinct. Galbanet T. Paral. T. Succin. |

Paronychiam curant Catapl. ad Paronych. | Ung. Familiar. Ung. Paregor. |

Partum facilitantia. v. *Oxytocia.*

Pectoralia, Pulmonica, &c. Aq. Bechic. Aq. Caryoph. Aq. Lactis pect. Aq. Pector. Aq. Tuſſil. c. | Dec. ad Tuſſim. | Elect. Pector. | Extr. Malt. c. Extr. Pector. | Liquam. Sulph. | Pil. Matth. Pil. Pacif. | Pul. Pect. | Sp. Hyſſop | Syr. Balſ. S. Limac. S. de Rapis. S. Tolut. mag. | Tab. Burg. T. Dialth. T. Diatrag. Tab. Farfar. T. Lenth. T. de ſtyrac. | Tinct. Sulph. | Troch. Pector. | Aq. Lenit. D. G. Aq. Pect. & Propect. D. G. | Syr. Pect. Balſam. D. G. |

Pectoris vulneribus Medetur Dec. aſtacor.

Pediculos necat Ol. Heraclein.

Perniones curant Ung. famil. & Ung. paregor.

Peſtifuga. Peſtis Antidota. Acet. Peſtil. | Amul. peſtil Balſ. Sulph | Bez. Jov. B. miner. B. ſolar. | Catapl. peſtil. Dec. præſerv. | Elect. Macis. | Elix. Camph. Elix. Prop. | Lap. c. yerv. | Orviet. | Pul. Cant. | Sal Viper. | Sp. Saturn. Sp. Ther. camph. Sp. Viper. | Syr. de Sulph. | Tinct. Bez. T. Prop. T. Virgin. | Elect. Antepidem. & Syr. Antepid. D. G. | v. *Alexiteria, Cambrata, &c.*

Phthiſis, Hectica, Tabis, &c. Remed. Aq. Antiphth. Aq. Ben. Aq. Lact. pect. | Balſ. Sulph. aniſ. | Dec. Antiphth. Dec. Limac. | Extr. Malt. c. | Flo. Sulph. alb. | Lac Sulph. | Liquam. Sulph. | Mag. Saturn. | Pil. de Pice. | Roſa ſolis. | Syr. Balſ. S. Limac. S. de Rap. S. Pepon. S. de Peto. S. Tolut. mag | Tab. Sapon. | Tinct. Amygd. T. Saturn. | v. *Pectoralia.*

Pilos ut decidant facit Ung. Depilat.

Piſcibus capiendis inſerviunt Ol. Polypod. | Paſta Halieut. |

Pleuritica. Pleuritidis remed. Aq. Animal. Aq. Tuſſil. c. | Balſ. Sulph. | Emp. Lateral. | Ens Ven. | Liq. Sulph. | Nitr. Sulph. | Potio Pleurit. | Pul. Lateral. Pul. Pleurit. | Sp. Nitri. Sp. Rhœad. crap. | v. *Pectoralia.*

Podagrica. v. *Arthritica.*

Proſluvii alvi remedia. Aq. Bened. Aq. Horm. c. Aq. Lam. c. | Caudel. nenuph. | Gelat. Ichthyoc. | Lac Alum. | Pil. cretac. Pil. de Cret. Palm. |

Prolifica. Aq. Prolif. | Cliſs. Vitriol. | Gelat. c. c. | Mv. Satyr. | Sp. Ambræ. Sp. Junip. | Teſt. equi præp. | Tinct. Saſſafr. | Vin. Viper. | Ung. Virilitat. | Ol. Formicar. |

Priapiſmi remed. v. *Libidinem reſtinguentia.*

Pruritus. v. *Scabies.*

Purgantia. Escaprotica, &c. | Cath. Cæſar. | Cerev. Catapl. Cerev. Vern. | Dec. Amar. D. Polychr. D. ad ſtrum. | Diatarr. | Emulſ. cath. | Extr. Alhand. E. Draſt. E. Fell. E. Melamp. | Infuſ. ben. | Lac Scam. | Mag. Git. M Tart. | Merc. præcip. alb. &c. M. ſublim. rub. & flav. M. Vitæ purg. | Mixt. Anticolic. | Nitr. Cath. | Panac. Cath. | Pil. Ammon. mag. P. Angel. P. Balſ. P. Crapul. P. de Cret. Palm. P. Hydrop. P. marocoſt. P. Melanag. P. Pariſ. P. de Sacro. P. Tart. Bont. P. Vatic. P. Vermif. | Pulv. alb. Pulv. hydrop. | Pulv. cath. | Pul. Arthr. Turn. P. Aſthm. P. Baſil. P. Cornach. P. Coronat. P. Herm. t. | Sal Marr. Cath. | Scam. cydon. limon. Rofat. | Syr. bened. Syr. de Scam. Tab. Cathart. | Tinct. Antim. purg. T. aſthmat. T. aurea. T. Cath. R. T. Scorb. | Vin. Arthrit. purg. Vin. Hydrop. | Ung. ad Lumbric. | v. *Laxantia alvum.*

Puſtularum Cura. Aq. Mellum. Aq. Ophth. Sapphir. | Ol. Buſon. | v. *Faciei vitioris remedia.*

Q.

Quartana, Tertianæ, &c. remed. Aur. Vitæ. | Emp. febrif. | Epicarp. febrif. | Flo. Sal Arom. martiat. | Lac Alum. | Mag. Saturn. Mars diaph. | Ol. Antim. ſacch. | Pil. de Ammon. mag. Pil. de Gagap. Pul. Antipyr. Pul. febrif. cete. | Ranar. Hepat. prep. | Sp. Cinoph. Sp. Viper. | Sulph. aurat. | Tart. chalyb. | Tinct. Ammon. T. Hier. T. Mart. T. Saturn. T. Stom. | Vin. chalyb. | v. *Febrifuga.*

R.

Rabiei cura. Dec. ad morſ. can. rab. | Exter. Diateſſar.

Rachitidis remed. Balſ. Spinal. | Dec. ad Rachit. | Ens Ven. | Jul. ad Rachit. | Pul. ad Rachit. | Regul. Ven. | Sp. Millep. Sp. Vitriol. Mart. |

Raucedinis R. Pil. Styracin. | Emp. Solear. | Pul. Solear. | v. *Catarrhalia.*

Reſtaurantia, Nutritiva, &c. Aq. Cordiem c. Aq. Lact. pect. | Crem. Aord. | Dec. Analept. Dec. Limac. | Gelat. c. c. Jul. Vitæ. | Juſe Galli. | Pul. Cardiac. perl. | Syr. Limac. S. Pepon. | Tinct. Mellis. | v. *Cardiaca, Pectoralia, &c.*

Rheumatiſmi remed. Aq. Animal. Aq. Omn. flor. | Dec. Rhab. Pan. Diaſarſ. |

Ructûs & Rugitûs cura. Aq. Pneum. | Elæoſ. Fœnic. | Sp. Ambræ. | Tinct. Hier. | v. *Carminativa.*

S. *Sali-*

S.

Salivalia. Aq. Saliyal. | Maſtichat. | Mixt. Tubul. | Panac. aur. | Maſtichat. | v. *Mercuriata.*

Sanguinem coagulatum ſolventia. Aq. Chalyb. | Cryſt. miner. | Nitr. fix. | Sp. Vitriol. tart.

Sanguinem Rectificantia. Antim. diaph. &c. | Cath. Cæſar. | Cerev. Butl. C. Catapſ. C. Vernal. | Ceruſ. Antim. | Dec. Ant. | Dec. Polychr. | Elect. alb. | Infuſ. ſanc. | Mag. Ant. diaph. | Merc. præc. alb. | Nitr. Sulph. | Panac. Hartm. | Sal Corall. Sal Tart. | Sp. Corall. Sp. Vitr. diaph. | Tab. Antim. | Tinct. Corall. | v. *Plura ex Antimoniata, Mercuriata, Tartarea, Purgantia, Scorbutica, &c.*

Saturnina. ex Plumbo, &c. præp. Balſ. Saturn. | Calx. Sat. | Cer. Sat. | Emp. Sat. | Mag. Sat. | Nitr. Sat. | Pil. Caſtirat. | Sal Sat. | Sp. Sat. | Tinct. Sat. |

Scabiem, Pruritum, &c. Curantia. Aq. Camph. | Arc. Corallin. | Cerev. Catapſ. C. Scrophul. C. Vernal. | Dec. Antim. | Lap. Saluc. & Medicam. | Mag. Gir. | Merc. præc. alb. &c. Merc. ſubl. dulc. | Panac. Hartm. | Sal Tart. Sal Tart. Volat. | Sp. Vitriol. diaph. Sp. Vitr. Tart. | Tab. Divin. | Ung. de Aurant. Ung. de Beton. aq. Ung. Piperin. | v. *Camphorata, Sulphurata, Tartarea, &c.*

Stimica. v. *Ictherica.*

Scorbutica. Scorbuti, &c. Remed. Acetar. ſcorb. | Antihect. Poter. | Antim. diaph. &c. | Aq. Antiſcorb. Aq. Lact. ſcorb. | Arcan. duplic. | Bez. Jovial. | Cerev. Butl. C. Scorb. | Ceruſ. Ant. | Conſ. hermet. coralliat. | Dec. Scorb. | Dentif. Scorb. | Elect. alb. | Emp. Scorb. | Extr. Ecphr. | For. ſcorb. | Garg. ſcorb. | Infuſ. Ireat. Infuſ. | Jul. Antiſcorb. | Mars potab. | Nitr. cachect. | Ol. ſcorb. | Pedil. ſcorb. | Pil. Æthiop. | Sal diuret. Sal urin. Vol. | Serum ſcorb. Sir. de Sedo. | Sp. Cochl. Sp. Corall. Sp. Vin. Tart. | Succ. ſcorb. Syr. Antiſcorb. Syr. ſamb. c. | Tab. Antim. | Tinct. Armon. T. Cochl. c. T. Mart. aur. T. Scorb. T. Virgin. | Vin. ſcelotyrb. | Aq. Cochl. c. & Sp. Raph. c. D. G. | v. *Antimoniata, Martiata, &c.*

Scrophularum, Strumarum, &c. Remed. Aq. Bened. | cerev. ſcrophul. | Dec. ad Strum. | Emp. Diagalb. Emp. ad Strum. | Mag. Turpeth. | Pul. ad Strum. | Sal Spong. | Ung. Digital. | v. *Antimoniata. Mercuriata, &c.*

Singultus cura. Elix. Prop. | Laudana. | Sal Armon. vol. | Tab. Diambr. | Tinct. Hier. T. Stomach. | v. *Stomachica.*

Siphylica. Luis Venereæ, &c. Remed. Æth. min. | Antih. Pot. | Aq. Sarſæ c. Aq. Siphyl. | Arc. corallin. | Aur. Vitæ. | Bez. Merc. Bez. Sol. | Ceruſ. Antim. | Cinnab. Ant. | Croc. Jov. | Elect. alb. | Emp. Tibial. Emp. Opiat. | Infuſ. ſanct. | Jup. diaph. Jup. Nitrat. | Ma. Saturn. M. Turpeth. | Merc. præcip. alb. Merc. ſubl. | Nitr. Antim. Nitr. Cachect. | Panac. Aur. P. Cath. P. Hartm. | Panis

Diaſarc. & de Viper. | Pil. Æthiop. Pil. Balſam | Pul. Liliac. Regul. Mart. | Sp. Saturn. | Sulph. aurat. | Tab. Antim. | Tinct. Guajac. | v. *Antimoniata, Mercuriata.*

Sitim Extinguentia. Bez. Animal. | Crem. Hord. | Cryſt. miner. | Dec. alb. Dec. ad Sitim. | Jul. Frag. Jul. Idæum. Jul. purp. | Nitr. fixat. Nitr. ſulph. | Serum de Sedo. | Sp. Vitriol. coag. | Tab. Prunel. Tab. Tart. |

Solaria. ex Auro, &c. præp. Aur. Fulm. Aur. potal. Aur. Vitr. | Bez. Solar. | Regul. Solar. |

Spaſmi, Contracturæ, &c. remed. Balſ. Paralyt. | Emp. ſpaſm. | Lap. de Goa. | Nitr. Cachect. | Ol. Balſamic. Ol. Lumbr. chym. Sp. Vitr. diaph. | Syr. Lumbric. | v. *Paralytica, Convulſiva, &c.*

Spiritus Reficientia. v. *Cardiaca.*

Splenetica. v. *Hepatica.*

Sterilitatis remed. v. *Prolifica.*

Stomachica, Stomachi, Ventriculi, &c. morbis conducentia. Aq. Pneumon. | Cerev. Butl. | Dec. Amar. | Elect. Caryoph. Elect. Junip. | Elix. Prop. Ml. Vitæ. El. Vitriol. | Extr. Diateſs. | Flo Sal. Arm. mart. | Pil. de Ammon. mag. P. Angel. P. Crapular. P. Marocoſt. P. Vatic. | Pleres Arch. | Pul. Stom. | Roſa Solis. | Sacch. Caryoph. | Sal Arm. Vol. Oleoſ. | Sal Philoſ. | Sedat. Arch. | Sp. Junip. Sp. Ven. Sp. Vitr. coag. | Tab. Abſ. Tab. de Aurant. Tab. Diambr. Tab. de Piper. | Tinct. Abſ. T. Hier. T. Prop. T. Rof. T. Serpyll. T. Stom. | Aq. Abſ. c. & Tinct. Amar. D. G. | v. *Carminativa.*

Styptica. v. *Aſtringentia.*

Sudorifica. Diaphoretica. Alum. febrif. Antiſeb. Conch. | Antim. diaph. &c. | Aq. Scim. ſulph. | Arc. Jov. | Aur. fulm. Moſ. & potab. | Bez. Animal. B. Jov. B. Lun. B. min. B. Sol. | Ceruſ. Ant. & Mart. | Cinnab. Ant. | Croc. Jov. | Dec. Ambroſ. D. Ulmi. | Fl. Ant. Fl. Benz. Fl. Sal Arm. | Jup. diaph. & nitrat. | Lap. c. verv. L. de Goa. | Mars diaph. | Merc. præp. rub. | Mixt. ſimp | Nitr. Cachect. | Ol. Camph. | Panac. Hartm. | Phoſph. | Pil. Matth. & Pacif. | Pul. alb. P. Cant. | Sal Acet. eſſent. S. Alum. S. Arm. Vol. S. Philoſ. | Sedat. Arch. | Sp. Camph. Cochl. c. c. Dracunc. Mann. Nitr. Sal Arm. Samb. Saturn. Succin. Ther. Camph. & Vitriol. diaph. | Sulph. aurat. | Tart. Antim. | Tinct. Bez. Guajac. & Virgin.

Sulphurata. Ex Sulphure, &c. præp. Balſ. Sulph. aniſat. &c. | Elect. Aſthmat. | Emp. Diaſulph. Rul. Emp. Lateral. | Fl. Sulph. alb. | Hep. Sulph. | Lac Sulph. | Liquam Sulph. | Pil. Styracin. | Pul. Aſthmat. P. Pect. P. Pleurit. | Sal Polychreſt. Sal Sulph. | Syr. de Sulph. | Tab. Amygd. Dialth. Divin. & Sapon. | Tinct. Sulph. | Ung. depilat. Facial. de Beton. aq. & Piperin. |

T.

Tabidis remedentia. Aq. Lact. Pect. | Dec. Limac. | Emuls. Dactyl. | Gelat. c. c. | Juſc. Galli. | Pul. Card. perlat. | Roſa Sol. | Syr. Limac. & Pepon. | v. *Reſtaurantia, Phthiſis remed. &c.*

Tarta-

Tartarea. ex Tartaro, &c. præp. Balſ. Tart. | Cicer. Tart. | Dec. Pacif. | Jul. Tart. | Mag. Tart. | Mel. Sapon. | Mix. ſimp. | Nitr. Herm. | Ol. Coſm. | Pil. Marth. & Pacif. P. Tart. B. | Pul. Baſil. Cornach. & Icter. | Sal Arm. Vol. Sal Tart. | Sapo Tart. | Sav. Coſm. | Sp. Sal Arm. Tart. Sp. Vitr. diaph. Sp. Vitr. Tart. | Sulph. Vitriol. | Tab. Cath. & Tart. | Tart. Ant. T. Chalyb. T. Emet. T. Laxat. T. Vitrioli antim. T. Vitr. Emetico-purg. | Tinct. Bez. T. Coruſ. T. Mart. Tart. |

Tertiana cura. Emp. febrif. | Epicarp. febrif. | Lac Alum. | Pul. Antipyr. P. febrif. cert. | Sp. Camph. | Sulph. aurat. | Tinct. Hier. T. Stom. |

Tinea, capitis ulcerum, &c. remed. Lap. Medicam. L. Salut. | Mag. Turpeth. | Ol. Sapon. |

Tophos, Nodos, &c. ſolvunt Emp. Diagalb. | Ol. Viper. |

Tormina à partu mitigat Aq. Chamæm. c. v. *Carminativa.*

Traumatica, Vulneraria, &c. Aq. chalyb. Aq. Vuln. | Balſ. Lucat. B. Magiſtr. B. Sulph. Antim. B. Sulph. Bat. | Cerev. ſcrophul. | Dec. Antiphth. Dec. Aſtac. Dec. Traum. | Pil. Marth. | Tab. de Angel. | Tinct. Aſæ fœt. T. Ocul. cancr. |

Tuſſis Remedia. Aq. Bech. Aq. Pect. | Balſ. Sulph. aniſ. & tereb. | Dec. ad Tuſſim. | Elect. Pect. | Laudan. | Liq. Limac. Loh. alb. &c. | Mixt. tub. | Ol. Sacch. | Paſt. Hypoglot. | Pil. Catarrh. P. Marth. & Pacif. P. Sinap. | Serum ſinap. | Syr. de rapis, & de Sulph. | Tab. Amygd. Dialth. Diatrag. Farf. Lenth. & Roſ. | Troch. pect. | Ung. Solear. | v. *Pectoralia, &c.*

Tympanitidis cura. Aq. Ceraſ. c. | Sp. Sal coag. |

V.

Variolarum, Morbillorum, &c. remed. Dec. robicund. Emulſ. expulſ. | Lap. c. Yerv. L. de Goa. | Pul. Æthiop. P. alb. P. Cantian. P. purp. | Sulph. aur. | v. *Alexiteria.*

Variolarum foveas delentia. Balſ. verum. | Cerat. alb. | Nod. facial. | Ung. ad foveas. |

Venerea. ex cupro præp. v. *Cuprea.*

Ventriculi doloris remed. Elect. Caryoph. | El. Piper. | Pul. Stom. | Syr. de Peto. | Tinct. Hier. T. Rhab. T. Stom. |

Ventris Torminum & Inflationis rem. But. Amygd. | Elæoſ. Nuciſt. Enem. Vinoſ. |

Vermifuga. Æth. min. | Aq. Vermif. | Aur. Vitæ. | Balſ. magiſt. | Bez. Animal. | Elect. Vermif. | Elix. Prop. | Emp. Vermif. | Ens Ven. | Merc. præcip | Ol. Aloët. Ol. Heracl. Ol. Tabac. | Pil. Vermif. | Pul. Vermif. | Sacch. Perſic. | Sal Sulph. | Syr. Vermif. | Tab. Infant. Tab. Vermif. | Tinct. Abſ. T. Corall. | T. Hier. T. Prop. | Ung. ad Lumbric. |

Verrucæ. v. *Clavi.*

Vertiginis Remed. Elect. Epilept. | Emp. Camph. | Emulſ. Præſ. | Sacch. Caryoph. | Sulph. Vitriol. | v. *Epileptica.*

Vigiliarum R. Laudan. | Hypnotica. | Opiata. | Pedil. Hypnot. |
Vitriolata. ex Vitriolo, &c. præp. Aq. fort. dupl. Aq. Herpet. | Arc. Dupl. | Chale. rubef. | Clif. Vitr. | Elix. Vitr. | Eſſ. Mart. | Ele. Vitr. | Gil. Theoph. | Jul. purp. | Lap. Medic. & Salut. | Mixt. ſimp. | Nitr Vitr. | Ol. Vitr. d. | Panac. H. | Pil. Vom. | Pul. ſine pari. P. Sympath. | Ros Vitr. | Sp. Vitr. Goag. | & diaph. & tart. | Stypr. Reg. | Sulph. Vitr. & S. Vitr. narcot. | Tart. Vitriolat. Antim. | Terr. Vitr. d. | Tinct. Antim. purg. T. Bez. | Vitriolum camph. | Ung. Fuſcum. |
Ulcera, Vulnera, Fiſtulas, &c. Curantia. Aq. Alum. Aq. Bet. Aq. Camph. Aq. Vulner. | Arc. Corallin. | Balſ. Lucat. B. Mag. & Mart. B. Mornrd. B. Saturn. B. Sclop. B. Sulph. Ant. & Bar. B. Ven. | Bez. Ven. | Croc. Jov. | Elix. Prop. | Emp. Diaſulph. R. Emp. Saturn. | Merc. præc. & ſublim. Ol. Tritic. | Pil. March. | Pul. ſine pari. P. Sympath. | Sal Litharg. Sal Tart. & Tart. Vol. | Tinct. Myrrh. T. Ocul. c. T. Propriet. | Ung. Fuſc. U. famil. U. Paræg. Ung. Sympath. |
Vomitoria, Emetica, &c. Antim. refuſc. | Apoz. potent. exped. | Aq. Formic. | Dec. Digital. | Dec. Regul. | Extr. Petic. | Mag. Gia. | Merc. præc. per ſe. Merc. præc. rub. | Oxyſacch. Emet. | Pil. Antim. Pil. Vom. | Serum Alum. | Sp. Tabac. | Sulph. Ant. & Aſt. combuſt. | Tab. Emet. | Tart. Antim. Tart. Emet. | Tinct. Antim. Emet. |
Urinæ Suppreſſa, ardoris, ſtranguria, &c. remed. Emuls. de Avell. | Mucil. nephrit. | Pul. Liliac. | Aq. omn. fer. | v. *Nephritica, Diuretica, &c.*
Vulnera curant Pul. Sympath. & Ung. Sympath. v. *Ulcera.*

Clavis ad paucula reſeranda

In PHARMACOP. BATEANA.

Album Canis ——— Stercus album canis.
Anaphromeli ——— Mel ſpumæ expers.
Apyrothium ——— Sulphur Vivum.
Chenocoprus ——— Stercus Anſeris.
Cynocoprus ——— Stercus canis.
Draconthæma ——— Sanguis draconis.
Hagioſpermus ——— Sem. Santonicum.
Hydrocrithe ——— Aq. Hordei.
Hydropege ——— Aq. Fontis.
Leptopityron ——— Furfur macer.
Leucelectrum ——— Succinum album.
Leucœnus ——— Vinum album.
Medulla Lactis ——— Butyrum.
Melanoſmegma ——— Sapo niger.
Neogala ——— Lac recens.
Oenogala ——— Vini & Lactis, ā p. æ.
Palœtyrus ——— Caſeus vetus.
Phyſalus ——— Bufo.
Pyrœnus ——— Alcohol vini.
Sulphur Cœleſte ——— Alcohol vini.
Xylagium ——— Lignum ſanctum.
Zibach, vel Ziabach ——— Mercurius.

FINIS.

FINIS.

APPENDIX

AD

Pharmacopœiam Bateanam

Ex Autographo Eximii Authoris nunc primum desumpta.

Place this after Page 227.

LECTORI CANDIDO

SElectissima Remedia quæ tibi exhibent sequentes paginæ ex Autographo eximii domini Doctoris Bates, cujus mihi copiam fecit (pro singula, i qua pollet morum suavitate & benefaciendi studio) illustrissima Domina Domina James Authoris nostri dignissima filia, diligenter selegi & publici juris feci. Quamvis enim hæc quæ restituo Præscripta duntaxát inter ægros curandos, raptim exarata & typis minimé destinata fuerunt atq; adéo minús forsán accurata cuipiam esse videantur: persuasissimus tamén sum, quód néc Reipublicæ Medicæ inutilia, nec tanto Authore prorsús indigna usu reperientur: proindéq; iniquum plané, i nó nefas fore judicavi, si aut invidus in privatum usum reconderem; ut negligens perire sinerem. Peró

LECTORI CANDIDO.

SElectiſſima Remedia quæ tibi exhibent ſequentes paginæ ex Autographo eximii domini Doctoris Bates, cujus mihi copiam fecit (pro ſingulari qua pollet morum ſuavitate & benefaciendi ſtudio) illuſtriſſima Domina Domina James Authoris noſtri digniſſima filia, diligenter ſelegi & publici juris feci. Quamvis enim hæc quæ reſtituo Præſcripta duntaxàt inter ægros curandos, raptim exarata, & typis minimè deſtinata fuerunt atq; adèo minùs forsàn accurata cuipiam eſſe videantur; perſuaſiſſimus tamèn ſum, quòd nèc Reipublicæ Medicæ inutilia, nec tanto Authore prorsùs indigna uſu reperientur: proindèq; iniquum planè, imò nefas fore judicavi, ſi aut invidus in privatum uſum reconderem; aut negligens perire ſinerem. Porrò tantus

tantus reverà fuit Bateus Præscribendi artifex, ut parùm verecundum eum esse oportet, quisquis, Emendationis prætextu, illius vel extemporanea immutare moliretur: Et propterèa nec quippiam mutilando, nec (præter paucula de viribus) adjiciendo, sed ipsissima Autographi verba fidelitèr transcribendo, spartam hanc ornare sategi.

Hisce ità præfatis rectà jàm ad Appendicem ipsam te relegarem, nisi quòd æquum, imò & (Lector benevole) tibi gratum fore duxi ut priùs te moneam, quòd plurima ex Remediis Pharmacopœiâ Bateanâ jàm prostantibus in hoc Manuscripto reperi; eàq; Industrius vir Dominus Shipton summâ fide, & integritate edidit.

T. Fuller M. D.

APPENDIX
AD
Pharmacopœiam Bateanam.

Apozema Cephalicum.

℞ RAD. Pæon. mar. ʒiiſs. Valerianæ ʒiij. Cal. aromat. ʒſs. Fol. Beton. Miij. Roriſmar. Mſs. Paſſal. ſol. exacin. Mij. coq. in Hydropeg. q. ſ. ſub finem addendo Sem. Carui ʒi. Col. adde Sacch. albi ʒiij. clarific. reducendo ad ℔ij. *Doſ.* ʒiv. *tèr in die.*

Apoz. Iſterícum.

℞ Rad. Cichor. ʒiſs. Fol. Fragar. (cum Rad.) Fol. Pentaphyl. ā Mj. Uvar. Corinth. ʒiij. Jujub. ʒij. Sem. Aquileg. ʒi. coq. in ▽ font. q. ſ. ad ℔ij. col. adde Syr. è 5 Rad. ʒij.m. *Dentur* ʒiv, *tèr in die.*

Apoz.

Apoz. Phthiſicum.

℞ Rad. Chinæ inciſæ ʒiij. Raſ. Eboris ʒi. Raſ. CC. ʒiſs. Dactyl. N° 4. infunde in Aq. font. q. ſ. per noctem tepidè: manè adde Fol. Arnogloſs, Bugulæ, Agrimon. Veron. Pauli, Virgæ aur. Alth. Capil. Ven. Summit. Rubi ā p. iij. Hord. p. ij. Uvar. paſs. enuel. Mſs. Coq ad ℔ij. Col. adde Conſ. Roſ. rub. ʒij. ſtent ſimul per ℧iij. & ſ. Col.

Apoz. de Pomis.

℞ Pom. redolent. (cum cort. & ſem. contuſ.) n° ij. Rad. Scorzon. ʒi. Rad. Gram. Acetoſæ, Aſpar. Cichor. Fœnic. ā ʒſs. Fol. Fragar. cum toto, Lujulæ, Borag. ā Mj. Raſ. Ebor. cc. ā ʒiij. Tamar. ʒvj. Uvar. Corinth. ʒiij. coq. in Hydropeg. q. ſ. ad ℔iſs. col. adde Syr. de 5 Rad. & Aurant. ā ʒij. m.

Sitim ſedat; Succos Atrabilarios corrigit; Obſtructiones reſerit; Urinam ciet. Febricantibus, & Melancholicis ſubvenit. *Dos.* ʒiv, *ter in die.*

Apoz. Splanchnicum.

℞ Rad. 5 Aper. ā ʒiſs. Troch. de Cappar. de Rhab. ā ʒvi. Fol. Chamædr. Miv, menth. Miſs. Ling. Cerv. Mj. Sem. Cochlear. Naſturt. aq. ā ℥i, Cort. Saſſaph. ʒſs. Uvar. paſſ. ʒx. Lumbric. præp. ʒi. Coq. in Hydropeg. ℔vi, & Leucœni ℔ij. ad ℔v. Col. infunde

Fol.

Fol. Cochl. mar. M.vi, col. adde Spir. Ment. comp. ʒiij, m. *Ad viſcerum obſtructiones, & Scorbutum.*

Aqua ferrata.

℞ Batituræ ferri (mundatæ ab omni ſorditie, & exſicc.) ʒviij. Aq. Lact. comp. ℔ij ſ. macerentur, obſignato vaſe, in B. M. per horas 48; f. Col. *Daſ. liquoris clari* ʒij, *omni mane per longum tempus.*

Aq. Fragorum comp.

℞ Fruct. Fragor. matur. ℔ij. Album. Ovor. (in aquam agitat.) N° 10. Fol. Cichor. Caudæ equinæ, Plantag. Virgæ aur. Roſ. rub. Fruct. Alkek. ā Miij. Jujub. Sebeſt. ā ʒvi, Glycyrth. rec. raſæ ʒiv, Rad Alth. Sem. Pepon. contuſ. ā ʒvi, Sem. Cydon. Malvæ, Alth. ā ʒſs. Lact. ℔viij. macerentur per biduum; & deiù Deſtil. in B. M. Calculoſis confert.

Aq. Glycyrrhizæ.

℞ Glycyrth. Angl. rec. contuſ. ℔ſs. Lact. ebutyrati cong. j. m. Deſtil. Organis communibus. Pectoralis, & Antinephritica audit.

Aq. Menthæ comp.

℞ Fol. Menthæ pulv. Sem. Agni caſti ā ʒij. Sem. Plantag. ʒi. Terebint. Ven. ʒvi, Decocti fortis Plantag. ʒxij. Succi Limon. ʒvi. Deſtil. ad lenem cinerum calorem.

Aq.

Aq. Phthiſica.

℞ Sem. Pepon. Melon. ā ʒiv. Portul. ʒvi. Fol. Piloſel. Plantag. ā Mviij. Conſolidæ maj. Germin. querc. ā Mvi. Seri Lact. cong. iv. Deſt. ſ. a. Bibat Patiens ℔i. cum Lact. recent. ℔i. & Sacch. candi ʒi. bis in die per totum Menſem Aprilem, vel Maium.

Aq. Plantaginis comp.

℞ Fol. Plantag. Centinod. Portul. ā Mvi. Piloſel. Mviij. Veronicæ mar. Equiſeti ā Miv. Rad. Sigil. Solom. ʒvi. Rad. Bugloſſi ʒiv. Seri Lact. ℔xij. Deſtil. Hæmoptoicis, & Phthiſicis convenit.

Aq. Pomorum comp.

℞ Pomor. redolent. (cum cort. & ſem. contuſ.) ℔xij. Fol. Meliſ. Scord. ā Mx. pul. Rad. Torment. & Zedoar. ā ℔ſs. Mac. Nuc. Moſch. ā ʒij. Lact. recent. ℔x. Deſt. ſ. a. In Febre, & Affectu Hypochondriaco confert.

Aq. Sanguinis.

℞ Sang. Vitul. rec. mactati ℔iv. Lact. Vaccini ℔vi. Summit. Rubi Idæi Mvi. Rad. Tuſſilag. ʒiv. Glycyrth. rec. ℔ſs. Paſſul. ſol. ʒx. m. Deſtil. Alembico Roſaceo, cavendo Empyreuma.

℞ Hujus Aquæ ʒxij. Tabul. Diatrag. frig. ʒiſs. m. ſumat æger ʒiv. omni mane, cum duplâ quantitate Lactis Aſinini. ad Tabem.

Aq.

Aq. Saponariæ comp.

℞ Fol. Saponar. rec. Mxx. Fumar. Scabioſæ ā Mvi. Lig. Guajaci pul. ℔i. Rad. Sarſap. craſſè contuſ. ℔iſs. Aq. Saponar. ſimpl. Cong. iv. Diſtil. communibus Organis.

Ad Sanguinem depurandum, & Affectus Cutaneos. ℞ Hujus Aquæ ℔ij. Sacch. albi ʒij. m. Propin. ℔ſs. pro vice, tèr in die.

Aq. Scorbutica.

℞ Fol. Agrimon. Cichor. Phyllit. Hepat. nobil. ā Mviij. Abſinthii utriuſq; Cochlear. utriuſq; Naſturt. aq. Becab. ā Mvi. Ment. aq. Mv. Scabioſæ, Praſii ā Miv. Rad. Ari craſsè contuſ. ʒiv. Lig. Sant. albi pul. ℔ſs. Aq. ſtill. Lumbric. ſimpl. ℔ij. Aq. Antiſcorb. noſt. ℔vi. Leucœni ℔iv. præp. Deſtil.

Balneum Pſoricum.

℞ Rad. Ireos noſt. Bryon. albæ, Farinæ Lupin. & Fabar. ā ℔iſs. Fol. Borag. Geniſtæ inciſ. ā Mxx. m. pro Decocto.

Vel,

℞ Rad. Bryon. alb. ℔iſs. Fol. Borag. Sambuci ā Mxviij. Tart. albi ℔i. m. pro Decocto.

Balneum Venuſtatis.

℞ Hord. mund. ℔ij. Orizæ ℔i. Lupin. craſsè pul. ℔iij. Furfuris macri ℔viij. Fol. Viol. Borag. ā Mx. coq. in Aq. font. q. ſ.

Ad Cutim detergendam, poliendam, & emolliendam. *Boche-*

Bocherum.

℞ Rad. Sarſapar. ℥viij. Lig. Guajici ℥ij. infunde ♃ xij. in Hydropeg. (vel Hydrocrith.) ℔xij. adde Uvar. paſſ. enucl. ℔ſs. Coq. ad conſump. dimidii, addendo ſub finem Glycyrth. recent. ℥i. f. Col. pro potu ordinario.

Bolus Hæmorrhoidalis.

℞ Pulp. Caſſiæ rec. extr. ʒiij. Fl. Sulph. ℈i. Pul. Glyc. ℈ſs. f. bol. ſumatur manè, & ſuperbibatur hauſtus ſeq. ℞ Decoc. Pect. (cum Rad. Alth. incoct.) ℥iij. Mannæ ℥i. Syr. Viol. Oxym. ſcil. ā ℥ſs. Valet etiam ad Aſthma, & affectus Thoracicos.

Bolus Nephriticus.

℞ Terebint. Ven. coct. & pulv. ℥i. Oc. 69 ℈i. ☐ ⊕ lati ℈ſs. ⊖ Succini gr. iv. Syr. Alth. q. ſ. f. bol. ſumatur manè, ſuperbib. Serum Nephriticum.

Bolus è Terebinthinâ.

℞ Caſſiæ rec. extrac. ʒiij. Terebint. Ven. ℥i. pul. Rhab. ℥ſs. f. bol. ſumatur horâ ſomni; manè ſequenti bibantur Inſuſ. Bened. ℥vi. In affectibus Venereis, &c.

Cataplaſma Anginoſum.

℞ Mel. Roſ. ℥iv. Cynocopis pul. ℥ij. Pulp. Caſſiæ ℥j. m.

Vel,

℞ Mel. Roſ. Cynocop. ā ℥iſs. Croci ʒiſs.

Farinæ

Farinæ Tritici ℥iij. Aceti q. s. m. f. Catap. cepidè sub mento applicandum.

Catapl. Arthriticum.

℞ Mucilag. sem. Cydon. (Aq. Lact. extrac.) ℥viij. Uv. Malagens. (exacinat. & in pulpam contus.) ℔i. m. agitando super prunas, f. pulticula adhibenda locis affectis, & renovanda sextâ quâq; horâ.

Catapl. Cardiacum.

℞ Cort. Citri cond. ℥ss. Alkerm. ʒiij. Cons. flor. Borag. ℥ij. contunde optimè cum Mellis Anthos. ℥ss. spec. Diamosc. dulc. ℈ij. Croci ℈i. m. & adhibe Cordis regioni; ad Syncopen, Tremores, & Palpitationem.

Catap. Cydoniatum.

℞ Cydon. cond. (in pulp. contus.) ℥iij. Diasc. mel. Ros. ā ℥ij. Pul. Ter. sigil. ʒiij. Boli Armen. ʒij. f. pulticula adhibenda ventriculo, vel umbilico; & renovanda 12ª quâq; horâ.

Ad Vomitum, Diarrhæamvè sistend. & Abortum prohibendum.

Catap. Discutiens.

℞ Rad. Enulæ rec. Ireos nost. ā ℥iv. Alth. ℥viij. Fol. Scord. nasturt. aq. ā Mvi. Ebuli, Absint. Cicutæ, Malvæ ā Miv. Flor. Samb. p. xx. Fl. Genistæ p. xxvi. coq. in ▽ q. s. ad mollitiem; contus. in pulpam admisce

Gum.

Gum. Ammon. (in Aceto ſoluti) ʒiv. Farinæ Fabar. & Lini ā ʒvi. Ol. Irini ʒiv. Ol. Geniſtæ ʒiij. m. f. Catapl. pro Splene.

Catapl. Diureticum.

℞ Fol. Parietar. Miij. Coq. in Lact. q. ſ. ad contabaſcentiam; dein contunde cum Cepis (ſub cineribus priùs coctis) N° iij. Rad. Raph. ſylv. ʒiij. Vitel. Ovor. N° ij. Ol. Scorpion. ʒi. Ung. Dialth. ʒij. f. Catapl. vel Perinæo, vel locis dolentibus applicandum, in Paroxyſmo Calculoſo.

Catap. Emolliens.

℞ Rad. Alth. rec. ℔ſs. Rad. Lil. alb. ʒiv. Fol. Malv. Alth. Sambuci Abſint. Melil. Flor. Samb. ā Mij. coq. in ▽ ad mollitiem; adde Farinæ ſem. Lini ℔ſs. Fabar. ʒij. Sevi Vervec. ℔ſs. Ol. Lumbric. ʒiij. m. f. Catap. & Liquor. colatus ſervetur pro Fotu.

Catap. Febrifugum.

℞ Rad. Bryon. albæ recent. ʒiv. Fol. Rutæ Miij. ſem. ſinap. ʒij. ſem. coriand. ʒij. Spir. ſulph. ʒi. Aceti ſcil. ʒij. m. f. Catap.

Vel,

℞ Rad. Bryon. recent. ʒij. Fol. Sabinæ, Rutæ, Erigeri ā Mij. Sapon. nig. ʒij. Muſtardæ, Salis nig. ā ʒi. m. f. Catap. pro Carpis, & Plantis pedum.

Catap.

Catap. Hæmorrhoidale.

℞ Rad. Alth. Cynogl. (ad putrilaginem in Aq. coct.) ā ʒij. Mucilag. ſem. Cydon. Ung. Hæmorrhoid. ā ʒi. Vitel. Ov. N° 1. Plumbi uſti pulv. ʒvi. m. f. Catapl. applicand. poſt fotum.

Catapl. Spleneticum.

℞ Fol. Nicot. ſicc. Miij. irrig. cum Aceti Roſ. ʒiij. adde Fol. Cicutæ rec. Miv. Malvæ, Viol. ā Miſs. contunde, & coq. in ▽ q. ſ. cum Farinæ Sem. Lini ʒiij. adde Ol. Roſ. ʒiij. Croci ʒi. f. Catap.

Catap. ad Tonſillas.

℞ Pul. Cynocop. ʒi. Croci ʒſs. Sang. drac. ʒiſs. Mel. Roſ. ʒij. m. f. Catap.

Caudela Analeptica.

℞ Alæ mediocr. ſbi. Dactyl. inciſ. N° vi. Rad. Eryng. candefact. quant. 4 digitorum, Flor. Hormini, Lamii ā Mj. Aven. decortic. pul. cochl. j. Coq. & expreſſioni adde ſacch. alb. q. ſ. ut f. Caudela.

Cerevifia Cephalica.

℞ Rad. Pæon. mar. ʒiiſs. Valerianæ ʒiij. Ireos Florent. Calami arom. ā ʒſs. Enulæ ʒiij. Fol. Beton. Miij. Capil. Ven. Tuſſilag. ā Mij. Roriſmar. Mj. Flor. Paralyſ. ſicc. Miv. Flor. Salv. p. vi. Sem. carui ʒi. Uvar. paſſ. enucl. ſbi. f. Saccul. ſuſpend. cong. v. Cerev. pro potu communi.

Vel,

Vel,

℞ Rad. Paeon. mar. ℥ij. Entulæ ℥iij. ſicc. Pavon. ſicc. & craſsè pulv. ʒxij. Uvas. paſſ. ℥xij. f. Saccul. pro cong. ij. Cerev. Ad Vertiginem, & Epilepſiam.

Cerev. Corroborans.

℞ Raſ. dent. Hippopotami ℥iv. Virgæ Hippopot. & Eboris ā ℥iij. Rad. Conſolidæ maj. Sigil. Solom. ā ℥vj. Fol. Equiſeti, Piloſel. Plantag. Alchymil. ā Mij. Uvar. paſſ. enucl. lbiſs. m. f. Saccul.

Cerev. Diuretica.

℞ Bac. Junip. contuſ. ℥iv. Fruct. Cynorrhod. (ſicc. & craſsè pulv.) lbiſs. Fol. Alth. Parietar. Aparines ā Miv. Abſinth. Mij. Uvar. paſſ. enucl. lbiſs. f. Saccul. pro cong. vi. ad potum communem.

Cerev. Scorbutica.

℞ Fol. Ling. Cerv. Cochlear. utriuſq; Becab. ā Mvij. inciſa minutiſſimè, & paſtâ obvoluta coq. in furno, adde poſt modum Raſ. Ebor. Sem. Coriand. ā ℥iv. Uv. paſſ. lbiſs. f. Saccul. pro cong. vij. Cereviſ.

Vel,

℞ Fol. Cochl. utriuſq; Cardamines, Becab. ā Mvj. Hepaticæ, Agrimon. Ling. Cerv. ā Mij. Abſint. Rom. Mj. Rad. Raph. ruſt. ℥iij. Rad. 5 Aper. Cichor. ā ℥ij. Sem. Carui ℥ij.

Cort.

Cort. extern. Limon. N° vi. Uvar. paſſ. exacin. ℔ij. ſ. Saccul. pro cong. vi.

Cerev. cum Succis.

℞ Succ. cochl. ℔iv. ſuc. Becab. ℔ij. Cereviſ. Lupulatæ, & non Lupul. ā cong. iiſs. adde in Sacculo Fol. Cochl. Mvi. Salv. Mij. Paſſul. ℔ij. Mal. Aurant. inciſ. N° iv. pro potu ordinario.

Cerev. Traumatica.

℞ Fol. Piloſel. Equiſeti ā Mviij. Veron. mar. Millefol. Alchimil. ā Mvi. Uvar. paſſ. ℔iſs. Coq. in Hydrocrith. cong. iij. ad ij. col. adde Alæ cong. iv. ſuſpenſ. in vaſe Uvar. paſſ. enucl. ℔i. pro potu com.

Collyrium Metallicum.

℞ Croci Metall. ſubtil. pulv. ʒi. ☉i albi ℈ſs. ▽ Roſ. rub. ʒſs. ▽ Flor. cichor. ſylv. per deliqu. ʒiiſs. macera tepidè per ⧖ vi. f. Filtratio.

Inſtilletur gt. j. tepidè in oculum tèr in die, ad maculas, & nebulas detergendas.

Decoctum Bechicum.

℞ Rad. Helenii ʒi. Glycyrth. ʒij. Fol. Tuſſilag. Scabioſæ ā Mij. Sem. Aniſi (ſub finem add.) ʒſs. coq. in Hydrocrithes q. ſ. ad ℔iſs. col. adde Syr. Viol. ʒij. de Hyſſopo, Jujub. ā ʒi. croci (nodulo incluſi) ℈ſs. m. *Doſ.* ʒiv, *tèr in die, ad Tuſſim, & Catarrhum.*

Dec.

Dec. Chinæ comp.

℞ Rad. Chinæ incis. ʒi. infunde in Hydrocrit. ℔vi. adjectis Fol. Hed. terr. miv. Tussilag. capil. Ven. ā mij. Uvar. pass. Dactyl. ā ʒiij. coq. ad consump. tertiæ partis; col. adde sacch. candi ʒij. clarif. sumatur haustus tepidè tèr in die: ad Tussim, & dispositionem Phthisicam.

Dec. Cretaceum.

℞ Cretæ albæ pulv. ℔ss. coq. in Hydropeg. ℔iij. ad ℔ij. post crassioris partis subsidentiam, tenuis liquor instar lactis effundatur, cui adde sacch. perl. q. s. bibatur affatim.

Dec. Cretaceum comp.

℞ Cretæ pul. ʒiij. coq. in ▽ Germin. querc. ℔iiss. ad tertiæ partis consumpt. addendo panni Anchusati quantum tingat; col. adde Conf. Ros. rub. ʒij. infunde & f. expres. cui adde pul. Terræ Lemn. ʒij. (aliquando addit Author Syr. è Rubo Idæi ʒiij.) Ad Diarrhœam, & Hæmorrhagias internas.

Dec. Cydoniatum.

℞ Mal. cydon. incis. N° ij. ▽ font. ℔ij. coq. ad ℔ij. adde cinnam. contus. ʒij. stent simùl ad frigiditatem; col. adde sacch. candi albi ʒij. bibantur ʒiij. tertiâ quâq; horâ, contra Vomitionem: & ʒiv. tèr in die, contra Abortum.

Dec.

Dec. Guajaci Purgans.

℞ Raſ. Guajaci ʒiv. ſant. albi, Rad. Chinæ ā ʒi. Sarſapar. ʒij. infunde ſ. a. in ▽ font. ℔vi. per ⧖ viij. adde Mechoac. ʒiſs. Jalap. ʒſs. ſem. carth. Hermodact. Sennæ ā ʒij. Flor. Koriſm. Stæchad. ā p. iij. Fol. Salv. Beton. ā mj. Uv. paſſ. enucl. ʒvi. coq. ad conſumpt. tertiæ partis, ſ. col. adde Syr. Roſ. ſol. ʒviij. clarif. cum Alb. Ov. Doſ. ʒv.

Dec. Laxativum.

℞ Rad. 5 Aper. ā ʒiij. Tamarind. ʒi. Sennæ ʒij. Uv. Corinth. ʒiv. coq. in ▽ font. ℔iſs. ad conſump. tertiæ partis col. adde Syr. Roſ. ʒij. m. propin. ʒv. bis in die.

Dec. Paſſularum comp.

℞ Uv. paſſ. enucl. ʒiv. coq. in Hydrocrith. q. ſ. circa finem addendo Cort. Pomor. redolent. mij. remotis ab igne adde Glycyrrh. raſ. ʒvi. ſtent ſimùl ad frigiditatem ſ. col. ad ℔iij.

Dec. Pectorale incraſſans.

℞ Rad. alth. ʒiſs. Rad. & Fol. Tuſſilag. ā miſs. Sem. Malvæ ʒſs. Jujub. N^P^ xx. Uvar. paſſ. ʒiv. Glycyrth. ʒij. coq. in Hydropeg. q. ſ. ad ℔ij. col. adde ſacch. candi rub. ʒiſs. clarif. ſumantur cochl. vi. vel viij. ſæpiùs in die.

Dec. Pleuriticum.

℞ Sulph. Animalis ℥iv. Fol. Scabioſæ mij. Sem. Card. Mariæ ℥ſs. nuc. moſch. ʒij. Aq. Ulmar. & Card. Mariæ ā ℔ſs. coque parùm, ſ. Expreſſ. adde ſucci Aurant. ℥iij. Syr. Papav. Rhæad. ℥iv. clarif. bibatur ad libitum contra ſitim.

Dec. Raparum comp.

℞ Rad. Rapar. inciſ. N° vi. Uvar. paſſ. enucl. ℥iv. Fol. Tuſſilag. mij. Sem. 4 Frig. maj. ā ℥ſs. Sem. Bombac. Coriand. ā ʒiij. coq. in ▽ font. q. ſ. ad ℔iij. col. adde ſucc. Aurant. ℥ij. Sacch. candi albi ℥iij. m. Doſ. ℥iv. tertiâ quâq; horâ.

Decoc. Santalinum.

℞ Lig. Santali albi ℥iij. Rad. Sarſapar. ℥viij. Chinæ ℥i. Raſ. Eboris ℈iſs. infunde in Hydrocrithes ℔xiv. adde Uv. paſſ. & Corinth. ā ʒiij. coq. ad conſump. tertiæ partis, ſ. col.

Decoc. Sarſæ attemperans.

℞ Rad. Sarſæ ℈vi. Chinæ ℥i. infunde in Hydropeg. ℔viij. coq. cum Uv. paſſ. enucl. ℥viij. ad conſumpt. tertiæ partis, infund. Fol. cochl. mar. miv. ſ. col.

Dec. Sarſæ Cephalicum.

℞ Rad. Sarſæ ℥vi. Lig. Saſſaph. ʒi. infunde in ▽ font. ℔ix. adde Rad. Pæon. mar. Valerianæ ā ℥ſs. Fol. Beton. miv. Anth.

p. iij.

p. iij. nuc. moſc. N° iv. Paſſal. enucl. ʒij. coq. ad conſumpt. tertiæ partes f. col. Doſ. ʒv. tèr in die.

Dec. Sarſæ exſiccans.

℞ Rad. Sarſapar. opt. inciſ. ʒviij. Raſ. Guajaci ʒij. infunde per ⧖ 12. in Aq. font. ℔xij. adde Uvar. paſſ. enucl. ℔ſs. coq. ad conſumpt. dimidii, addendo ſub finem Glycyrth. recent. ʒi. f. col. Doſ. ℔ſs. tèr vel quatèr in die.

Dec. Sarſæ Traumaticum.

℞ Rad. Sarſæ ʒiij. Chinæ ʒſs. Fol. Bugulæ, Piloſel. Veronicæ ā Miſs. Alchimil. Mj. Uv. paſſ. ʒvi. infunde, & coq. in Hydropeg. q.ſ. col. ℔iv. adde ſacch. candi albi ʒiv. clarif. Doſ. ʒvi. tèr in die.

Dec. Scorzoneræ.

℞ Rad. Scorzon. ʒiij. cort. citri cond. ʒij. ccc. pulv. ʒi. Sem. carui ʒvi. coq. in ▽ font. ℔iv. ad conſump. tertiæ partis f. col. clarif. adde Succi Aurant. ʒi. Sacch. opt. ʒiij. m. Bibatur ad libitum in Febribus.

Electuarium Æthiopicum.

℞ Æthiop. miner. ʒi. Troch. de Viper. pul. ʒvi. Gum. Guajaci ʒſs. Extrac. Guajaci comp. ʒſs. Syr. Garyoph. q. ſ. f. Elect. cap. ʒiij. bis in die, & ſuperbibatur hauſtus Decocti Santali. Ad affectus cutaneos, & Luem Veneream.

Elect. de Althæâ.

℞ Pulp. Rad. Alth. (in Aq. hord. coct. contus. & per ſetac. traject.) ʒij. Pulp. Jujub. & Sebeſt. ā ʒi. Spec. Diatrag. frig. ʒiij. ſacch. Penid. ʒij. Syr. de Nymph. q. ſ. f. Elect. cujus Doſ. ʒij. bis in die, cum Lacte Aſinino. Refrigerat; Incraſſat; Catarrhos ſiſtit; & Tabidis conducit.

Elect. Cardiacum temperatum.

℞ Pulp. Conſervæ Lujulæ ʒiv. cort. citri cond. ʒiſs. Pul. è Chel. comp. ʒij. Syr. de ſucco citri ʒiij. m. ſum. ʒiij. tèr in die, cum Julap. Card.

Elect. de Eryngio.

℞ Pulp. Rad. Eryngii cond. ʒiv. nuc. moſc. cond. ʒij. Conſ. flor. Hormini ʒi. Lamii ʒij. Pulv. Priapi Hippopot. ʒvi. Syr. de cond. rad. Eryngii ʒiv. m. Inſigniter corroborat, & inſtaurat. Detur qu. Caſtaneæ horis ſomni, & mane; ſuperbibatùrq; hauſtus Caudelæ Analepticæ.

Elect. de Guajaco.

℞ Rad. Eryng. candefact. ʒiij. Scorzon. candefac. ʒiſs. contunde irrigando cum Spir. Hormini comp. ʒij. exprime per ſetaceum, adde Extrac. Guajāci ʒi. Ceruſſæ ♁ij. ʒvi. f. Elect. Sanguinem depurat, & Spiritus reficit.

Elect.

Elect. Incraſſans.

℞ Pulp. rad. conſolidæ maj. ʒiij. Rad. Alth. Conſ. flor. Nymph. ā ʒij. Spec. Diatrag. frig. ſ. Sacch. opt. ʒv. Syr. de Mucilag. ʒij. m. f. Elect. cujus Doſ. ʒiij. tèr in die.

Elect. Lætificans.

℞ Cort. citri cond. ʒiſs. Conſ. flor. Garyoph. Calendulæ ā ʒi. Spec. Lætif. Galeni ʒj. Pul. Oſſ. de corde cervi ʒſs. Aquæ Meliſſæ comp. ʒiiſs. Syr. Garyoph. ʒi. m. f. Elect. Cardiacum eſt; & ad cordis palpitationem ſpecificè inſervit. Doſ. ʒiij. tèr in die, cum Julapio cardiaco.

Elect. Laxativum.

℞ Pulp. Caſſiæ rec. extrac. ʒiij. Pulv. Rad. Julap. & Sem. carui ā ʒiij. Syr. de Pomis Regis Saporis ʒiij. m. ſumantur ʒiij, quotiès opus fuerit ad alvum laxandam, horâ ante prandium, ſine cuſtodiâ.

Elect. Nenupharinum.

℞ Conſer. fl. Nenuphar. ʒiij. conſolidæ maj. rad. conſolidæ cond. ā ʒi. contunde pulpam cum Sem. Lactucæ ʒiſs. irrigando cum Syr. de Nymph. ʒiv. f. expreſ. per ſetaceum; adde Rad. Nymph. pul. ʒii. Spec. Diatrag. frig. ʒiſs. m. f. Elect.

Refrigerat; Incraſſat; Inſtaurat; Urinæ ardorem extinguit. Dentur ʒiii. tèr in die, cum hauſtu Juſculi de Chinâ. *Elect.*

Elect. Paralyticum.

℞ Conſ. fl. Salviæ ʒiij. Anthûs ʒi. cochl. marinæ ʒvi. Pul. ſem. cochl. ʒiſs. Spec. Dianth. & Arom. Roſ. ā ℈iv. Syr. de Stæch. ʒiij. Ol. Succini rectif. ℈i. m. f. Elect. cujus Doſ. ʒiij. tèr in die.

Elect. Pectorale Incraſſans.

℞ Pulp. Ficuum (Aq. Hord. extrac.) ʒi. Conſ. Roſ. rub. ʒij. Lohoch ſani, Syr. Capil. Ven. ā ʒiij. m. f. Elect.

El. Purgans.

℞ Pulv. ſancti ziij. Jalap. ℈iv. Sem. carui ℈ij. Elect. Lenitivi ʒiv, Syr. Roſ. cum Agar. ʒiſs. m. f. Elect. Doſ. ʒvi. manè.

El. de Satyrio.

℞ Rad. Satyrii cond. & per ſetaceum traject. ʒiv. Rad. Conſolidæ cond. & ſimiliter præp. ℔i. Pulv. Priapi Taur. ʒi. Priapi Hippopot. ʒiſs. Dent. Hippopot. & Eboris ā ʒvi. Gum. Anime ʒii. Maſtiches ʒi. nuc. moſch. ʒ's. Syr. de Symph. ʒviij. m. f. Elect. Analepticum, & Aphrodiſiacum.

Sumat Patiens ʒſs. bis in die, ſuperbibendo manè Lactis Caprini ℔i. cum Sacch. Roſ. edulcor: Vel hauſtum Decocti tol. Conſol. maj cum flor. Hyperici: Et horâ ſomni ſuperbibendo Aq. Hormini comp. ʒi.

Elect.

Elect. de Symphyto.

℞ Pulp. Rad. Conſol. maj. Sacch. opt. ā ℥iij. coq. in Electuarii conſiſt. adde Virgæ Hippopot. pul. ℥ſs. Syr. de nuc. moſch. ℥i. m. Sumatur ℨſs. horâ ſomni, & horâ *j.* ante prandium; ſuperbibendo largum hauſtum Decocti fol. Conſol. maj. in liqu. poſſet. cum Dactylis præp. Ad Dorſi imbecillitatem; Gonorrhæam; Fluorem album, &c.

Elect. de Terebinthinâ.

℞ Pulp. Caſſiæ ℨiii. Tereb. Ven. coct. & Cypr. coct. & Pulv. ā ℨiij. Rhab. ℨi. Gum. Arab. Spec. Diatrag. frig. ā ℈iv. Syr. de Alth. q. ſ. m. Doſ. ℨiij. omni manè, ſuperbib. Emulſionis hauſtum. Ad ardorem Urinæ; Affectus Nephriticos; & Venereos.

Elect. Tolutanum.

℞ Balſ. de Tolu pulv. ℨſs. Conſ. Roſ. rub. ℥iſs. Liquam. Sacch. Candi q. ſ. m. Ad Phthiſin.

Elect. Traumaticum.

℞ Conſ. flor. Papav. Rhæad. & Roſ. rub. ā ℨiſs. Pul. Lap. Hibern. ℨvi. Syr. de Symph. q. ſ. m. Doſ. ℨiij. tèr in die.

Emplaſtrum contra Abortum.

℞ Pul. Rad. Biſtortæ, Sem. Coriand. ā ℨii. Nuc. Cupreſ. Lig. Sant. rub. Hypociſt. ā ℨi. Coral. rub. Succini ā ℈iv. Labdani, Maſtich.

ā ʒſs. Thuris, Bdellii ā ʒij. Ol. Maſtich. ʒi. Ceræ citr. ʒiiſs. Terebinth. Cypr. opt. ʒii. m. f. Empl. ſ. a.

Vel,

℞ Empl. Diapalm. (Aceto Roſ. lot.) ʒvi. Balſ. de Tolu, Terebint. Ven. Ceræ citr. ā ʒſs. Sant. rub. Boli, Coral. rub. ā ʒi. Terræ ſigill. ℈iv. f. Empl. exteriùs tangendum Spir. Roſ. gt. ij. pro Dorſi regione, ſyndone rubrâ tegendum.

Empl. Album.

℞ Ung. Albi, Ceræ albæ ā ʒvi. f. Empl. ad Inflammationes, & Eroſiones, etiam ad Hæmorrhoides internas.

Empl. de Balauſtiis.

℞ Pulv. Balauſt. Roſ. rub. Cinnam. Maſtich. ā ʒi. Balſ. Tolat. ʒij. Terebint. Ven. (in Vino rubro auſtero coctæ) Ceræ citr. ā ʒiij. m. f. Empl. pro Dorſo, ad imbecilitatem, & dolores.

Empl. Cypreum.

℞ Terebint. Cypr. ʒiij. Balſ. Tolut. ʒiſs. Diapalm. (Aceto Roſ. loti) ʒvi. f. Empl. Ad Lumbaginem, &c.

Empl. Splenéticum.

℞ Empl. e bac. Lauri ʒvi. Tacamah. ʒſs. Balſ. Peruv. ʒi. Ceræ ʒij. m. f. Empl. ſ. a. Syndone contegendum.

Empl.

Emp. Tolutanum.

℞ Balſ. Tolutani ʒvi. Balſ. Peruv. q. ſ. f. Empl. pro regione Ventriculi.

Emulſio Analeptica.

℞ Aq. Hord. ℔iv. Poma iv. curtipendula, Fol. Tuſſilag. Miv. Jujub. ℥iv. coq. ad ℔ij. ℞ Col. ℔iſs. Amygd. dulc. excortic. N° iij. Sem. Pepon. Piſtach. ā ℥i. Rad. Eryng. candefact. ℥iſs. Sem. Bombacis ʒiij. f. Emulſ. ſ. a. cui adde Aq. Roſ. rub. ʒiſs. Doſ. ʒiij. tepidè tertiâ quâq; horâ.

Emulſ. Hæmoptoica.

℞ Fol. Tuſſilag. Mij. Dactyl. Jujub. ā ℥ij. Hord. ʒi. Glycyrth. ʒiij. coq. in ▽ font. q. ſ. Col. ℔iij. adde Cretæ ſubtil. pulv. ʒi. Sem. 4. ſtig. maj. ā ʒiij. Portul. Papav. albi ā ℥ſs. f. Emulſ. cui adde Syr. Myrt. de Portul. ā ℥ij. m. Bib. ℥iv. tèr in die.

Emulſ. Icterica.

℞ Sem. Aquileg. ʒvi. contuſ. affunde Aq. Chelidon. ℥vi. f. Emulſ. cui adde ſacch. perl. ℥ſs. ſumatur pars dimidia pro vice bis in die.

Vel,

℞ Rad. Cichor. ʒiſs. Fol. cum Rad. Fragar. & Pentaphyl. ā Mi. Jujub. ʒij. Uvar. Corinth. ℥iij. coq. in aq. font. q. ſ. ad ℔ii. f. col. & cum Sem. Aquileg. ℥i. Amygd. dulc. decort.

N° iv. f. Emulſ. cui adde Syr. de 5 Rad. ʒii. m. Doſ. hauſtus plenus bis in die.

Emulſ. Nenupharina.

℞ Rad. Nenuphar. ʒiv. infunde, & coq. in Hydropeg. chalybeatæ ℔vi. ad conſumpt. tertiæ partis, adjectis Dactyl. N° vi. Rad. Sigil. Solom. ʒii. Fol. Conſolidæ utriuſq; Flor. Lamii ad Mii. f. col. ℞ Hujus decocti ℔ij. Dactyl. ſupraſcript. N° iij. Amygd. d. decort. N° xij. f. Emulſ.

Ad Urinæ ardorem; Fluorem album; Gonorrhæam, &c.

Emulſ. Phthiſica.

℞ Hydrocrit. ℔iv. Jujub. ʒiv. Fol. Capil. Ven. Tuſſilag. ā Miſs. Sem. Viol. Bombac. Portul. ā ʒij. Aniſi ʒiſs. coq. ad conſumpt. tertiæ partis f. col. cui clarificatæ adde Sem. Melon. Cucumer. ā ʒi. Amygd. dulc. decort. N° vi. Nuc. Pinear. ʒſs. f. Emulſ. ſ. a. adde ▽ Roſ. rub. ʒiv. Saech. candi albi ʒi. m. Propin. ʒiv. tepidè quartâ quâq; horâ.

Emulſ. de Sarſâ.

℞ Rad. Sarſæ inciſ. ʒiij. Rad. Nymph. ʒiſs. Raſ. Ebor. ʒiij. infunde in ▽ font. ℔iij. per horas viij. adde Uvar. paſſ. enucl. ʒiv. coq. ad ℔ij. cum col. & Sem. Pepon. ʒi. Lactucæ, Cannab. ā ʒvi. Amygd. dulc. decort. N° viij. Album. Ov. (priùs in Aquam agitat. cum ā

▽ Roſ.)

▽ Rosſ.) N° *ij.* Sacch. candi ℥*ij.* ſ. Emulſ. Doſ. ℔ſs. mane, & horâ ſomni. Refrigerat; incraſſat; edulcorat.

Emulſ. de Scorzonerâ.

℞ Rad. Scorzon. recent. ℥ij. coq. cum Hord. perl. cochl. iv. in ▽ ſont. ℔iij ad ℔ij. ſ. col. Contunde Rad. Scorzon. cum Sem. Pepon. & Melon. ā ℥i. Amygd. d. decort. N° iij. & cum Aq. Hord. præſcriptæ claræ ℔i. ſ. Emulſ. cui adde Sacch. candi albi ℥i. Aq. Ment. comp. gt. iv. Bibatur dimidium horâ ſomni, alteràq; pars mediâ nocte. In Febribus.

Emulſ. Somnifica.

℞ Sem. Papav. albi contuſ. ʒvi. Amygd. dulc. decort. N° ij. Aq. Citri, Papav. Rhæad. ā ℥ij. ſ. Emulſ. adde Aq. Mariæ ℨi. Manûs Chriſti perl. ℥ſs. m. ſumatur horâ ſomni.

Enema Conſolidans.

℞ Lact. (cum Fol. Conſol. maj. & Flor. Roſ. rub. ā Mij. coct.) ℔ij. Album Ov. conquaſſ. N° ij. Sacch. candi albi ℥iij. m. pro ij. Enemat. ad Inteſtinorum eroſionem, Diarrhæam, & Dyſenteriam.

Vel,

℞ Fol. Conſol. utriuſq; Plantag. ā Mvi. Sem. Cydon. ʒij. Sem. Coriand. ℥iv. coq. in ▽ & Lact. ā q. ſ. ad ℔iij. col. adde Sacch.

Roſ.

Rosæ ʒvi. misce cum Ovo toto (exemptocortice) optimè conquassato, pro iv. Enemat.

Enem. Hæmorrhoidale.

℞ Fol. Chelid. min. Sambuci, Linariæ, Verbasci Viol. ā Mij. Cicutæ, Hyoscy. ā Miss. Sem. Lini ʒiss. coq. in ▽ font. q. s. ℞ Col. ℔iss. Vitel. Ov. N° j. f. Injectio sæpè per Syringam immittendam in Anum.

Enema Sanativum.

℞ Ped. Ovil. N° xij. Lumbric. præp. ʒij. Fol. Hyper. cum floribus Miv. Alth. Consol. maj. ā Mij. Rad. Torment. ʒiv. ▽ font. q. s. f. Decoct. pro Clysteribus, ad Dysenteriam.

Epicarpia.

℞ Cretæ (in crucibulo ignitæ, & in Aceto Samb. extinctæ) ʒi. Sapon. nig. ʒij. m. f. Ung. pro carpis, contra Febrem Intermittentem.

Epithèma contra Abortum.

℞ Succi Cydon. ℔i. Vini rub. austeri ʒiv. m. huic immergatur panis tostus, inspergendus postèa pulv. sequenti, & inter duo linteola adhibeatur Umbilici regioni; renovando tèr in die, & nocte.

Pulv. dict. ℞ Nuc. Mosch. ʒi. Cinnam. ʒij. Mac. ℈i. f. Pulv.

Conducit

Conducit etiàm ad Vomitum, Diarrhœam, & Hypercatharſiu ſedandam.

Epithema Stomachicum.

℞ Fol. Abſint. Ment. ā Mij. Mac. ʒiij. contunde, & f. Sacculus immergendus Aceto Roſaceo; expreſſus admoveatur calidè Ventri, renovando 4ª quâq; horâ, ad eoſdem uſus cum priori.

Expreſſio Citrea.

℞ Cort. citri cond. ʒiij. Conſ. Garyoph. ʒiſs. Sem. Fœnic. dulc. ʒiij. Aniſi ʒij. Carui ʒſs. ſpec. Aromat. Roſ. ʒi. ▽ Lumbric. Magiſt. ℔ſs. Aq. Meliſſæ ℔iſs. macera tepidè per horas 4 col. adde Syr. Garyoph. ʒiij. m. Spiritus reficit; & Flatus diſcutit.

Expreſ. Hæmoptoica.

℞ Sem. Papav. albi ʒi. Hyoſcy. albi ʒſs. Conſ. Roſ. rub. ʒiſs. contunde optimè ſæpè irrigando Aquæ Portul. ʒviij. f. Expreſ. adde Syr. è Roſ. ſicc. ʒi. ſumantur cochl. iv. ſæpè urgente ſanguinis ſputo; ſc. horæ quoq; dimidio.

Expreſ. Scorbutica.

℞ Fol. Naſturt. Aq. Becab. ā Mix. Pini Mvi. Rad. & fol. Tarax. Ling. Cerv. ā Miv. contuſ. affunde Aq. Antiſcorb. noſt. ℔ij. f. Expreſ.

Expreſ. adde Sacch. candi ʒvi. trajice ſæpè per Manicam Hippoc. ſupra coltic. Saſſaph. contuſ. ɜſs. Doſ. ʒiv. bis in die.

Fotus ad Calculum.

℞ Fol. Alſines Miv. Alth. Viol. Malvæ Parietar. ā Miij. Chereſol. Flor. Chamæm. Sambuci ā miij. Sem. Lini ʒiv. Anethi ʒiij. coq. in ▽ font. q. ſ. f. col.

Fot. ad Cancrum.

℞ Rad. Tormentil. ɜj. Herb. Elatines Miij. Verbaſci, Plantag. Agrimon. ā Mj. Capriſol. Scabioſæ, Summit. Rubi, Equiſeti, Flor. Roſ. rub. ā Mi. Balauſt. Mſs. Alum. rupei ɜi. coq. in Aq. Fabror. q. ſ. ad ℔v. col. adde Vini rub. auſteri ʒv. ſucci ſolani, & Sempervivi ā ʒiij. m.

Fot. Cephalicus.

℞ Fol. ſalv. Primulæ veris, Flor. Chamæm. ā Miv. Rad. Pæon. ʒvi. coq. in ▽ font. q. ſ. ad ℔iv. f. col. quâ foveatur caput quotidiè manè horæ ſpatio.

Fot. Crinificus.

℞ Fol. Abrotani Miij. Gum. Labd. ʒi. Adip. Urſini ʒiij. Mellis ɜiv. coq. in Vini Hiſpan. ℔iv. ad tertiæ partis conſump. addendo ſub finem nuc. moſch. ʒi. Mac. ʒiij. Caryoph.

oph. ʒi. f. col. quâ foveatur pars affecta bis in die, per horæ ſpatium pro vice: in ung. poſteà Unguento Crinifico.

Fot. Emmenagogus.

℞ Fol. Artemiſ. Matricar. ā Mij. Puleg. Mij. Calamint. Fl. Chamæm. ā Miſs. Rad. Cyclam. ʒij. Ireos ʒiv. Lil. alb. ℔ſs. Bac. Junip. ſem. Anethi ā ʒiij. coq. in aq. q. ſ. col. Convenit etiàm ad dolores Colicos.

Fot. Hæmorrhoidalis.

℞ Rad. cum Fol. Scrophular. utriuſq; ā Mij. Fol. Linar. Sambuci Milleſol. Verbaſci ā Miij. Malvæ, Viol. ā Miſs. ſem. Lini ʒiv. coq. in aq. q. ſ. ad mollitiem, f. col.

Fot. Spleneticus.

℞ Rad. Bryon. albæ, Alth. Petroſel. ā ʒiſs. Fol. Melil. Tamariſci, Chamæm. Malvæ, Agrimon. ā Mi. ſem. lini ʒiv. ſem. cymini ʒij. Flor. Lil. alb. Malvæ, Chamæm. Anethi ā p. *ij.* coq. in ▽ fontis q. ſ. ad ℔*iij.* addendo in fine, Vini albi, & Aceti ā ʒ*iij.* f. col.

Gargariſma de Acaciâ.

℞ Vini rub. auſteri ℔*ij.* Acatiæ ʒi. Syr. de Roſ. ſicc. ʒiv. m. potentèr aſtringit; detergit; & Ulcera ſanat.

Gargar. Anginoſum.

℞ Spong. Sambuc. N° x. Fic. N° xij. Sem. Fænugr. ʒiij. S. Lini ʒij. Mivæ fruct. Rubi Idæi (cum nucleis contuſæ) ʒiv. Cynocopri ʒiſs. Succi Agreſt. ʒiv. coq. in ▽ font. ℔iv. ad ℔ij. col. adde Syr. de Rubo Idæo, Diamor. ā ʒiſs. clarific.

Gargar. Aſtringens.

℞ Flor. Balauſt. ʒi. Roſ. rub. ſicc. ʒij. Aq. Hord. ℔ij. Spir. ⊖li ℥i. macerentur tepidè horæ ſpatio; Col. adde Syr. de Rubo Idæo ʒiij. m.

Gargar. Benedictum.

℞ Aq. Benedictæ fortis ℔ij. Mellis Roſ. ʒiv. m. f. Garg. ad Oris ulcera, &c.

Garg. Emolliens.

℞ Rad. Alth. ʒj. Fol. Malvæ Mj. Sem. Lini ʒij. Fænugr. ʒiſs. Glycyrth. ʒij. Fic. inciſ. ʒiv. coq. in ▽ f. q. ad ℔ij. ſ. Col.

Gargar. de Ficubus.

℞ Fic. ping. inciſ. ʒiv. coq. in Aq. font. ℔iij. (adject. ſub finem Sem. Fænugr. ʒſs.) ad ℔ij. ſ. col.

Gargar.

Gargar. ad Inflammationem.

℞ Fol. Plantag. Pentaph. Torment. ā Miſs. Flor. Roſ. rub. ſic. p. *iv.* ſpong. ſamb. N° *xvj.* Sem. Fænugr. ℥*iij.* Cynocopri, Miv. fruct. Rubi Idæi (cum ſem. contuſ. in pulpam) ā ℥*iij.* coq in ▽ font. q. ſ. Col. ℔*ij.* adde Syr. de Roſ. ſicc. Mel. Roſ. ā ℥*ij.* clarif.

Hauſtus Febrifugus.

℞ Succi Plantag. ℥*iij.* Ther. Lond. ℥*j.* Syr. de 5 Rad. ℥*j.* m. ſumatur horâ *j.* ante paroxyſmum ; & ſudor provocetur.

Vel,

℞ Succi Arnoglofſi ℥*iv.* Mellis ℥i. ▽ Roſ. rub. & Succi Aurant. ā ℥*ij.* clarif. cum Alb. Ovi, & divid. in *ij.* partes, quarum j. ſumatur hor. *ij.* ante Paroxyſmum ; & altera ingruente Paroxyſmo.

Hydromel Bechicum.

℞ Fol. Cynoglof. Conſolidæ maj. ā M*iij.* Hed. terr. M*vj.* Uvar. paſſ. enucl. ℥v. Fic. ℥*iv.* Sem. Urticæ ℥iſs. Aniſi ℥*iij.* coq. in ▽ f. ℔*viij.* cum Mellis ℥*vj.* ad conſumpt. tertiæ partis col. Doſ. ℥*iv.* quatèr, vel quinquies in die tepidè.

Hydrom.

Hydrom. Traumaticum.

℞ Fol. Hyper. Sanic. Bugulæ ā M*ij*. Pyrolæ, Conſolidæ utriuſq; Plantag. ā Miſs. Piloſel. Miiſs. Uvar. paſſ. enucl. ℥*viij*. coq. in ▽ font. ℔*vj*. ad ℔*iij*. col. adde Mellis ℥vi. clariſ. Doſ. ℥*iv*. tèr in die.

Infuſum Benedictum.

℞ Raſ. Sant. rub. ℥iij. Flor. Roſ. rub. ſicc. Mſs. Aq. Bened. ℔iij. infunde frigidè xij. horas col. adde Sacch. Roſ. q. ſ. propin. ℔ſs. tèr in die, ad Catarrhum; & ad Ulcera.

Infuſ. Cardiacum.

℞ Cort. citri cond. ℥iij. Sem. Fœnic. d. ℥vi. Carui, Aniſi ā ℥ſs. Flor. Calend. ſicc. ℥ß. Croci ℈j. Spec. Lætif. Galeni ʒij. Suc. Chermes ʒvj. ▽ Meliſſæ ℔iiſs. f. Infuſ. tepida per horas *viij*. Col. adde Syr. Garyoph. ℥iij. m. f. Julap. Vires reficit; & Flatus diſcutit.

Infuſum Carminativum.

℞ Sem. Aniſi, Fœnic. dulc. ā ʒij. contuſis affunde Aq. font. calent. is ℥xij. f. Infuſ. per *iij*. horas: Col. adde ▽ Angel. comp. ℥iv. Syr. Caryoph. ℥ij. m.

Infuſ.

Infuſ. Cephalicum.

℞ Sterc. Pavon. ſicc. ʒiij. ▽ Salv. Vini albi ā ℔i. f. Infuſ. per noctem: Col. adde Sacch. ʒij. f. Julap Specificè medetur Verigini.

Infuſ. Glycyrrhizæ.

℞ Glycyrrh. Angl. recent. raſæ, & contuſæ ʒiv. huic affunde ▽ ſont. ebullientis ℔ij. ſinatur refrigerare; col. adde Aq. Theriacal. ſtil. ʒiv. Syr. de ſucco citri ʒij. m. ſumantur ʒiv. ad placitum. Ad Sitim, & Tuſſim, in Febribus moleſtam.

Injectio Aluminoſa.

℞ Alum. ʒij. Camph. ʒſs. Troch. alb. Rhaſ. ʒiij. ▽ Sperniolæ ʒvi. ▽ Roſ. rub. ʒx. Vini albi ʒiv. macerentur tepidè per ℥ xij. Col. injiciatur bis, tervè in die.

Injectio ad Cancrum.

℞ Decocti pro fotu ſupraſcripto ad Cancrum ℔j. Tutiæ præp. ♃ crudi (in ▽ Solani loti) Plumbi uſti (in ▽ Sperniolæ loti) ā ʒiij. Troch. alb. Rhaſ. Boli Armen. Sacch. ♄ ā ʒij. m. f. Injectio.

Inject.

Inject. Detergens.

℞ Rad. Gent. Ariſtol. rot. ā ʒſs. Fol. Scord. Fœniculi, ſummit. Centaur. min. Hyper. ā Mj. Myrrhæ ʒſs. coq. in Aq. font. q. ſ. ad ℔iſs. col. adde Spir. Vini opt. ℔ſs. m.

Julapium Cathartitum.

℞ Fol. Sennæ ʒſs. Sem. Coriand. ℥iv. f. Infuſ. in ▽ Cichor. ʒiv. & Succi Aurant. ʒij. per vj. horas; Col. adde Syr. Samb. ʒij. m. pro hauſtu matutino.

Julapium Citreum.

℞ Pulp. cort. citri cond. ℥iij. contunde cum ▽ Borag. ʒi. & f. Expreſ. dein adde Aq. citri totius ʒiij. Succi Chermes ℥ij. Syr. Garyoph. ℥vi. Sacch. perlati ℥iij. m. Cap. cochl. v. in languoribus.

Julapium Cydoniatum.

℞ Aq. Cydon. ſimpl. ʒvi. Aq. Ment. ʒiſs. Syr. Granator. ʒij. m. ſumat ſæpè cochl. *ij.* vel *iij.* Contra Vomitum, & Abortum.

Julap.

Julap. Diureticum.

℞ Aq. Aparin. ℔ij. ſs. Syr. Alth. ℥iv. Sp. Nitri ℈ij. vel q. ſ. m. Doſ. ℥vi. pro vice.

Julap. Gravidarum.

℞ Aq. Roriſmar. ℥iv. ſacch. opt. ℥i. m. ſumatur cochl. *j.* ſæpè contra Abortum.

Vel,

℞ Aq. Rubi Idæi ℔i. Balſ. Embrion. ℥iv. Coral. rub. ℈iv. Manûs Chriſti perl. ℥ij. ſs. m. f. Jul. contra Abortum.

Jul. de Hermine.

℞ Aq. Hormini ſimpl. ℥xij. Aq. Meliſſæ ℥vi. Sp. Hormini ℥ij. ſacch. perl. ℥iij. m. Fluore albo debilitatis ſubvenit.

Jul. ad Sitim.

℞ Aq. Fragor. ℔ij. ſucci Aurant. ℥ij. ſs. Syr. Viol. ℥iij. m. propin. hauſtus bis, terrè in die.

Jul. Stypticum.

℞ Succi Milleſol. opt. clarific. ℔ij. ſs. ſacch. albi ℥ij. m.

Fuſcu-

Juſculum Chinæ comp.

℞ Rad. Chinæ, Nymph. ā ʒiij. Raſ. Sant. alb. ʒiſs. ſem. Lactucæ ʒi. ſem. Papav. albi ʒx. ſem. frig. 4. maj. ā ʒvi. m. divide in partes tres æquales: Uva pars pro vice coq. cum Pullo Gallin. & fruſto Carnis Vitul. in Aq. f. q. ſ. ut f. Juſcul. col. Refrigerat, Incraſſat, Edulcorat, Nutrit.

Linimentum Paralyticum.

℞ Ol. Exceſtrenſ. ʒiij. Ol. ſtill. Cinnam. Garyoph. Nuc. Moſch. ā ʒſs. Ol. ſuccini ſuaveolent. Ol. Salviæ, Roriſmar. ā ℈i. m. Cum hoc illin.; locus obtuſi ſenſus tepidè, horâ ſomni, adverſus ignem luculentum, manu multùm demulcendo.

Litus Dorſalis.

℞ Sacch. ♄ ʒiij. diſſolve in ▽ Sperm. Ranar. ʒiſs. miſce cum Ung. Roſ. ʒiv. adde Ol. ſtil. Nuc. Moſch. gt. iv. m. Cum iſto illinatur Dorſi regio bis in die, quando maximus calor ſentitur, & commotio; ſe poſito pro eo tempore Emplaſtro: vel quandocunq; depoſuerit Emplaſtrum, Pruritûs, vel Puſtularum causâ.

Lobech de Albuminibus.

℞ Album. Ovar. (in aquæam ſubſtantiam conquaſſat:) ʒiij. Sacch. candi albi ʒiſs. m. ad Oris calorem, & eroſionem.

Lobech

Lohoch Anginoſum.

℞ Spong. Samb. N° 12. Cynocop. ʒi. fruct. Rubi Idæi (cum aſſiculis in mivam redact.) ʒi. coq. in Aq. font. ibi. donec tertia pars ſolùm ſupererit, f. Expreſſ. adde Syr. de Moris, Rubi Idæi ā ʒi. f. Lambativum.

Loh. Hæmoptoicum.

℞ Conſ. Roſ. rub. veter. ʒiij. Syr. de Symph. ʒij. de Nymph. Portul. ā ʒiſs. Pulv. Sem. Hyoſcy. ʒiiſs. Papav. albi, Coral. rub. ā ʒiſs. Spir. ♃ gt. vi. m. ſumatur cochleatim.

Loh. Incraſſans.

℞ Pulv. Rad. Alth ʒſs. Spec. Diatrag. frig. ʒi. Pulv. Glycyrth. ʒiſs. Ol. Amygd. dulc. ℥x. Sacch. Penid. ʒi. Syr. Jujub. ʒiv. m. lambatur ſæpè cochl. j.

Loh. Mucilaginoſum.

℞ Mucilag. Sem. Cydon. (▽ Prunellæ extrac.) ʒiv. Syr. de Moris Viol. ā ʒi. m. Ad Oris inflammationem, ariditatem, & roſiones.

Magiſterium Benzoïni.

℞ Benzo. puriſſ. pulv. ʒiv. affunde Pyræni ibi. Infunde tepidè in Lagenâ; viz. donec Benzoe diſſolvetur: Poſteà Aquæ Lactis q. ſ. affuſâ, præcipitetur: Pulvis albus præcipitatus ab aquâ ſeparetur, & lentiſſimo igne ſiccetur.

Inter

Inter Expectorantia summum jure merito tenet locum. ℞ Hujus Magisterii ʒss. Saceh. candi albi ℈viij. f. pul. divid. in partes viij. sumatur j. omni mane ex cochleari Alæ Maciatæ, vel Syrupi cujuslibet appropriati.

Mistura Catarrhalis.

℞ Sem. Papav. albi (Syrupo Capil. Ven. irrorati) ʒv. contus. adde Succi Aurant. ʒiij. Syr. de Mecon. ʒss. m. sumatur cochl. j. horâ 8ª vesp. Post horam semis cochl. j. & horâ 9ª aliud: posteà mediâ nocte, si Tussis urgeat.

Mist. Purgans Hæmoptoica.

℞ Album. Ovor. Nº vi. conquassentur diligenter, & adde Syr. de Pomis purg. ʒiij. m. sumatur dimidium in hausu Cerevisiæ omni mane.

Mist. Tubularis Cephalica.

℞ Fol. Beton. Roris mar. ficc. & incis. ā ʒss. Ol. Succini rectif. ℥ss. f. Mist. Hysterico etiam convenit.

Nepenthe.

℞ Opii (tenuiter dissecti, supra laminam ferri calefactam exsiccati, & pulv.) ʒiss. dissolve in Aceti Sambuc. ʒiv. & col. Posteà ad Balnei calorem exhalando, & miscendo Ambrægris. ℈i. Extrac. Croci ℈ij. Succ. Glycyrth. ʒiij. Ol. still. Majoranæ ℈ss. Ol. still. Nuc. Mosc.

Moſch. gt. xvi. ſucci cherm. ʒi. fiat extractum molle. Apud Authorem occulatur ſub titulo ſulphuris Vitrioli Magiſtralis.

Oleum Juniperi comp.

℞ Bacc. Junip. contuſ. ʒiij. ſucc. cochl. mar. Becab. Naſturt. aq. ā ʒiv. Ol. Lumbric. ʒviij. coq. ad conſumpt. ſuccorum, col. adde Ol. Rhodii ℈j. m. Ad dolores Scorbuticos.

Oxymel Hæmoptoicum.

℞ Rad. Alth. Conſolidæ maj. Urticæ ā ʒi. Fol. Pimpinel. Pulmonar. macul. Hed. terr. ā Miſs. Dactyl. N° vi. Sebeſt. N° xx. coq. in q. ſ. Poſcæ ā ℔iij. col. adde Mellis ʒiv. clariſ. bib. ʒiv. tèr indies, & aliàs pitiſſetur.

Pedilavium.

℞ Fol. Puleg. Roriſmar. Salv. ā Miv. Angel. Miij. Bac. Junip. ʒiv. coq. in Aq. q. ſ. ad ℔viij. Ad Cephalalgiam & Vigilias in Febribus, atq; ad Menſes movendos.

Pessaria.

℞ Cort. extern. Aurant. Rad. Angel. ā ʒiſs. Croci ʒi. Flor. Calend. Fol. Dictamni Cret. ā ʒij. ℔. Pulv. craſſus: miſce cum floribus ſcarlatis, & f. Peſſaria iv. Ad Menſes educendos.

Pilulæ Aphrodiſiacæ.

℞ Balſ. Orientalis veri ʒiiſs. de Tolu ʒij Terebint. Cypr. ʒiij. Ambræ griſ. ℈ſs. Sem. Erucæ ℈iv. Angel. ℈ij. Xylo aloes ʒi. Cand. Scinci marin. ℈iv. ol. ſtill. nuc. Moſc. ℈j. Syr. de Nuc. Moſc. q. ſ. f. Maſſa Pilul.

Pil. Arthritica.

℞ Pul. Rad. Ari ʒiſs. Fol. Beton. Chamæpit. ā ʒiij. Terebint. Cypr. ʒi. Ol. Terebint. ʒij. Ol. ſtill. major. ℈i. m. f. Pil. N° vi. è ſi. ſumantur iv. manè, & 4 pomerid.

Pil. Camphoratæ.

℞ Camph. ℈ij. Caſtor. ʒi. Aſ. fœt. ℈iv. Sem. Dauci ſylv. ʒiſs. Syr. de Artemiſ. q. ſ. f. Pil. vi. è ʒi. ad affectus Hyſtericos.

Pil. Chalybeatæ.

℞ Chalyb. cum ♃ præp. ʒiij. Spec. Hieræ simpl. ʒij. Fæc. Bryon. ℈j. Syr. Zz. q. s. f. Pil. vi. è ʒi. sum. ij. horâ somni, & iij. mane.

Vel,

℞ Luti chalyb. ʒij. Spec. Arom. Ros. Jalap. ā ʒi. Extrac. Croci gr. xij. Syr. de Succo Citri q. s. f. Pil. xij. è ʒi. sumat. N° iv. omni mane, superbibendo Aq. Lumbric. Magistr. ℥i. ex haustu Alæ Maciatæ.

Pil. Corroborantes.

℞ Terebint. Cypr. ℥i. Pulv. Priapi Tauri ʒx. Trochisc. Gordon. ʒij. Troch de Ter. Lemn. ʒiiss. Gum. Anime ʒvi. Coral. rub. Leucelectri ā ʒiij. Cinnam. ʒij. Syr. de Symph. q. s. f. Pil. vi. è ʒi. sumantur iij. mane, & vesp.

Ad Dorsi debilitatem, & dolorem; ad Gonorrhæam, & Fluorem album.

Pil. Diureticæ.

℞ Terebint. Chiens. puriss. ℥iss. Lap. Prunel. pul. ℥ss. Nuc. Mosch. pul. ʒij. m. f. Massa.

Vel,

℞ Terebint. Ven. (lotæ, & coctæ in ▽ Saxifrag.) ʒiiiſs. Oe. 69 ʒiv. ⊖ Succini ℈ij. Sem. Geniſtæ ʒſs. Ol. ſtil. Nuc. Moſc. ℈ſs. f. pil. Doſ. ʒſs.

Pil. Emmenagogæ.

℞ Gum. Ammon. (Tinct. Caſt. præp.) ʒſs. Aloes Roſ. ʒiſs. Bdellii (Tinct. Caſt. præp.) ℈j, Myrrhæ gr. xv. ⊖ Abſint. ℈ſs. f. Pil. vi. è ʒi. ſum. ij. mane, & ſerò per dies duos, ter quaterve in Menſe.

Pil. Gummoſæ.

℞ Maſtich. Succini ā ʒiſs. Gum. Animæ ʒij. Benzo. alb. ʒi. ex his fiat Alcohol. ℞ Terebint. Cypr. opt. ʒi. Liquidambræ veræ ʒvi. liquentur lento △e; liquatis adde pulveres prædictos: adde poſteà ▽ Plantag. & Roſ. rub. ā ʒiv. coque lentè agitando, donec maſſa lenteſcat, & cogi poteſt in pilulas. f. Pil. N° vi. è ʒi. Doſ. ij. mane, & veſperi.

Ad Lumbaginem; Dorſi debilitatem, &c.

Vel,

Vel,

℞ Balſ. Peruv. ʒi. Terebint. Cypr. ʒi. Maſtic. Gum. Animæ ā ʒvi. Styrac. ʒiſs. Spec. Arom. Roſ. Diatrion Santal. ā ʒi. Syr. de Coral. comp. q. ſ. f. Pil. N° vi. è ʒi.

Pil. è Mercurio vivo.

℞ Mercur. vivi prob. è extinct. ʒij. Extrac. Euſtachii ʒiſs. Scammon. (Aceto præp.) ʒiſs. f. Pil. vi. è ʒi. ſumantur iv. omni mane; & intra horæ ſpatium ſugatur Caſſiæ ex cannâ ʒiſs. Ad dolores nocturnos, & vagos Scorbuticos; item ad ſtrumas.

Pil. Reſinoſæ.

℞ Ref. Jalap. ʒſs. Sp. Vini gt. aliquot f. Pil. ix. Doſ. N° iij. mane.

Pil. Reſtringentes.

℞ Croci Martis aſtring. ʒiij. Colcoth. ℔-i (ab omni acrimoniâ frequenti ablutione vindicati) ʒiiſs. Maſtich. Olib. ā ʒiiiſs. Boli, Cupul. Gland. Flor. Balauſt. ā ʒij. Gum. Arab. Tragac. ā ʒiſs. Oſſis Sepiæ ʒiij. f. Pulv. &

cum Tereb. Cypr. ʒij. & Syr. Nymph. ʒiſs. (vel q. ſ.) ol. ſtill. Cinnam. Ment. ā ℈ſs. f. Pil. vi è ʒi. Sumantur iij. tèr in die; ſuperbibaturq; hauſtus Emulſ. Dactylorum.

Pil. Splenetricæ.

℞ Troch. de Myrr. ℈ij. Caſtor. ℈ſs. Fæc. Bryon. ℈j. Rhab. ℈iv. Spec. Hieræ ſimpl. ℈ij. ☉ ♂ ʒi. Tereb. Ven. q. ſ. f. Pil. vi. è ʒi. ſumantur iij. horâ ſomni; manè bibantur Aq. Tunbrigenſ. Hyſtericis etiam ſuccurrunt.

Pulvis contrà Abortum.

℞ Coral. rub. Margarit. præp. ā ʒi. Sant. citrini, Eboris præp. ā ʒiij. Bac. Kermes ʒij. Sacch. perl. ʒſs. f. Pulv. ſubtilis; divid. in partes 42. ſumatur j. omni manè ex Ovi recentis tepefacto vitello.

Pulv. Capillaris.

℞ Succini ʒſs. Flor. Roſ. rub. ℥iij. Orizæ ʒiſs. m. f. Pulv. inter Capillos inſpergendus.

Pul. Croci comp.

℞ Croci ℈iv. Eboris ʒſs. Sacch. candi albi ʒi. m. f. Pulv. in partes viij. divid. ſumatur j. bis in die. Ad Ictcrum. *Pul.*

Pul. Euphragii comp.

℞ Fol. Euphrag. ʒi. Sem. Fænic. dulc. ʒiij. Mac. ʒi. Sacch. opt. ʒi. f. Pulv. de quo ſumatur cochl. j. poſt paſtus. Ad viſûs debilitatem, & Cephalalgiam.

Pul. Peptticus Cephalicus.

℞ Sem. Coriand. ʒvi. Carui, Fænic. dulc. ā ʒiij. Aniſi ʒij. Rad. Pæon. mar. ʒiſs. Sem. ejuſdem ℈ij. Cranii hum. ℈iv. Cort. exter. Citri, Aurant. Limon. candefact. ā ʒiij. Flor. Roriſmar. candefact. Sacch. Roſ. ā ʒiſs. f. Pulv. ſumatur ʒi. poſt paſtus.

Pul. Sternutatorius.

℞ Fol. Majoranæ ſicc. ʒiſs. Nicot. ʒſs. Nuc. Moſc. ʒi. Ol. ſtill. Majoranæ gt. iij. m. f. Pul.

Vel,

℞ Nicot. Majoranæ ā ʒi. Rad. Helleb. alb. ℈ij. Euphorb. ℈j. Elater. ℈ſs. Moſchi gr. iv. m. f. Pulv.

Sacculus Aromaticus.

℞ Nuc. Mosc. Cinnam. ā ʒiij. Mac. Garyoph. ā ʒiſs. m. f. Pulv. pro Sacculo interbastato rotundo, qui regioni Ventriculi, vel Umbilici adhibeatur calidè, inſperſo vino Hiſpanico. Ad Nauſeam, Vomitum, Ventriculi imbecilitatem, Diarrhæam, Dolores Colicos, &c.

Sacculi Cephalici.

℞ Sem. Carui ʒſs. Pæon. ʒij. Mac. Nuc. Moſch. ā ʒiiſs. Fol. Verbenæ Primuli veris, Betonic. ā Miij. Flor. Roriſmar. Paralyſ. ā Mj. Bacc. Junip. ʒiſs. f. Pulv. craſſus; undè Sacculi fiant duo interpoſiti. Coq. in Aq. font. q. ſ. f. Expreſ. adhibeantur alternatim calidè Capiti per horæ ſpatium mane.

Sacc. Colici.

℞ Fol. Abſint. Lauri, Puleg. Calamint. Origani, Centaur. min. Flor. Chamæm. ā Miij. Sem. Anethi, Fænic. dulc. Aniſi ā ʒij. f. Sacculi duo pro Abdomine. Valent etiam ad Menſes evocandos.

Sacc.

Sacc. Nuchalis.

℞ Sem. Cymini ʒij. Macropiper. ʒvi. m. f. Pulv. qui interbullatus inter duo linteola, irrigetur Aquâ Anthûs; exsiccetûr, & calidè Nuchæ adhibeatur. Ad Catarrhum, & Defluxiones.

Sacc. Stomachicus.

℞ Fol. Absint. sicc. Ment. ā Mij. Macis ʒiij. ex contusis f. Sacculus immergendus Aceto Rosaceo; exprimendus; calidè Ventriculo adhibendus; & quartâ quaq; horâ renovandus. Ad Vomitum sistendum.

Serum Nephriticum.

℞ Lactis ℔ij. Vini Rhen. ℔i. f. Posletum clarum ad ℔ij. cui adde Syr. Ros. Sol. ʒij. Syr. Alth. ʒi. Lapid. Prunel. ʒi. m. bibatur manè.

Ser. Pforicum.

℞ Fol. Agrimon. Scabiosæ ā Mj. Hepaticæ Miss. Fumar. Tarax. Argentinæ ā Mij. contus. infunde in Seri Lact. ℔iiss. coque

parùm, & expreſſ. adde Sacchari ℥iſs. clarific.

Succi Scorbutici.

℞ Succ. Cochl. mar. Naſturt. aq. ā ℥iij. Tarax. ℥vi. Aurant. Sacch. ā ℥iv. clarifi cum Alb. Ov. Doſ. ℥iv. bis in die cum Elect. Scorb. ʒiij.

Suffumigium Peſtilentiale.

℞ Aceti acerrimi ℔i. Rad. Zedoar. ℥i. Fol. Rutæ ℥ſs. m. cum hâc miſturâ ſuffumigetur perpetuò Cubiculum.

Tabulæ Cardiacæ.

℞ Cort. exter. Citri cond. ʒiij. Limon. ℥ſs. Aurant. ʒij. Confect. Sem. Fœnic. dulc. ʒiſs. Coriand. ʒiij. Carui ʒi. Incidantur omnia ferè in pulverem, & leviter contundantur: admiſce Nuc. Moſc. pul. ʒſs. Spec. Aromat. Roſ. ℈iv. Ambræ griſ. ℈ſs. Sacch. opt. ℥vi. Mucilag. Sem. Cydon. (Aquâ Meliſſæ extrac.) q. ſ. f. Tab. ſ. a.

Tab.

Tab. Diamargariton.

℞ Margarit. præp. ʒſs. Corallii rub. Leucelectri ā ʒij. Magiſter. cc. & Ebor. ā ʒiij. Sacch. albi ʒiv. Mucilag. Sem. Cydon. q. ſ. f. Tab.

Tab. Tartareæ comp.

℞ Cryſtal. ☐ ſubtil. pulv. ʒij. Lap. prunel. ʒſs. Pul. Glycyrth. ʒiij. Sacch. albiſſ. ʒij. Mucilag. Sem. Cydon. q. ſ. f. Tab. ſ. a. pendentes ℈j. teneatur j. frequenter in ore, quando Tuſſis viſcidior fuerit, & craſſa; aut Sitis urget.

Vinum Ecphracticum.

℞ Chalyb. præp. ʒvi. Rad. Enulæ rec. ʒij. Fol. Abſinth. utriuſq. ā Mij. Uvar. Corinth. ʒvi. Semmæ ʒij. Vini albi ℔iv. Infunde frigidè 24 horas. Col. claræ Doſ. ʒiv. omni mane.

Vinum

Vinum Sidereum.

℞ Limat. ♃ ʒvi. igniantur, & extinguantur in Vini Rhen. ℔iv. ad ſextam vicem. Col. adde Cinnam. ʒij. Cort. exter. Citri, Aurant. ā ʒi. Caryoph. ʒij. Cort. Winter. ʒij. Sacch. albi ʒiv. f. Infuſ. per triduum, f. col. clara, cui adde Aq. Mirab. ℔ſs. m. Propin. ʒiij. omni mane. Ad Cachexiam, & Diarrhœam.

Unguentum Balſamicum.

℞ Balſ. Peruv. ʒi. Balſ. Tolut. ʒij. m. f. Ung. ad Herpetem, &c.

Ung. ad Cancrum.

℞ Unguenti albi camphorati, Diapompholi, & Rub. deſiccat. ā ʒij. Ung. Popul. Serib. Cerv. ā ʒi. Tutiæ præp. ♃ij. crudi (in ▽ Solani loti) Plumbi uſti loti, ā ʒij. Litharg. Ceruſſæ (in ▽ Plantag. lotæ) Boli Armenæ ā ʒi. Succi Elatines, Solani, & Sempervivi ā ʒi. Agitentur omnia in Mortario plumbeo: adde Plumbi (Mercurii tantillo amalgamati) ʒi. m. f. Ung.

Vel,

Vel,

℞ Ol. Ros. (diù in Mortario plumbeo ducti) ℥xij. Cerussæ pulv. ℥iv. Litharg. & Plumbi crudi pulv. ā ℥ij. Tutiæ præp. Cinerum Cancror. fluviatil. ā ℥i. Succi Cicutæ, Solani, Sempervivi ā ℥iss. m. f. Ung.

Ung. ad Erysipelas.

℞ Sapon. com. ℥iv. Ol. Sambuc. ℥i. m. Pars hujus inducta papyro nigræ adhibeatur tepidè locis affectis, renovando bis in die.

Ung. Mercuriale.

℞ Ung. è flor. Aurant. ℥ij. Ol. Amygd. dulc. ℥ss. Hydrarg. ℥i. m. f. Ung. ad Salivationem excitandam.

Ung. Muliebre.

℞ Ung. è flor. Aurant. ℥ss. Ol. Amygd. dulc. ℥i. Zibet. Moschi ā ℈ss. m. pro Utero.

Ung.

Ung. de Ovo.

℞ Vitel. Ov. Nº j. Pul. Croci ℈ij. Ung. Popul. ℥vj. m. f. Ung. ad Hæmorrhoidum dolorem.

Ung. Paralyticum.

℞ Ung. Martiati ℥iij. Nervini ℥ij. Ol. ſtill. Nuc. Moſch. Caryoph. ā ℥ſs. Spir. Salis ℈iv. m. cum iſto inung. pars affecta, tegendo panno Scarlato.

Ung. Pectorale.

℞ Ung. è florib. Aurant. ℥ij. Ol. Mac. expreſ. ℥ſs. Ol. Amygd. dulc. ℥i. Ol. ſtill. Macis ℥ſs. Sperm. Ceti ℥iſs. m. f. Ung.

Ung. de Sedo.

℞ Succi Sedi maj. Butyri Martialis ā ℥iv. coq. ad conſump. ſucci, adde Zz. pulv. ℥ij. f. Ung. ad Scabiem.

Vve

Uvæ Corinthiacæ laxativæ.

℞ Sennæ ℥iiſs. Aq. Malvæ ſbij. macer. per ℥ iv. tepidè ſ. Col. in quâ Uvæ Corinth. ℥iv. macerentur, & coquantur (adject. Syr. de Pomis Regis Saporis ℥iij.) ad Uvarum mollitiem; & ſimùl conſerventur.

Sumantur cochl. ij. ante jentaculum, quoties Alvus aſtricta fuerit.

Finis Appendicis.

APPENDIX

INDEX

Morborum, Curationum, &c.

IN

APPENDICE.

A.

Abortum prohibentia, Fœtum roborantia, &c. Catapl. Cydon. | Cerev. Corrobor. | Dec. Cydon. | Elect. de Eryng. | Empl. contra Abort. E de Balaust. | Epith. contra Abort. | Julap. Cydon. | l. Gravidar. l. de Hormino. | Tab. Diamarg. | Pil. Corrob. P. Restring. | Pul. contra Aborr.

Alexiteria, Decoc. Scorzon. | Elect. Card. temper.

Alopeciæ cura, Fot. Crinific.

Alvi fluxibus remedentia. Catapl. Cydon. | Dec. Cretæ simpl. & compos. | Enema consolid. E. Sanativ. | Epith. contra Abort. | Sacc. Aromat.

Aluminatum. Inject. de Alumine.

Ambustia, Inflammationes, &c. Sanantia. Empl. alb. | Ung. ad Erilypel.

Anginæ, Oris & Faucium Ulceribus, &c. Medentia. Catapl. Anglin. | ad Tonsillas. | Garg. Angin. | G. ad Inflam. | Lohoch. Angin.

Animi

Animi deliq. & Syncopes remedia. Catapl. Cardiac. | Epith. Stom. | Expref. Citrea. | Infuf. Card. | Julap. Citreum; J. de Horm. | Saccul. Stom. | Tab. Card.

Anodyna. Emulf. Somnif. | Nepenthe.

Aphthæ, Ulcera Oris, &c. Sanantia. Gargariſmi omnes. | Lohoch. de Album.

Apoplectica. Apoz. Cephal. | Pul. Sternutator. | Tab. card.

Arthritica. Bochetum | Catapl. Arthrit. | Cerev. Cephal. | Dec. Sarſæ Cephal. | D. Guai. purg. | Pil. Arthrit.

Asmogentia, Styptica, &c. Aq. Ment. comp. A. Plant. comp. | Cerat. Traumat. | Pil. Reſtring. | vid. *Hæmopt.*

Astrophiæ conducentia. vid. *Phthiſica, & Reſtaurantia.*

Auditum juv. Sacculi Cephal.

C

Cachectica. Pil. Chalyb. | Vin. Sider.

Calculi Renum, & Veſicæ remedia. Vide *Diuret. & Nephrit.*

Cancri Remed. Fotus ad Cancrum | Inject. ad C. | Ung. ad C.

Cardiaca. Elect. Card. temp. | El. Lætif. | Expr. Citr. | Infuf. Card. | Tab. Diamarg.

Cardialgiæ cura. Dec. Cret. | Tab. Diamarg.

Carminativa. Expref. Citr. | Infuf. Carminat. | Tab. Card.

Catarrhalia. Bochetum | Dec. Pect. incraſſ. | D. Sarſæ exſicc. | Elect. incraſſ | Infuf. bened. | Lohoch incraſſ. | Miſt. Catarrh. | Pul. Capil. | Saccul. Nuchal.

Cephalica. Apoz. Cephal. | Cerev. Ceph. | Dec. Sarſæ Ceph. | Fot. Ceph. | Miſt. tub. Ceph. Pul. Sternutat. | Ung. Balſam.

Cephalalg. remed. Pedilav. | Pul. Capil. P. Euphrag. ç. | Pul. Pept. Ceph. P. Sternut. | Sacc. Cephal.

Chalybeata. vide *Martiata.*

Colicæ remed. Saccul. Arom. S. Colic.

Columellæ relaxatæ conducunt. Garg. de Acaciâ. G. Aſtring.

Cordis palpitationis, & tremoris remedia. Catapl. Card. | Elect. Lætif. | Expref. Citrea | Jul. de Hormino | Tab. Card.

Coſmeticum. Bal. Venuſtat.

D.

Diarrhœa. v. *Alvi fluxus.*

Diſcutiens. Catapl. Diſcut.

Diuretica. Jul. Diuret. | Pil. Diuret. | Serum Nephrit.

Dorſi doloris, & infirmitatis remedia. Elect. Nenuph. E. de Satyrio. E. de Symphyto | Empl. Alb. E. de Balauſt. E. Cypreum. | Emulf. Nenuph. | Lit. Dorſal. | Pil. Gum.

Dyſen-

Dyſenterica. Enema conſolid. E. Sanativ. | Nepenthe.

E.

Eccoproticæ. v. *Laxantia alvum.*
Ephractica. Aperientia. Apoz. Splanch. | Pil. Chalyb. P. Splenet. | Vin. Ephract.
Emmenagoga. Menſes moventia, &c. Fot. Emmenag. | Pediluv. | Peſſar. | Pil. Chal. P. Emmenag. | Saccul. Col.
Emolliens. Catapl. Emoll. | Gargar. Emolliens.
Eryſipelatis remed. Ung. ad Eryſip.
Expectorantia. Bechica. Decoct. Bechic. | Hydrom. Bech. | Magiſt. Benzo.

F.

Febrifuga. Catapl. Febr. | Epicarp. | Hauſt. Febr.
Flatus diſcutientia. v. *Carminativa.*
Fœtum roborantia. v. *Abortum prohibentia.*

G.

Gonorrhœæ remedia. Aq. Ment. comp. | Bol. è Terebint. | Emulſ. de Sarſa. | Inject. Aſumin. | Pil. Reſtring.

H.

Hæmoptoica. Decoc. Cretæ comp. | Emulſ. Hæm. | Expreſ. Hæm. | Jul. Stypt. | Lohoch Hæm. | Miſt. purg. Hæm. | Oxym. Hæm.
Hæmorrhoidalia. Bol. Hæm. | Catapl. H. Emplaſt. album. | Enema H. | Fot. H. | Ung. de Ovo.
Hectica. v. *Pothiſis.*
Hepatica, Splenetica, &c. Apoz. Splanch. | Catapl. Splen. | Empl. Spl. | Fot. Spl. | Pil. Splen. |
Herpetis cura. Ung. Balſam.
Hypnotica. Emulſ. ſomni | Nepenthe.
Hyſterica. Miſt. tub. Cephal. | Pil. Camph.

I.

Ictérica. Apoz. Icter. | Emulf. Icter. | Pul. Croci comp.
Impotentiæ virilis remed. Elect. de Satyrio | Pil. Arthred.
Ischuria. v. *Urinæ suppressa.*

L.

Lateris dol. remed. v. *Pleuritica.*
Laxantia alvum. Decoct. laxat. | Elect. Lax. | Uv. Corinth. lax.
Lethargo subvenit. Pul. Sternut. v. *Apoplex. & Cephalica.*
Linguæ, & Faucium asperitati medentia. v. *Aphth.*
Lithontriptica. v. *Nephritica.*
Lochia suppressa. v. *Emmenag.*
Luis Venereæ remed. v. *Syphylitica.*

M.

Mammarum Cancer. v. *Cancri remed.*
Martiata. Aq. ferrata | Pil. Chalyb. P. Splenet. | Vin. Ecphract. | ♁ Siderum.
Melancholiæ remed. Apoz. de Pomis. A. Splanch. | Aq. Pom. comp.
Menses moventia. v. *Emmenagoga.*
Mercuriata. Elect. Æthiop. | Pil. de ☿ vivo | Ung. ☿
Morbilli. v. *Variola.*

N.

Nephritica. Aq. Fragar. comp. A. Glycyr. | Bol. Nephrit. | Catapl. Diuret. | Cerev. Diuret. | Elect. è Tereb. | Foc. ad Calc. | Serum Nephrit.
Nutritiva. v. *Restaurantia.*

O.

Ophthalmica. Collyr. Metall. | Pul. Euphrag. comp.
Opiata. v. *Hypnotica.*
Oris Ulcera. v. *Aphth.*

P.

Paralytica. Elect. Paralyt. | Linim. Paral. | Pul. ſternut. | Sacc. Cephal. | Ung. Paralyt.

Pectoralia. Decoc. Bech. D. Chinæ comp. D. Pect. incraſſ. | Hydrom Bech. | Magiſt. Benzo. | Ung. Pector. | v. *Catarrh.*

Peſtifuga. Suffumig. Peſtil. | v. *Alexiteria.*

Phthiſeos remed. Apoz. Phthiſ. | Aq. Glycyrrh. A. Phthiſ. A. Plant. comp. Aq. Sang. | Decoc. Chinæ comp. D. Rapar. comp. | Elect. Tolut. | vide *Pectoralia, & Reſtaurantia.*

Pili ut creſcant. Fot. Criniſ.

Pleuritica. Decoct. Pleur.

Podagrica. v. *Arthritica.*

Proſavii albi remedia. Aq. Ment. comp. | Cerev. Traumat. | Hydrom. Traumat. | Jul. de Hormino | Pil. corrob. | Pil. Gum. | P. Reſtring.

Prolifica. Elect. de Satyr. | Pil. Aphrod. | *v. Reſtaurantia.*

Pruritus. v. *Scabiem.*

Purgantia. Dec. Guajaci purg. | El. Purg. | Jul. Cathart. | Miſt. purg. Hæm. | Pil. Reſin.

R.

Raucedinis remed. v. *Catarrhalia.*

Reſtaurantia, Nutritiva. Caudela Analep. | Cerev. corrob. | Elect. de Eryng. | Emulſ. Analept. | Juſc. Chinæ comp. | Pil. corrob.

S.

Salivationem excitans. Ung. Mercur.

Sanguinem rectificantia. Aq. Saponar. comp. | Bochet. | Decoc. Santal. D. Sarſæ attemp. | Elect. Æthiop. El. de Guajaco.

Scabiem, Pruritum, &c. curantia. Aq. Sapon. comp. | Bals. Pſoric. | Elect. Æthiop. | Ung. de Sedo.

Scorbutica. Aq. Scorb. | Cerev. Scorb. Cerev. & ſuccis | Expr. Scorb. | Ol. Junip. comp. | Pil. Mercur. viv. | Succi Scorb.

Scrophularum remed. Elect. Æthiop. | Pil. Mercur. viv.

Siphylica. Aq. Sapon. comp. | Decoct. Sarſæ exſicc. | Elect. Æthiop. E. de Guajaco | Pil. ♃ vivo | Ung. Mercur.

Sitim extinguentia. Apoz. de Pomis | Dec. Paſſul. comp. | Emulſ. de Scorzon. | Infuſ. Glycyr. | Jul. ad ſi im | Tab. Tartar. comp. |

Splenetica. v. *Hepatica, & Melancholiæ remed.*

Sterili-

Sterilitatis remed. v. *Prolifica.*
Stomachica. Catapl. Cydon. | Decoc. Cydon. | Empl. Tolut. | Epith. Stom. | Sacc. Aromat. Sacc. Stom. | Tab. Card.
Styptica. v. *Astringentia, & Hæmoptoica.*

T.

Tabidis remedentia. v. *Restaurantia, & Phthisi remed.*
Traumatica. Cerev. Traum. | Decoc. Sarsæ Tr. | Elect. Tr. | Hydrom. Tr.
Tussis remedia. El. de Alth. El. incrassans. El. Pect. incrass. | Infus. Glycyrr. | v. *Catarrhalia, & Pectoralia.*

V.

Variolæ. Decoct. Scorzon. | Gargar. Emoll. Garg. de Ficub. | Lohoch Angin.
Ventris tormina. Nepenthe | Saccul. Aromat.
Vertiginis remed. Infus. Cephal. | Pul. Pept. Cephal.
Vigiliarum remed. Emulf. Somnif. | Nepenthe | Pedilav.
Ulcera. Infuf. bened. | Inject. Alum. | Inj. detergens.
Urinæ ardorem extinguentia. Elect. Nenuph. El. de Terebint. | Emulf. Nenuph.
Urinæ suppressæ remed. Catapl. Diuret. | v. *Diuretica, & Nephritica.*

Indicis Finis.

Catalogue of Physick Books, Printed for *Samuel Smith* and *Benjamin Walford*.

1. THE Anatomy of Humane Bodies, with Figures drawn after the Life, by some of the best Masters of *Europe*, and curiously Engraven in 114 Copper Plates, illustrated with large Explications containing many new Discoveries, and Chirurgical Observations: To which is added an Introduction explaining the Animal Oeconomy, with a copious Index, by *William Cowper*. *Oxford*, Printed at the *Theatre* on large Imperial Paper, in fol. 1698. Price 5 *l.*

2. Jo. Rali Historia Plantarum Generalis: Accesserunt Lexicon Botanicum & Nomenclator Botanicus, 2 vol. folio.

3. ——Synopsis Methodica Stirpium Britannicarum tum Indigenis, tum in agris cultis, locis suis dispositis, additis Generum Characteristicis, Specierum Descriptionibus, & Virium Epitome, Edit. 2. cum respons. ad D. Rivinum & D. Tournefort, in 8°

4. ——Stirpium Europæarum extra Britannias nascentium Sylloge.

5. ——Synopsis Methodica Animalium Quadrupedu & Serpentini Generis, &c. in 8°

6. Praxeos Mayernianæ in Morbis Internis præcipue Gravioribus & Chronicis Syntagma. —Id. Syntagma Alterum, 1. De Febribus. 2. De Morbis Externis. 3. De Arthridite. 4. De Lue Veneræa, in 2 vol. in 8°

7. D. R. Morton de Morbis Universalibus Accutis, vol. 1. in 8°

8. ——Id. de febribus inflamatoriis & de Variolis, &c. vol. 2. in 8°

9. D. Guil. Cole Nova Hypothesis ad Explicanda febrium intermittentiam symtoma, in 8°

10. Pharmacopeiæ Colleg. Reg. Londini Remedia Omnia succintè descriptâ: Edit. 3. Aucta, 1699. per J. Shipton, in 12°

11. Dale

11. Dale Pharmacologia ſeu Manuductio ad Materiam Medicam, in 12°

12. D. Sydenhami Proceſſus Integri in morbis fere omnibus curandis, nec non de phthiſi Tractatulo, 12° 1695.

13. M. Liſter Exercitatio Anatomica, de Cochleis, de Buccinis Fluviatilibus & Marinis, 2 vol. 8°. cum figuris Æneis.

14. —— Id. Exercitat. octo Medicinales. 1. De Hydrope. 2. De Diabete. 3. De Hydrophobia. 4. De Lue Venerea. 5. De ſcorbuto. 6. De Arthridite. 7. De Calculo Humano. 8. De Variolis, in 12°

15. Dr. *Bates*'s Diſpenſatory tranſlated into Engliſh, by *D. Salmon*; the 2d Edit. with Emendations, and large Additions, in 8°. 1700.

16. Dr. *Morton*'s Treatiſe of Conſumptions, wherein the Differency, Nature, Cauſes, Signs and Cure, of all ſorts of Conſumptions, are explained, in 8°.

17. *Cowper's Myotomia Reformata*; Or, A New Adminiſtration of all the Muſcles of Humane Bodies, with a Graphical Deſcription of the Bones, and other Anatomical Obſervations, illuſtrated with Figures after the Life. In 8°. 1694.

18. The Anatomy of the Brain, containing its Mechaniſm and Phyſiology; Together with ſome new Diſcoveries and Corrections of Ancient and Modern Authors upon that ſubject. To which is annexed a particular Account of Animal Functions and Muſcular Motion, with ſculptures. By Dr. *H. Ridley*, 8°. 1695.

19. *Oſteologia Nova*: Or, ſome new Obſervations of the Bones, and the Parts belonging to them; with the manner of Accretion and Nutrition, communicated to the *Royal Society*. To which is added a Diſcourſe of the Cartilages. By Dr. *Havers*, 8°. 1691.

20. Mr. *Boyle*'s Medicinal Experiments: Or, a collection of choice and ſafe Remedies, in 12°. 1696. 3d Edition, in 3 Parts.

21. Dr. *Sydenham*'s Practice of Phyſick; The Signs, Symptoms, Cauſes, and Cures of Diſeaſes. Tranſlated into Engliſh by Dr. *Salmon*, with large Annotations and practical Obſervations, in 12°.

22. The Natural Hiſtory of Chalybeat and Purging Waters of *England*, with their particular Eſſays and Uſes. By *B. Allen*, M. B. in 8°. 1679.